

EDITION 24



Lighting



Electrical



HVAC



Cleaning & Hygiene



Hardware



Appliances

Decor

Paint

Tools

Safety

Hospitality

Plumbing

THE BIG BLUE BOOK OF ESSENTIALS

STREAMLINED

**NEXTDAY
DELIVERY**

Automatic Tracking
and Delivery
Notifications

FERGUSON
FACILITIES SUPPLY

HOW TO ORDER

Ordering with Ferguson Facilities Supply is easy. In fact, we offer a variety of solutions to make getting the products you need as convenient as possible.

ORDER ONLINE

Shop our online storefront for 24/7 access to our vast inventory and time-saving tools.

Need a [ferguson.com](https://www.ferguson.com) account?

Visit [ferguson.com/account-registration](https://www.ferguson.com/account-registration) to sign up and reap the benefits of everything our site has to offer, including access to special pricing, budget tracking tools, order history and more.

CALL OUR SOLUTIONS CENTER

To speak directly with one of our associates for ordering, shipping updates, product information or answers to other questions, please call:

English: 888-334-0004 Español: 855-267-2457

Monday through Friday, 7:00 a.m. to 8:00 p.m. ET

EMAIL

You can also always connect with our experts via email at facilities.supply@ferguson.com for help placing orders, requesting quotes or getting the status of your latest order.

DON'T SEE WHAT YOU NEED?

We might still have it. Browse thousands of SKUs on [ferguson.com](https://www.ferguson.com) or call the number above for help finding all the products you need.

Orders of less than \$50 are subject to an additional \$14.99 processing fee.



EPROCUREMENT AND DIGITAL INTEGRATIONS

We have a variety of innovative eProcurement options that make digital ordering quick and reliable.

Our digital integration capabilities—including electronic invoicing—automate the procurement process to provide you with flexible digital ordering options, saving valuable time while increasing operational efficiency.

PUNCHOUT

PunchOut offers the functionality and familiarity of [ferguson.com](https://www.ferguson.com), connecting your facility to real-time pricing, up-to-date product information, access to technical specifications and more, all while allowing you to continue ordering through an existing purchasing system.

If your team has PunchOut enabled, ask your local sales associate about our enhanced capabilities.

To learn more, call our eProcurement Specialists at **888-222-1785** between 8 a.m. and 8 p.m. Monday through Friday, or email us at technology.solutions@ferguson.com.


WHY STREAMLINED?

The Big Blue Book is more than a carefully curated collection of this, that and those—it's your conduit to project completion. This version of our catalog has been trimmed, tightened up, compacted and pruned to its most essential parts so you have less to leaf through to find the essentials.

The faster you can find what you need, the faster we can tackle your to-do list, together.

WANT TO SEE MORE?

Browse this and the full version of the Big Blue Book online at catalogs.ferguson.com.



**Lighting
& Fans**
4-23



Electrical
24-38



HVAC
39-68



**Cleaning
& Hygiene**
69-89



Hardware
90-106



Appliances
107-134



Decor
135-146



**Paint &
Sundries**
147-157



Tools
158-168



Safety
169-175



**Hospitality
OS&E**
176-183



Plumbing
184-254



RENOVATIONS SUPPLY MADE SIMPLE



Any style, any budget, any project—the experts are here to help get you the resources you need, when and where you need them.

We've designed our renovations supply services to maximize your benefit and minimize the time, money and stress expended during the process. When you partner with us on a renovations project, you'll benefit from:

- A single point of contact for your entire renovation portfolio
- Customized service packages for every budget and timeline
- Manufacturer relationships and unrivaled product offering
- Online tools and resources available 24/7 to help keep track of your projects

We offer three unique supply solutions to help you save, and our team is standing by to help you determine which option best suits your project.

DIRECT SAVINGS

You pick, we ship, you save. Consolidate your order and ship complete project packages straight to your site to minimize costs.

VALUE ADDED

Choose from a selection of name-brand or our high-quality brands and products stocked in cross-country distribution centers.

CUSTOM CHOICE

For properties that require specific products and brands, this solution offers fully customizable access to the specific SKUs you need.

Learn more about our renovations capabilities at
ferguson.com/renovations



ICON LEGEND



ADA

Product complies with the Americans with Disabilities Act.



Additional Freight May Apply

Additional charges may apply for delivery.



ANSI Grade 1

Meets commercial building requirements, considered the most secure in the industry.



ANSI Grade 2

Meets light commercial building standards, exceeds residential building requirements.



ANSI Grade 3

Meets residential building requirements.



Call for Lead Time

Product ships directly from the manufacturer or may require additional delivery time. Call for details.



Design Lights Consortium

Product meets Design Lights Consortium specifications and may qualify for local utility rebates.



EcoLogo

Product is certified for reduced environmental impact.



Energy Star

Product meets Energy Star specifications. More information at energystar.gov.



ETL

Product has been independently tested and meets North American safety standards.



FSC

Product comes from responsibly managed forests that provide environmental, social and economic benefits.



GreenSeal

Certification is based on performance, health, and sustainability criteria.



Hazmat Materials

Product requires special handling and may be subject to additional freight charges.



HVAC 5-Year Warranty

Product includes a 5-Year Parts Limited Warranty.



HVAC 10-Year Warranty

Product includes a 10-Year Parts Limited Warranty.



HVAC 20-Year Warranty

Product includes a 20-Year Heat Exchanger Limited Warranty.



HVAC Lifetime Warranty

Product includes a Lifetime Heat Exchanger Limited Warranty.



LED

Product features LED technology.



Low Lead

Product is defined as "lead free" as pursuant to U.S. federal and other applicable law.



Made/Assembled in USA

Product has been made/assembled in the USA.



New Product

Product is a new addition to our offering.



UL

Product meets UL standards for product safety, performance, environmental health and sustainability.



UL Component Recognition

Components/materials have been evaluated for use in complete products/systems intended for UL-eligible certifications.



WaterSense

Certified to use at least 20% less water, save energy and perform as well as or better than regular models.





Alkaline Batteries



Procell Intense

• Procell® Intense Power is a new battery range specifically engineered to deliver precise pulses of energy while lasting longer in high-drain professional devices

Item#	Description	Qty
8940991	Procell® Intense 9V Alkaline Battery	12
8025927	Procell® Intense AA Alkaline Battery	24
8940986	Procell® Intense AAA Alkaline Battery	24
8025926	Procell® Intense C Alkaline Battery	12
8025925	Procell® Intense D Alkaline Battery	12



Procell Constant Power

• Procell® Constant Power is specifically engineered to deliver consistent performance while lasting longer in low-drain professional devices • Individually date-coded to ensure freshness

Item#	Description	Qty
4631239	Procell® 9V Alkaline Battery	12
4631240	Procell® AA Alkaline Battery	24
4631243	Procell® AAA Alkaline Battery	24
4631237	Procell® C Alkaline Battery	12
4631244	Procell® D Alkaline Battery	12

Door Lock Battery Packs



Procell® Intense 28110 Alkaline Battery Pack

• 6V DC • Fits model: A28100, A28110, MT

Item#
9866238



Procell® Intense Style B Alkaline Battery Pack

• 6V DC • Fits model: IC, S54490, SL2500, System 5000, VC

Item#
9866240

Door Lock Battery Packs



Procell® Intense Style F Alkaline Battery Pack

• 6V DC • Fits model: S7400-12

Item#
9866239



Procell® Intense Ilco Alkaline Battery Pack

• 9V DC • Fits model: 01070, 502238, 50225, 700

Item#
9866237

Emergency Fixture Batteries



Exit/Emergency Replacement Battery

• 6 volt • 4.5 Amp • 4-3/16H x 2-3/4W x 1-7/8"D

Item#
7037420





LED Bulbs - Decorative



Item#	Mfg#	Watt	Volts	Lumens	Avg Life	Kelvin	Replaces	LPW	Dimmable	Qty
9548597	LED4B10CBLUNTDIM927 CL13YTLBL2	4	120	350	15,000	2,700	40W	87.5	Yes	2
9548594	LED5.5B10CBLUNTDIM927 CL13YTLBL	5.5	120	500	15,000	2,700	60W	90.9	Yes	2

B10 LED Filament Bulb

• Natural™ Series • Candelabra base • 90 CRI
• California Energy Commission (CEC) Title 20 certified



Item#	Mfg#	Watt	Volts	Lumens	Avg Life	Kelvin	Replaces	LPW	Dimmable	Qty
9868030	4B11/LED/927/CL/120V/E12	4	120	350	15,000	2,700	40W	87.5	Yes	1
9868029	4B11/LED/930/CL/120V/E12	4	120	350	15,000	3,000	40W	87.5	Yes	1
9868027	4B11/LED/940/CL/120V/E12	4	120	350	15,000	4,000	40W	87.5	Yes	1
9868026	4B11/LED/950/CL/120V/E12	4	120	350	15,000	5,000	40W	87.5	Yes	1
9868041	5.5B11/LED/927/CL/120V/E12	5.5	120	500	15,000	2,700	60W	90.9	Yes	1
9868040	5.5B11/LED/930/CL/120V/E12	5.5	120	500	15,000	3,000	60W	90.9	Yes	1

B11 LED Filament Bulb

• Candelabra base • 90 CRI • California Energy Commission (CEC) Title 20 certified



Item#	Mfg#	Watt	Volts	Lumens	Avg Life	Kelvin	Replaces	LPW	Dimmable	Qty
7964385	BPCFC25/927CA/FIL	3	120	200	15,000	2,700	25W	66.7	Yes	2
7584966	BPCFC40927CA/FIL/2/RP	4.5	120	300	15,000	2,700	40W	66.7	Yes	2
8929176	BPCFC40/950/CA/FIL/2/RP	4.5	120	300	15,000	5,000	40W	66.7	Yes	2
7584961	BPCFC60927CA/FIL/2/RP	6	120	500	15,000	2,700	60W	83.3	Yes	2

B9 LED Filament Bulb

• Candelabra base • 90 CRI • California Energy Commission (CEC) Title 20 certified



Item#	Mfg#	Watt	Volts	Lumens	Avg Life	Kelvin	Replaces	LPW	Dimmable	Qty
9868148	4G16.5/LED/CL/927/120V/E12	4	120	350	15,000	2,700	40W	87.5	Yes	1

G16.5 LED Filament Bulb

• Medium base • 90 CRI • California Energy Commission (CEC) Title 20 certified

FTC Lighting Facts Labels can be viewed at Ferguson.com





LED Bulbs - 11,000 Hours



A19 LED Bulb
• Medium base

Item#	Mfg#	Watt	Volts	Lumens	Avg Life	Kelvin	Replaces	LPW	Dimmable	Qty
7333468	LED6A19F82710YVRP	6	120	450	11,000	2,700	40W	75	No	6
7333446	LED8.5A19F82710YVRP	8.5	120	800	11,000	2,700	60W	94.1	No	6
7333427	LED8.5A19F84110YV	8.5	120	800	11,000	4,100	60W	94.1	No	6
7333464	LED8.5A19F85010YVRP	8.5	120	800	11,000	5,000	60W	94.1	No	6
7333480	LED12A19F82710YVRP	12	120	1,100	11,000	2,700	75W	91.7	No	6
7333479	LED14A19F82710YVRP	14	120	1,500	11,000	2,700	100W	107.1	No	6



100/PK

A19 LED Bulb
• Medium base • Non-dimmable

Item#	Mfg. No.	Watt	Volts	Lumens	Avg Life	Kelvin	Replaces	LPW	Dimmable	Qty
10109361	9A19/LED/ E26/827/120V/100PK	9	120	760	10,000	2,700	60W	88.9	No	100
10109362	9A19/LED/ E26/841/120V/100PK	9	120	760	10,000	4,100	60W	88.9	No	100



A19 LED Bulb
• Medium base

Item#	Mfg#	Watt	Volts	Lumens	Avg Life	Kelvin	Replaces	LPW	Dimmable	Qty
7342914	L9A19N1027K4	9	120	800	10,000	2,700	60W	88.9	No	4
7342898	L9A19N1041K4	9	120	850	10,000	4,100	60W	94.4	No	4



A19 LED Bulb
• Medium base

Item#	Mfg#	Watt	Volts	Lumens	Avg Life	Kelvin	Replaces	LPW	Dimmable	Qty
7261917	A450/827/10KLED/6	6	120	450	11,000	2,700	40W	75	No	6
7261891	A800/827/10KLED/6	9	120	800	11,000	2,700	60W	88.9	No	6
7261893	A800/841/10KLED/6	9	120	800	11,000	4,100	60W	88.9	No	6
8929509	A800/850/10KLED/6	9	120	800	11,000	5,000	60W	88.9	No	6
7678341	A1100/827/10KLED/2	11.2	120	1,100	11,000	2,700	75W	98.2	No	2
7261904	A1600/827/10KLED/6	14.5	120	1,500	11,000	2,700	100W	103.4	No	6

Meets California Energy Commission Efficiency Standards



A19 LED Bulb
• Medium base • 90 CRI • California Energy Commission (CEC) Title 20 certified


Item#	Mfg#	Watt	Volts	Lumens	Avg Life	Kelvin	Replaces	LPW	Dimmable	Qty
8929495	OM40/930CA10K/4	6	120	450	11,000	3,000	40W	75	No	4
7582853	OM60/930CA10K/10	10.6	120	800	11,000	3,000	60W	75.5	No	10
10077561	OM60/940CA10K/6	10.6	120	800	11,000	4,000	60W	75.5	No	6
7582855	OM60/950CA10K/10	10.6	120	800	11,000	5,000	60W	75.5	No	10

FTC Lighting Facts Labels can be viewed at Ferguson.com





15,000 Hour LED Bulbs



Item#	Mfg#	Watt	Volts	Lumens	Avg Life	Kelvin	Replaces	LPW	Dimmable	Qty
8929207	BPA1540927CAFIL/2/RP	5	120	450	15,000	2,700	40W	90	Yes	2
8929195	BPA1560927CAFIL/2/RP	8	120	750	15,000	2,700	60W	90	Yes	2

A15 LED Filament Bulb

• Medium base • 90 CRI • California Energy Commission (CEC) Title 20 certified



Item#	Mfg#	Watt	Volts	Lumens	Avg Life	Kelvin	Replaces	LPW	Dimmable	Qty
9323369	4.5A19/CL/LED/E26/27K/ES/120V	5	120	450	15,000	2,700	40W	90	Yes	1
9323404	8A19/CL/LED/E26/927/120V	8	120	800	15,000	2,700	60W	100	Yes	1
9323403	8A19/CL/LED/E26/930/120V	8	120	800	15,000	3,000	60W	100	Yes	1
9323405	8A19/CL/LED/E26/940/120	8	120	800	15,000	4,000	60W	100	Yes	1
9323408	8A19/CL/LED/E26/950/120V	8	120	800	15,000	5,000	60W	100	Yes	1
9323443	10.5A19/CL/LED/E26/930/120V	10.5	120	1,100	15,000	3,000	75W	104	Yes	1
9323478	12.5A19/CL/LED/E26/930/120V	12.5	120	1,500	15,000	3,000	100W	120	Yes	1

A19 LED Filament Bulb

• Medium base • 90 CRI • California Energy Commission (CEC) Title 20 certified



Item#	Mfg#	Watt	Volts	Lumens	Avg Life	Kelvin	Replaces	LPW	Dimmable	Qty
7060719	6A19/LED/2700K/120V	6.5	120	450	15,000	2,700	40W	69	No	1
9409161	9.5A19/LED/827/ND/120V	9.5	120	800	15,000	2,700	60W	84	No	1
9936040	9.5A19/LED/827/ND/120V/4PK	9.5	120	800	15,000	2,700	60W	84	No	4
9935987	9.5A19/LED/30K/ND/120V/4PK	9.5	120	800	15,000	3,000	60W	84	No	4
9935986	9.5A19/LED/840K/ND/120V/4PK	9.5	120	800	15,000	4,000	60W	84	No	4
9936041	9.5A19/LED/850/ND/120V/4PK	9.5	120	800	15,000	5,000	60W	84	No	4

A19 LED Bulb

• Medium base

LED Bulbs - GU24 Base



Item#	Mfg#	Watt	Volts	Lumens	Avg Life	Kelvin	Replaces	LPW	Dimmable	Qty
9627962	BPOM60DM/927CA/GU24	9.9	120	800	25,000	2,700	60W	90	Yes	4
7678321	OM60DM/930CA/GU24	9.9	120	800	25,000	3,000	60W	90	Yes	1
10221275	OM60DM/940CA/GU24/4	9.9	120	800	25,000	4,100	60W	90	Yes	4
9535595	BPOM60DM/950CA/GU24	9.9	120	800	25,000	5,000	60W	90	Yes	1



A19 LED Bulb

• GU24 base • California Energy Commission (CEC) Title 20 certified



Item#	Mfg#	Watt	Volts	Lumens	Avg Life	Kelvin	Replaces	LPW	Dimmable	Qty
7579490	9.8A19/OMNI/220/LED/27K/GU24	9.8	120	800	25,000	2,700	60W	81	Yes	1
7514701	9.8A19/OMNI/220/LED/40K/GU24	9.8	120	800	25,000	4,000	60W	81	Yes	1

A19 LED Bulb

• GU24 base • 90 CRI • California Energy Commission (CEC) Title 20 certified



Item#	Mfg#	Watt	Volts	Lumens	Avg Life	Kelvin	Replaces	LPW	Dimmable	Qty
7500079	10A19/OMNI/LED/3K/90CRI/GU24	10	120	800	25,000	3,000	60W	80	Yes	1

A19 LED Bulb

• GU24 base • 90 CRI • California Energy Commission (CEC) Title 20 certified

FTC Lighting Facts Labels can be viewed at Ferguson.com





LED Reflector Bulbs



Item#	Mfg#	Watt	Volts	Lumens	Avg Life	Kelvin	Replaces	LPW	Dimmable	Qty
7052815	9.5BR30/LED/2700K/750L/120V/D	9.5	120	750	25,000	2,700	65W	78.9	Yes	1
7052814	9.5BR30/LED/3000K/750L/120V/D	9.5	120	750	25,000	3,000	65W	78.9	Yes	1
7175321	9.5BR30/LED/4000K/750L/120V/D	9.5	120	750	25,000	4,000	65W	78.9	Yes	1

BR30 LED Bulb
• Medium base



Item#	Mfg#	Watt	Volts	Lumens	Avg Life	Kelvin	Replaces	LPW	Dimmable	Qty
8929503	BR30/DM/10KLED/6	9.5	120	650	11,000	2,700	65W	61	Yes	6
8929177	BR30DM/850/10KLED/6	9.5	120	650	11,000	5,000	65W	61	Yes	6

BR30 LED Bulb
• Medium base • California Energy Commission (CEC) Title 20 certified

LED PAR Bulbs



PAR20 LED Bulb
• Medium base • 90 CRI • California Energy Commission (CEC) Title 20 certified

Item#	Mfg#	Watt	Volts	Lumens	Avg Life	Kelvin	Replaces	LPW	Dimmable	Qty
9208215	6.5PAR20/LED/40/927/120V	6.5	120	470	25,000	2,700	50W	72.3	Yes	1
9208216	6.5PAR20/LED/40/930/120V	6.5	120	520	25,000	3,000	50W	80	Yes	1



PAR30 Short Neck LED Bulb
• Medium base • 90 CRI • California Energy Commission (CEC) Title 20 certified

Item#	Mfg#	Watt	Volts	Beam	Lumens	Avg Life	Kelvin	Replaces	LPW	Dimmable	Qty
9208297	12.5PAR30/SN/LED/40/930/120V	12.5	120		1,000	25,000	3,000	75W	80	Yes	1



PAR30 Long Neck LED Bulb
• Medium base • 90 CRI • California Energy Commission (CEC) Title 20 certified

Item#	Mfg#	Watt	Volts	Beam	Lumens	Avg Life	Kelvin	Replaces	LPW	Dimmable	Qty
9208359	12.5PAR30/LN/LED/40/930/120V	12.5	120	40°	1,000	25,000	3,000	75W	80	Yes	1



PAR38 LED Bulb
• Medium base • 90 CRI • California Energy Commission (CEC) Title 20 certified

Item#	Mfg#	Watt	Volts	Beam	Lumens	Avg Life	Kelvin	Replaces	LPW	Dimmable	Qty
9208315	15PAR38/LED/40/930/120V	15	120	40°	1,200	25,000	3,000	90W	80	Yes	1

FTC Lighting Facts Labels can be viewed at Ferguson.com





LED T8 Tubes



Item#	Mfg#	Watt	Volts	Length	Lumens	Avg Life	Kelvin	Replaces	LPW	Qty
9548601	ECOLED16T8L48FG841TYPEA	16	120-277	48"	2,160	50,000	4,100	32W	135	25
9548600	ECOLED16T8L48FG850TYPEA	16	120-277	48"	2,160	50,000	5,000	32W	135	25

Type A T8 LED Bulb

• Frosted glass • Operates on existing instant start ballast



Item#	Mfg#	Watt	Volts	Length	Lumens	Avg Life	Kelvin	Replaces	LPW	Qty
8929493	T848/840/LEDG2/2	18	120-277	48"	1,800	35,000	4,100	32W	100	2

Type A T8 LED Bulb

• Shatter resistant coating • Operates on existing instant start ballast • Non-dimmable



Item#	Mfg#	Watt	Volts	Length	Lumens	Avg Life	Kelvin	Replaces	LPW	Qty
9535599	T4815/840/AB/LED/10	15	120-277	48"	1,850	50,000	4,100	32W	123.3	10
9535596	T4815/850/AB/LED/10	15	120-277	48"	1,850	50,000	5,000	32W	123.3	10

Type AB Hybrid T8 LED Bulb

• Frosted glass • Operated as Type A: Compatible with instant start ballasts • Operated as Type B: Installs directly on line voltage • Non-dimmable

LED Retrofit Kits



Color Sectable LED Downlight Retrofit

• Medium base • For 4" cans • 90 CRI • California Energy Commission (CEC) Title 20 certified

Item#	Mfg#	Watt	Kelvin	Lumens	Avg Life	LPW	Dimmable	Qty
10030696	LEDR4HO/6WYCA	8.6	2,700/3,000/3,500/4,000/5,000	775	50,000	90.1	Yes	1



Color Sectable LED Downlight Retrofit

• Medium base • 90 CRI • California Energy Commission (CEC) Title 20 certified

Item#	Mfg#	Watt	Kelvin	Lumens	Avg Life	LPW	Dimmable	Qty
10030697	LEDR56HO/6WYCA	14.3	2,700/3,000/3,500/4,000/5,000	1,290	50,000	90.2	Yes	1



Color Selectable Retrofit LED Bulb

• Medium base • For 4, 5 & 6" cans • Surface mount to standard 4" J-box • 7-5/16" Diameter • Wet location listed • 90 CRI • California Energy Commission (CEC) Title 20 certified

Item#	Mfg#	Watt	Kelvin	Lumens	Avg Life	LPW	Dimmable	Qty
10036493	LEDLD2A900ST9SC3WH	15	2,700/3,000/3,500/4,000/5,000	900	50,000	60	Yes	1

FTC Lighting Facts Labels can be viewed at Ferguson.com





Reflector Bulbs



R40 Halogen Bulb

• Medium base • Heat lamp • Vibration service • Clear

Item#	Mfg#	Watt	Volts	Beam	Lumens	Avg Life	Qty
1279768	250R40/1	25	120	Flood	3,750	6,000	1

Fluorescent Tubes



T8 Linear Fluorescent Bulb

• OCTRON® VIVID VALUE ECOLOGIC®

Item#	Mfg#	Watt	Kelvin	Lumens	Avg Life	CRI	Length	Qty
7349898	F032/V35/ECO	32	3,500	2,450	22,500	90	48"	30
7349900	F032/V41/ECO	32	4,100	2,450	22,500	90	48"	30
7333444	F032/V50/ECO	32	5,000	2,450	22,500	90	48"	30


Pin-Based Compact Fluorescent Bulbs



Twin Tube Compact Fluorescent Bulb

• DULUX® S • For use on magnetic ballasts

Item#	Mfg#	Watt	Kelvin	Lumens	Avg Life	Base	Length	Qty
7278066	CF13DS827ECO	13	2,700	800	10,000	GX23	7-1/8"	1
1279761	CF13DS830ECO	13	3,000	800	10,000	GX23	7-1/8"	1
4249916	CF13DS841ECO	13	4,100	800	10,000	GX23	7-1/8"	1
7310960	CF13DS850ECO	13	5,000	800	10,000	GX23	7-1/8"	1



Quad Tube Compact Fluorescent Bulb

• DULUX® D/E • For use with electronic & dimming ballasts

Item#	Mfg#	Watt	Kelvin	Lumens	Avg Life	Base	Length	Qty
2338558	CF13DD/E/827/ECO	13	2,700	900	20,000	G24Q-1	5-1/4"	1
4847156	CF13DD/E/835	13	3,500	900	20,000	G24Q-1	5-1/4"	1
2338474	CF13DD/E/841	13	4,100	900	20,000	G24Q-1	5-1/4"	1



Quad Tube Compact Fluorescent Bulb

• DULUX® D/E • For use with electronic & dimming ballasts

Item#	Mfg#	Watt	Kelvin	Lumens	Avg Life	Base	Length	Qty
2338570	CF26DD/E/827	26	2,700	1,710	20,000	G24Q-3	6-1/2"	1
1279522	CF26DD/E/830	26	3,000	1,710	20,000	G24Q-3	6-1/2"	1
2338508	CF26DD/E/835/ECO	26	3,500	1,710	20,000	G24Q-3	6-1/2"	1
7276809	CF26DD/E/841	26	4,100	1,710	20,000	G24Q-3	6-1/2"	1

Due to local legislation, not all items on this page are available in all locations.





Ceiling Fans



52" LED Five-Blade Ceiling Fan

- Dual-mount • 3-speed reversible motor • Brushed nickel
- White frosted glass light kit • One 6.5W medium base LED bulb included • 3,000 Kelvin • 10,000 average hour life • Five reversible silver/light maple blades • Energy Guide: 3,343 CFM • Watt 36 • CFM Per Watt: 92

Item#	Energy Star Rated
8928738	N
10075648	Y



52" LED Five-Blade Ceiling Fan

- Dual-mount • 3-speed reversible motor • Matte black
- White frosted glass light kit • One 6.5W medium base LED bulb included • 3,000 Kelvin • 10,000 average hour life • Five matte black blades • Energy Guide: 3,343 CFM • Watt 36 • CFM Per Watt: 92

Item#
10049905



52" LED Five-Blade Ceiling Fan

- Dual-mount • 3-speed reversible motor • Chrome
- Frosted glass • 22W integrated LED light kit • 3,000 Kelvin • 10,000 average hour life • Dimmable • Five gray wood grain blades • Energy Guide: 2,662 CFM • Watt 37 • CFM Per Watt: 72 • Replacement glass

Item#
7775693

CRAFTMADE™



44" LED Five-Blade Ceiling Fan

- Dual-mount • 3-speed reversible motor • Brushed nickel
- White frosted glass light kit • One 6.5W medium base LED bulb included • 3,000 Kelvin • 10,000 average hour life • Five reversible silver/light maple blades • Energy Guide: 2,099 CFM • Watt 29 • CFM Per Watt: 74

Item#
8928734



52" Laval Ceiling Fan

- Dual-mount • 3-speed reversible motor • Brushed nickel
- White frost glass bowl light kit • 14W integrated LED light kit • 3,000 Kelvin • 1,200 lumens • Dimmable
- Four reversible matte silver/maple blades
- Limited lifetime warranty • Energy Guide: 3,862 CFM

Item#	Size	CFM	Watt	CFM Per Watt
7648792	52"	3,862	59	82



52" LED Three-Blade Ceiling Fan

- Dual-mount • 3-speed reversible motor • Brushed nickel
- White frosted glass light kit • 22W integrated LED light kit • 3,000 Kelvin • 10,000 average hour life • Dimmable
- Three black blades • Remote control included • Energy Guide: 2,083 CFM • Watt 39 • CFM Per Watt: 72

Item#
7775695

CRAFTMADE™



52" LED Three-Blade Ceiling Fan

- Dual-mount • 3-speed reversible motor • Matte black
- White frosted glass light kit • 22W integrated LED light kit • 3,000 Kelvin • Three black blades • Remote control included • Energy Guide: 2,083 CFM • Watt 39 • CFM Per Watt: 72

Item#
10049904



52" Intrepid Ceiling Fan

- Dual-mount • 3-speed reversible motor • Brushed nickel
- White frost glass bowl light kit • Two 9W medium base LED bulbs included • 3,000 Kelvin • Five reversible silver/walnut blades • Energy Guide: 3,085 CFM • Watt 37 • CFM Per Watt: 84

Item#
7803253



44" LED Three-Blade Ceiling Fan

- Dual-mount • 3-speed reversible motor • Gunmetal finish
- White frosted glass light kit • One 6.5W medium base LED bulb included • 3,000 Kelvin • 10,000 average hour life • Three reversible black/graphite blades • Energy Guide: 2,043 CFM • Watt 29 • CFM Per Watt: 71

Item#
8928739





Ceiling Fans

KICHLER

NEW

KICHLER

NEW



52" Basics Pro Select Fan

- Dual-mount • 3-speed reversible motor
- Satin black • White etched glass bowl light kit • Three 4W candelabra base LED bulbs included • 2,700 Kelvin • Five black/silver reversible blades • Energy Guide: 4,200 CFM • Watt 52 • CFM Per Watt: 81

Item#
7912827

52" Basics Pro Select Fan

- Dual-mount • 3-speed reversible motor
- Brushed nickel • White etched glass bowl light kit • Three 4W candelabra base LED bulbs included • 2,700 Kelvin • Five walnut/silver reversible blades • Energy Guide: 4,200 CFM • Watt 52 • CFM Per Watt: 81

Item#
7912826

LED

52" LED Five-Blade Ceiling Fan

- Dual-mount • 3-speed reversible motor
- Brushed nickel • White frosted glass light kit • 3,000 Kelvin • 10,000 average hour life • Five reversible cherry/light maple blades • Energy Guide: 2,550 CFM • Watt 35 • CFM Per Watt: 92

Item#	Energy Star Rated
8928735	N
10075650	Y

LED

52" LED Five-Blade Ceiling Fan

- Dual-mount • 3-speed reversible motor
- Brushed nickel • Opal schoolhouse light kit • One 6.5W medium base LED bulb included • 3,000 Kelvin • 10,000 average hour life • Five reversible sapelle/beech blades • Energy Guide: 2,948 CFM • Watt 39 • CFM Per Watt: 75

Item#
7775697



LED

52" LED Five-Blade Ceiling Fan

- Dual-mount • 3-speed reversible motor
- White • Opal schoolhouse light kit
- One 6.5W medium base LED bulb included • 3,000 Kelvin • 10,000 average hour life • Five reversible white/light maple blades • Energy Guide: 2,948 CFM • Watt 39 • CFM Per Watt: 75

Item#
7775696

LED

52" LED Five-Blade Hugger Mount Ceiling Fan

Hugger mount • 3-speed reversible motor

- Brushed nickel • White frosted glass light kit • One 6.5W medium base LED bulb included • 3,000 Kelvin • 10,000 average hour life • Five reversible walnut/light maple blades • Energy Guide: 2,130 CFM • Watt 38 • CFM Per Watt: 56

Item#
8928737

LED

42" LED Five-Blade Hugger Mount Ceiling Fan

- Hugger mount • 3-speed reversible motor
- Brushed nickel • Opal glass globe
- One 6.5W medium base LED bulb included • 3,000 Kelvin • 10,000 average hour life • Five reversible walnut/maple blades • Energy Guide: 1,300 CFM • Watt 33 • CFM Per Watt: 62

Item#
7775698

LED

42" LED Five-Blade Hugger Mount Ceiling Fan

- Hugger mount • 3-speed reversible motor
- Brushed nickel • Opal glass globe
- One 6.5W medium base LED bulb included • 3,000 Kelvin • 10,000 average hour life • Five reversible white/maple blades • Energy Guide: 1,300 CFM • Watt 33 • CFM Per Watt: 62

Item#
7775692

Ceiling Fans

Accessories

PROGRESS LIGHTING

NEW

RP

NEW

RP

NEW



52" AirPro Ceiling Fan

- Dual-mount • 3-speed reversible motor
- Brushed nickel • Five reversible cherry/natural cherry blades • SureConnect® blade arms • Energy Guide: 4,991 CFM • Watt 63 • CFM Per Watt: 79

Item#
1889254

Beaded Chain Pull Knob

- Black chain • Black knob

Item#	Qty
10833037	4

Beaded Chain Pull Knob

- Nickel chain • Brushed nickel knob

Item#	Qty
10833038	4

Ceiling Fan Installation Kit

- Fits ceiling joists on 16 or 24" centers
- Supports fans up to 70 lbs • 1-1/2" deep box remodeling kit

Item#
7033296





LED



LED

LED Oval Saturn Ceiling Fixture

- 34W integrated LED • 120V • Color selectable 2,700/3,000/3,500/4,000/5,000 Kelvin • Matte black
- White acrylic lens • Dimmable • 32-1/2L x 18W x 4-1/4"H
- 50,000 average hour life

Item#	Lumens
10049912	2,400



LED

LED Color Selectable Round Saturn Ceiling Fixture

- Integrated LED • 120V • Color selectable 2,700/3,000/3,500/4,000/5,000 Kelvin • Matte black
- White acrylic lens • Dimmable • 3-3/8" H
- 50,000 average hour life

Item#	Diameter	Watt	Lumens
10049910	10"	16	1,000
10049911	14"	20	1,400



LED

LED 12" Color Selectable Round Flat Panel Ceiling Fixture

- 24W integrated LED • 120V • Selectable 3,000/4,000/5,000 Kelvin • Matte black • White plastic lens • Dimmable • 90 CRI • 12" Diameter x 1/2" H • 50,000 average hour life

Item#	Lumens
10049907	1,500



LED

LED Oval Saturn Ceiling Fixture

- Integrated LED • 120V • Color selectable 2,700/3,000/3,500/4,000/5,000 Kelvin • Brushed nickel
- White acrylic lens • Dimmable • 50,000 average hour life

Item#	Size	Watt	Lumens
9211711	32-1/2L x 18W x 4-1/4"H	34	2,400



LED

LED Round Saturn Ceiling Fixture

- 25W integrated LED • 120V • Color selectable 2,700/3,000/3,500/4,000/5,000 Kelvin • Brushed nickel
- White acrylic lens • Dimmable • 3-3/8" H
- 50,000 average hour life

Item#	Diameter	Watt	Lumens
9211702	10"	16	1,000
9211718	12"	16	1,000
9211719	14"	20	1,400
9211717	16"	25	1,600



LED

LED 12" Color Selectable Round Flat Panel Ceiling Fixture

- 24W integrated LED • 120V • Selectable 3,000/4,000/5,000 Kelvin • Optional brushed nickel or white trim • White plastic lens • Dimmable • 90 CRI • 12" Diameter x 1/2" H • 50,000 average hour life

Item#	Lumens
9205186	1,500



LED Color Selectable Round Edge Lit Ceiling Fixture

- Integrated LED • 120V • Selectable 3,000/3,500/4,000/5,000/6,500 Kelvin • Matte black
- White plastic lens • Dimmable • 1" H • 50,000 average hour life

Item#	Diameter	Watt	Lumens
10077557	11"	12.5	875
10077558	15"	15	2,200



LED UL

Round Color Selectable Edge Lit LED Ceiling Fixture

- 120V • Selectable 3,000/4,000/5,000 Kelvin • Brushed nickel • White plastic lens • Dimmable • 1" H • 50,000 average hour life

Item#	Diameter	Watt	Lumens
7763581	11"	12.5	875
7763578	13"	15	1,050
7763582	15"	22.5	1,650



LED UL

Round Color Selectable Edge Lit LED Ceiling Fixture

- 120V • Selectable 3,000/3,500/4,000/5,000/6,500 Kelvin • White • White plastic lens • Dimmable • 1" H • 50,000 average hour life

Item#	Diameter	Watt	Lumens
9885658	11"	12.5	875
9885660	15"	22.5	1,650





LED



LED

Round Color Selectable LED Ceiling Fixture

- 120V • Selectable 3,000/4,000/5,000 Kelvin
- Optional brushed nickel or white trim • White plastic lens
- Dimmable • 1" H • 50,000 average hour life

Item#	Diameter	Watt	Lumens
9205202	5"	6	330
9205196	7"	12	700
9205193	9"	18	1,020



LED

1' x 4' LED Flat Panel Fixture

- 50W integrated LED • 120V • Selectable 3,000/4,000/5,000 Kelvin • Brushed nickel
- White diffuser • Dimmable • 50,000 average hour life

Item#	Lumens
10075651	4,000



LED



Feit 1' x 4' Edge Lit LED Flat Panel Fixture

- 50W integrated LED • 120V • Selectable 3,000/3,500/4,000/5,000/6,500 Kelvin • Brushed nickel
- White diffuser • Dimmable • 48L x 12W x 1"D • 50,000 average hour life

Item#	Lumens
9885655	4,000



LED

LED 9" Color Selectable Round Flat Panel Ceiling Fixture

- 120V • Selectable 3,000/4,000/5,000 Kelvin • Black
- White plastic lens • Dimmable • 90 CRI • 1/2" H
- 50,000 average hour life

Item#	Diameter	Watt	Lumens
10049908	9"	18	1,020




LED

1' x 4' LED Flat Panel Fixture

- 50W integrated LED • 120V • Selectable 3,000/4,000/5,000 Kelvin • Matte black
- White diffuser • Dimmable • 50,000 average hour life

Item#	Lumens
10049906	4,000



LED



Feit 1' x 4' Edge Lit LED Flat Panel Fixture

- 50W integrated LED • 120V • Selectable 3,000/3,500/4,000/5,000/6,500 Kelvin • Matte black
- White diffuser • Dimmable • 48L x 12W x 1"D
- 50,000 average hour life

Item#	Lumens
10077559	4,000



LED

LED Low Profile Ceiling Fixture

- Integrated LED • 120V • Selectable 3,000/4,000/5,000 Kelvin • White • White polycarbonate lens • Dimmable
- 90 CRI • Wet location • for installation in most 3-1/2" and 4" square, octagon, or round junction box • 50,000 average hour life

Item#	Diameter	Watt	Lumens
9882394	6"	11	600
9882395	6"	15	900
9882396	7"	15	1,200



LED

1' x 4' LED Flat Panel Fixture

- 50W integrated LED • 120V • Selectable 3,000/4,000/5,000 Kelvin • White • White diffuser
- Dimmable • 50,000 average hour life

Item#	Lumens
10075652	4,000



LED



Feit 1' x 4' Edge Lit LED Flat Panel Fixture

- 50W integrated LED • 120V • Selectable 3,000/3,500/4,000/5,000/6,500 Kelvin • White
- White diffuser • 50,000 average hour life

Item#	Lumens
9885653	4,000





LED



Feit 1' x 1' Edge Lit LED Flat Panel Fixture
 • 11W integrated LED • 120V • Selectable 3,000/3,500/4,000/5,000/6,500 Kelvin • White • White diffuser
 • Dimmable • 50,000 average hour life

Item#	Lumens
9885654	800



Feit 2' x 2' Edge Lit LED Flat Panel Fixture
 • 47W integrated LED • 120V
 • Selectable 3,000/3,500/4,000/5,000/6,500 Kelvin • White
 • White diffuser • 50,000 average hour life

Item#	Lumens
9885659	4,250



Feit 2' x 4' Edge Lit LED Flat Panel Fixture
 • 50W integrated LED • 120V • Selectable 3,000/3,500/4,000/5,000/6,500 Kelvin
 • White • White diffuser • 50,000 average hour life

Item#	Lumens
9885656	4,500



2' x 2' LED Flat Panel Fixture
 • 42.5W integrated LED • 120V • Selectable 3,000/4,000/5,000 Kelvin • White • White diffuser • Dimmable • 50,000 average hour life

Item#	Lumens
10075653	4,250



Linear LED Ceiling Fixture
 • 35W integrated LED • 120V • 4,000 Kelvin
 • Brushed nickel • White acrylic lens
 • Dimmable • 48-1/4L x 10W x 3-1/4"D
 • 50,000 average hour life

Item#	Lumens
10075654	2,650



Linear Saturn LED Ceiling Fixture
 • 35W integrated LED • 120V • 4,000 Kelvin
 • Dimmable • Brushed nickel • White acrylic lens • 46-3/4L x 9-3/4W x 3-5/8"D • 50,000 average hour life

Item#	Lumens
10075659	3,570



Lithonia Lighting® Futra LED Fixture
 • Integrated LED • 120V • 4,000 Kelvin
 • Brushed nickel • White acrylic diffuser
 • 9-7/8W x 3-1/2"D • 50,000 average hour life

Item#	Length	Watt	Lumens
7179641	25"	25	2,200
7179639	46-3/4"	36	3,400



Lithonia Lighting® LED 4' Puff Fixture
 • 35W integrated LED • 120V • 2,000 Lumens • 4,000 Kelvin • Steel base
 • White acrylic diffuser • 48L x 9-1/4W x 3-1/4"D • Replaces two F40T12 • 50,000 average hour life

Item#	Mfg#
4861462	FMLL 9 30840

LED



Feit® LED 4' Puff Fixture
 • 45W integrated LED • 120V • 3,200 lumens • 4,000 Kelvin • White • White acrylic diffuser • Dimmable • 48-3/4L x 9-7/8W x 3-5/8"D • 25,000 average hour life

Item#	Mfg#
8929191	71802

Commercial LED



AFX® LED 4' Commercial Wrap Fixture
 • Integrated LED • 120-277V • 4,000 Kelvin
 • White housing • Frosted white prismatic lens • 48L x 7W x 3"D • 50,000 average hour life

Item#	Watt	Lumens
7263694	30	3,600
7263697	52	7,200



AFX® 4' LED Low Profile Wrap
 • 120-277V • 4,000 Kelvin • Dimmable
 • White housing • Prismatic acrylic diffuser
 • 48L x 5-3/8W x 2-3/8" D • 50,000 average hour life

Item#	Length	Watt	Lumens
7541569	48"	40	3,600



LED 4' Linear Fixture
 • 40W integrated LED • 120-277V • White metal housing • 47-2/5L x 5-1/2W x 2-3/5"D
 • 90 CRI • 50,000 average hour life

Item#	Kelvin	Lumens
7368003	3,000	3,200
7361635	4,000	3,200





LED Recessed Fixture

HALO



Halo® Color Selectable Recessed LED Downlight
 • 10.2W integrated LED • 120V • 750 lumens • Selectable 2,700/3,000/3,500/4,000/5,000K • 90 CRI • Die-cast aluminum mounting frame • Dimmable • Remote driver • Wet location listed

Item#	Mfg#	Avg Life	LPW	Qty
9536881	HLB4069FS1EMWR	50,000	73	1

HALO



Halo® Color Selectable Recessed LED Downlight
 • 13.8W integrated LED • 120V • 900 lumens • Selectable 2,700/3,000/3,500/4,000/5,000K • 90 CRI • Die-cast aluminum mounting frame • Dimmable • Remote driver • Wet location listed

Item#	Mfg#	Avg Life	LPW	Qty
8200260	HLB6099FS1EMWR	50,000	65	1

JUNO



Juno® Color Selectable Recessed LED Downlight
 • 13W integrated LED • 120V • 970 lumens • Selectable 2,700/3,000/3,500K • 90 CRI • Dimmable • Remote driver • Wet location listed

Item#	Mfg#	Avg Life	LPW	Qty
9531057	WF6 SWW5 90CRI MW M6	50,000	74	1

Chandeliers & Pendants



3-Light Pendant Fixture

• Brushed nickel • White linen shade • 20" Diameter x 9"H
 • Includes one 12" and one 18" lengths of stem • Requires three 60W medium base bulbs

Item#
9205176



3-Light Pendant Fixture

• Brushed nickel • White linen shade • 20" Diameter x 7-7/8"H
 • Includes one 6", one 12" and one 18" lengths of stem • Requires three 60W medium base bulbs

Item#
9205203



2-Light Semi-Flush Fixture

• Brushed nickel • Alabaster-style glass • 15-3/4" Diameter x 10-3/8"H
 • Requires two 100W medium base bulbs

Item#
9205177

Incandescent

Twist-On Glass



Flush Mount Ceiling Fixture

• Brushed nickel • Alabaster glass • Requires medium base bulbs

Item#	Diameter	Lights
9211708	12"	2
9211707	14"	2
9211709	16"	3



6" Mushroom Ceiling Fixture

• Brushed nickel • White glass • Requires 60W medium base bulb • Use 7331831 replacement glass

Item#	Lights
9211699	1



6" Globe Ceiling Fixture

• Brushed nickel • White glass • Requires one 60W medium base bulb

Item#
9211710

DESIGNHOUSE



Oslo 1-Light Wall Sconce

• Brushed nickel • Satin Nickel • Two-piece clear and white cylinder glass • Mounts up or down • 10-1/4"H x 5-1/2"W x 7-1/2"D • Requires one 60W medium base bulb

Item#
7341391

DESIGNHOUSE



Dove Creek 1-Light Wall Sconce

• Satin nickel • White opal glass • Mounts up or down • 6-1/2"H x 5-3/8"W x 6"D • Requires one 60W medium base bulb

Item#
7563251



1-Light Wall Sconce

• Brushed nickel & oil-rubbed bronze finials included • Satin etched glass • 8-1/4"H x 8W x 4"D • Requires one 100W medium base bulb

Item#
9211703





Incandescent



Vanity Fixture

• Brushed nickel • Frosted white glass • Mounts up or down • 11-1/8H x 6-1/2" D • Requires 60W medium base bulb

Item#	Lights	Width
9205192	2	12-5/8"
9205188	3	21-1/8"
9205187	4	29-3/8"



Vanity Fixture

• Brushed nickel • Opal etched glass • Mounts up or down • 8-3/4H x 6-5/8" D • Requires 60W medium base bulb

Item#	Lights	Width
9205185	2	14-1/2"
9205190	3	21-5/8"
9205189	4	30-1/2"



Vanity Fixture

• Matte black • Opal etched glass • Mounts up or down • 8-3/4H x 6-5/8" D • Requires 60W medium base bulbs

Item#	Lights	Width
10049913	3	21-5/8"
10049914	4	30-1/2"



3-Light Vanity Fixture

• Matte black • Clear seeded glass • Mounts up or down • Requires three 75W medium base bulbs • 8-7/8H x 26-5/8W x 6-3/4"D

Item#
10049915



Vanity Fixture

• Satin nickel • Frosted glass • 8H x 7-1/4"D • Requires 60W medium base bulbs

Item#	Lights	Width
9211723	3	24"
9211721	4	30"
9211722	5	36"





Incandescent



Dove Creek Vanity Fixture

• Satin nickel • White opal glass • Mounts up or down • 6-1/2"H • Requires 60W medium base bulbs



Item#	Lights	Width
7563251	1	5-3/8"
7392820	3	24"
7392819	4	32"



Dove Creek 3-Light Vanity Fixture

• Matte black • White opal glass • Mounts up or down • 6-1/2"H x 6"D • Requires three 60W medium base bulbs

Item#	Lights	Width
9623349	3	24"



Oslo Vanity Fixture

• Satin nickel • Two-piece clear and white cylinder glass • Mounts up or down • 10-1/4H x 7-1/2"D • Requires 60W medium base bulbs



Item#	Lights	Width
7341392	3	25"
5073292	4	34-5/8"



Vanity Fixture

• Chrome • Alabaster glass • 6-1/2H x 8"D • Requires 100W medium base bulbs

Item#	Lights	Width
7554567	3	24"
7554470	4	30"



Vanity Fixture

• Brushed nickel • Alabaster swirl glass • 8H x 8"D • Requires 100W medium base bulbs



Item#	Lights	Width
7554754	2	12"
7554622	3	24"
7554161	4	30"





LED



13" Outdoor LED Lunar Ceiling Fixture

- 23W integrated LED • 120V • 1,930 lumens • 3,000 Kelvin
- Black aluminum housing • White polycarbonate lens
- Dimmable • 11-1/2" Diameter x 3-3/5" H • Replaces 100W incandescent • 50,000 average hour life • Double gasketed and enclosed for maximum insect resistant

Item#

7878444



10" Square LED Ceiling Fixture

- 14W integrated LED • 120V • 1,400 lumens • 4,000 Kelvin
- Black polycarbonate housing • White polycarbonate lens
- Fully enclosed bug resistant housing • 4-1/2H x 10" Square
- Replaces 26W fluorescent • 50,000 average hour life

Item#

7361650



10" Square LED Ceiling Fixture

- 19W • 120V • 1,600 lumens • 4,000 Kelvin • White aluminum base • Frosted prismatic acrylic lens
- 5-1/4H x 10-1/2" Square • Includes two 9.5W medium base LED A19 bulbs

Item#

7361654



LED Cube Wall Lantern

- 7.5W integrated LED • 120V • 400 lumens • 3,000 Kelvin
- Black cast aluminum housing • Clear glass • 8-1/2H x 4-1/2W x 5-3/4"D • Replaces 60W incandescent • 50,000 average hour life

Item#

9211720



LED Wall Fixture

- 10W integrated LED • 120V • 500 lumens • 3,000 Kelvin
- Greystone finish • White acrylic lens • 9-7/8H x 7W x 3-1/2"D • Replaces 75W incandescent • Wet location • 50,000 average hour life

Item#

9211725



LED Wall Fixture

- 16W integrated LED • 120V • 1,250 lumens • 5,000 Kelvin
- Oil rubbed bronze finish • White polycarbonate lens
- 14-1/8H x 10W x 5-3/4"D • 50,000 average hour life • Wet location

Item#

9205184



LED Wall Fixture

- 16W integrated LED • 120V • 1,250 lumens • 5,000 Kelvin • Silver finish
- White polycarbonate lens • 14-1/8H x 10W x 5-3/4"D • 50,000 average hour life • Wet location

Item#

9205200



LED Wall Fixture

- 10W integrated LED • 120V • 530 lumens • 4,000 Kelvin • Black • Frosted glass
- 9-3/4H x 7-5/8W x 4-1/2"D • 50,000 average hour life

Item#

9211716



AFX® LED Wall Fixture

- 120V • 5,000 Kelvin • Bronze steel housing • Clear prismatic acrylic lens
- 13-1/4H x 4-3/4W x 3-5/8"D • 50,000 average hour life

Item#

7678437

Watt

9

Lumens

700

7678435

16

1,100



AFX® LED Wall Fixture

- 9W integrated LED • 120V • 900 lumens • 5,000 Kelvin • White aluminum base housing • Clear prismatic acrylic lens
- 10-1/2H x 6W x 4"D • 50,000 average hour life

Item#

9699502





Incandescent



Outdoor Porch Fixture

• Textured black • Clear beveled glass • 8-5/8H x 4-3/8W x 6-1/8"D • Requires one 60W medium base bulb

Item#

2489956



Outdoor Porch Fixture

• Black polypropylene housing • White acrylic diffuser • 9-1/4H x 5W x 4-3/4"D • Requires one 60W medium base bulb

Item#

7234343



Outdoor Wall Fixture

• Textured black • White linen texture acrylic lens • 9-3/4H x 7-3/4W x 4-1/4"D • Requires one 60W medium base bulb

Item#

2940598



Outdoor Cylinder Wall Fixture

• Black aluminum • 7H x 4-3/4W x 7"D • Requires one 65W medium base BR30 bulb

Item#

7531737



Outdoor Porch Fixture

• Black Lexan housing • 6" opal acrylic globe • 7-1/2H x 6W x 7"D • Photocell • Requires one 60W medium base bulb

Item#

7234341



Outdoor Porch Fixture

• Black Lexan housing • 6" opal acrylic globe • 7-1/2H x 6W x 7"D • Requires one 60W medium base bulb

Item#

7234351



Outdoor Porch Fixture

• Black cast aluminum • White glass cylinder • 6-3/4H x 4-1/2W x 5-3/4"D • Requires one 150W medium base bulb

Item#

2911712



Outdoor Porch Fixture

• Satin aluminum • White opal glass • 6-3/4H x 4-1/2W x 4-3/4"D • Requires one 100W medium base bulb

Item#

2911697



Outdoor Porch Fixture

• Black polycarbonate housing • Clear prismatic diffuser • 7-3/4H x 4-3/8W x 6"D • Requires one 60W medium base bulb

Item#

7234346



Outdoor Porch Jelly Jar Fixture

• Black polycarbonate housing • Clear glass • 6-1/4H x 4-1/2W x 5-1/2"D • Requires one 60W medium base bulb

Item#

7234349



Outdoor Porch Jelly Jar Fixture

• Black • Clear glass • 8-1/2H x 4W x 5-1/2"D • Requires one 60W medium base bulb • Use 7238561 replacement glass

Item#

7239357





Security Fixtures



Lithonia Lighting® Contractor Select™ LED Floodlight
 • 120-277V • Selectable 9/19/34 watts • Selectable 1,500/3,000/5,000 lumens • Selectable 3,000/4,000/5,000 Kelvin • Bronze finish • Standard photocell can be turned on or off • 50,000 average hour life

Item#	Mfg#
9920125	ESXF1 ALO SSW2 KY DDB M2



AFX® LED Floodlight
 • 13.5W integrated LED • 120V • 1,300 lumens • 5,000 Kelvin • Black • Clear polycarbonate lens • 4H x 8W x 5-7/8" Depth • Replaces 70-150W metal halide • 50,000 average hour life

Item#	Mfg#
7263695	TPDW1300L50BK



Feit® LED Wall Pack Fixture With Photocell
 • 40W integrated LED • 120V • 1,503 lumens • Selectable 3,000/4,000/5,000 Kelvin • Silver finish • Shatter resistant lens • Photocell • 50,000 average hour life

Item#	Mfg#
7957266	



AFX® LED Wall Pack Fixture With Photocell
 • 27W integrated LED • 120-277V • 2,430 lumens • 4,100 Kelvin • Bronze finish • White polycarbonate lens • Photocell • 11H x 6-5/8W x 6-3/4"D • 50,000 average hour life

Item#	Mfg#
5071094	



LED Wall Pack Fixture With Photocell
 • 20.7W integrated LED • 120V • 1,450 lumens • 5,000 Kelvin • Brown aluminum housing • Polycarbonate shatter resistant lens • Photocell • 9-7/8H x 5-7/8W x 2-1/2"D • Replace 70W HPS • 50,000 average hour life

Item#	Mfg#
7678333	



Lithonia Lighting® ALO LED Wall Pack
 • Selectable 4 - 22W integrated LED • 120-277V • 600 - 2,950 lumens • 5,000 Kelvin • Bronze cast aluminum housing • Clear polycarbonate prismatic lens • 12H x 7-1/2W x 5"D • 100,000 average hour life

Item#	Mfg#
9531055	TWX1 LED ALO 50K MVOLT DDBTXD



Feit LED Wall Pack
 • 8.8W integrated LED • 120-277V • 3,200 lumens • 4,000 Kelvin • Bronze cast aluminum housing • Borosilicate glass lens • 8-1/2H x 9-3/8W x 8-1/2"D • IP65 Rated • 50,000 average hour life

Item#	Mfg#
10678942	



Feit LED Wall Pack
 • 50W integrated LED • 120-277V • 5,800 lumens • 5,000 Kelvin • Bronze cast aluminum housing • Borosilicate glass lens • 7-1/2H x 14-1/2W x 9-1/4"D • IP65 Rated • Replaces 175W metal halide • 50,000 average hour life

Item#	Mfg#
7678344	



Lithonia Lighting® ALO LED Wall Pack
 • Selectable 9 - 54W integrated LED • 120-277V • Bronze die cast aluminum • 1,450 - 6,850 lumens • 5,000 Kelvin • Prismatic glass lens • 9H x 13W x 4-1/2"D • 100,000 average hour life

Item#	Mfg#
9531056	TWX2 LED ALO 50K MVOLT DDBTXD





Light Fixture Repair

PLASKOLITE



Prismatic Clear Acrylic Panel

Item#	Size	Qty
7406570	2 x 4	20



Lithonia Lighting® Replacement Acrylic Puff Lens

• Not a universal replacement

Item#	Mfg#	Lights	Size
5096183	DPUFF	1	48-3/4L x 7-5/8"W Opening
5096184	D15PUFF	2	48-3/4L x 13-1/2"W Opening



White Acrylic Drum Lens

• 2-1/2"H

Item#	Diameter	Fitter
7238569	11"	9-7/8"



6" Necked Replacement Globe

• 3-1/8" Fitter

Item#	Material
7238564	White Acrylic



6" Necked Replacement Globe

• 3-1/8" Fitter

Item#	Material
7238570	Clear Prismatic Acrylic



AFX® LED Retrofit Kit

• Integrated LED • White • Dimmable • Ballast bypass
• 6-5/16" Diameter

Item#	Replaces	Watt	Volts	Lumens	Avg Life	Kelvin
7678436	22W T9 Circline or 26W PL Fluorescent	13	120	1,300	50,000	3,000



Medium Base Glazed Porcelain On-Off Pull Chain Ceiling Receptacle

• 250W • 250V • Use with 3-1/4 or 4" boxes • Ivory

Item#
1066174



Medium Base Glazed Porcelain On-Off Pull Chain Ceiling Receptacle With Convenience Outlet

• 250W • 125V • Use with 3-1/4 or 4" boxes • Ivory

Item#
504284



White Outlet Concealer

• 5" Diameter • Mounts on 4" outlet box • Holes spaced 3-1/2" apart

Item#
95990





Emergency Lighting Fixtures



Contractor Select™ Switchable Red/Green LED Exit Sign

- 120-277V • Impact resistant white thermoplastic housing
- Single or double sided • Universal mounting, top/end/back • 7-5/8H x 11-3/4W x 2"D

Item#	Mfg#
9504158	EXRG M6



Contractor Select™ Switchable Red/Green Battery Back Up LED Exit Sign

- 120-277V • Impact resistant white thermoplastic housing
- Single or double sided • Universal mounting, top/end/back • 7-5/8H x 11-3/4W x 2"D • 3.6V rechargeable, nickel-cadmium battery

Item#	Mfg#
9504156	EXRG EL M6



Progress® LED Battery Back Up Exit Sign

- Red • 120-277V • White thermoplastic housing • Single or double sided • Wall or ceiling mount • 7-1/4H x 11-1/2W x 2"D
- Ni-Cad battery back-up

Item#	Mfg#
7114755	PETPE-UR-30



Contractor Select™ Switchable Red/Green Battery Back Up LED Exit/Emergency Light

- 120-277V • Impact resistant white thermoplastic housing
- Single or double sided • Universal mounting, top/end/back • 7-5/8H x 16-1/2W x 2"D • 3.6V rechargeable, nickel-cadmium battery

Item#	Mfg#
9504155	ECRG RD M6



Contractor Select™ Switchable Red/Green LED Exit/Emergency Light

- 120-277V • Impact resistant white thermoplastic housing
- Single or double sided • Universal mounting, top/end/back • 7-5/8H x 19W x 2"D • 3.6V rechargeable, nickel-cadmium battery

Item#	Mfg#
9504159	ECRG SQ M6



Battery Back Up LED Exit/Emergency Light

- Red • 120-277V • Impact resistant white thermoplastic housing • Single or double sided • Ceiling mount • Ni-Cad battery back-up • 7-5/8H x 18W x 2"D

Item#	Mfg#
7115026	PECUE-UR-30



Lithonia Lighting® LED Emergency Light

- 5.4W • 120-277 V • White thermoplastic housing • Wall mount • Ni-Cad battery back-up
- 3-3/4 H x 14-5/8 W x 3-3/4" D

Item#	Mfg#
8223326	EU2C M6

Sure-Lites



Sure-Lites® LED Emergency Light

- 1.5W • 120-277V • White polycarbonate housing • Wall or ceiling mount • Snap-fit installation • 3.6V sealed Ni-Cad battery back-up • 5-3/8H x 11-1/8W x 1-3/4"D

Item#	Mfg#
7289021	CU2-LED



PROGRESS® LED Emergency Fixture

- 1W • 120-277V • White thermoplastic housing • Wall or ceiling mount • 3V • Ni-Cad battery back-up
- 4H x 9W x 2-1/2"D

Item#	Mfg#
7114854	PE2EU-30





Fire Extinguishers



First Alert® Fire Extinguishing Spray

- Effective on most household fires including electrical equipment • Instructive to use, no pins to pull or bulky cans to lift • Perfect for apartments, home, auto and marine

Item#	Mfg#
4385255	AF400



First Alert® 1-A:10-B:C Fire Extinguisher

- 2.5 lb dry powder • Rechargeable • Commercial grade metal valve and head • Easy to read pressure gauge • Bracket included

Item#	Mfg#
4107352	PRO2-5



First Alert® 2-A:10-B:C Fire Extinguisher

- 5 lb dry powder • Rechargeable • Commercial grade metal valve and head • Easy to read pressure gauge • Bracket Included

Item#	Mfg#
7674313	HOME2PRO



First Alert® 3-A:40-B:C Fire Extinguisher

- 5 lb dry powder • Rechargeable • Commercial grade metal valve and head • Bracket Included

Item#	Mfg#
4292368	PRO5



First Alert® 4-A:60-B:C Fire Extinguisher

- 10 lb dry powder • Rechargeable • Commercial grade metal valve and head • Easy to read pressure gauge • Includes bracket

Item#	Mfg#
4385251	PRO10

Fire Suppressors



Automatic Rangehood Fire Suppressor 2/Pk

- StoveTop FireStop™ Rangehood • Attaches magnetically under vent hoods • Range: 24-35" above cooking surface • No visibility upon installation • Maintenance free; 6-year replacement cycle

Item#	Mfg#
4448995	675-3D



Automatic Microhood Fire Suppressor 2/Pk

- StoveTop FireStop™ Microhood • Attaches to the wall below microwave ovens or kitchen cabinets • Range: 15-27" above cooking surface • Activates only by direct contact with flames • 6-year replacement cycle

Item#	Mfg#
4448997	677-1



Automatic Low Profile Microhood Fire Suppressor 2/Pk

- Low profile design to mount under microwaves • Magnet arms swivel to make installation easy • Vertical clearance: 15-32" between the mounting point and cooking surface • Automatically activated by contact with a sustained flame • Each pair protects a typical residential, 4-burner stove • 6-year effective life

Item#	Mfg#
9558754	691-1A





Smoke Alarms - Battery Powered



BRK® Battery Powered Smoke Alarm

- Ion sensor • Replaceable 9V alkaline battery included
- Test/silence button • Model SMI100

Item#	Mfg#
10517654	1046832



Kidde® Battery Powered Photoelectric Smoke Alarm

- Photoelectric sensor • 2 AA replaceable batteries
- 4" compact design ideal for small spaces • Low battery indicator • End of life notification • Model 10SDR

Item#	Mfg#
10663868	21031428



Kidde® Battery Powered Photoelectric Smoke Alarm

- Photoelectric sensor • 2 AA replaceable batteries
- 5" design ideal for all living spaces • Low battery indicator • End of life notification • Model 20SDR

Item#	Mfg#
10663869	21031447

Smoke Alarms - 10-Year Battery Powered



BRK® 10-Yr Battery Powered Smoke Alarm

- Ion sensor • 10 year sealed lithium battery • Test/silence button • Model SMI110

Item#	Mfg#
10517657	1046858



Kidde® 10-Yr Battery Powered Photoelectric Smoke Alarm

- Photoelectric sensor • 10 year sealed lithium battery • 5" design ideal for all living spaces
- End of life notification • Model 20SD10

Item#	Mfg#
10663860	21031466



BRK® 10-Yr Battery Smoke Alarm With Slim Profile

- Photoelectric sensor • 10 year sealed lithium battery • Low profile design • Test/silence button • Model SM210

Item#	Mfg#
10517641	1046741



USI® 10-Yr Battery Powered Smoke & Fire Alarm

- Multi criteria smoke & fire sensor uses artificial intelligence techniques that can differentiate and classify smoke & fire profiles • 10-yr lithium-free alkaline battery backup
- Tamper-proof design • Test/silence button

Item#	Mfg#
8928755	AMI3051SB





Electrical - Smoke Alarms

Electrical

Smoke Alarms - Hardwired



BRK® Hardwired Ionization Smoke Alarm

- Ion sensor • 9V battery backup • Interconnects with most First Alert and BRK hardwired alarms - when one alarm sounds, all compatible alarms sound (up to 12 smoke alarms and 6 other alarms) • Test/silence button • Model SM1100-AC

Item#	Mfg#
10517668	1046836



Kidde® Hardwired Smoke Alarm

- 2 AA replaceable batteries • Interconnectable • Self-testing • Easy to install • End-of-life notification • Model SMACFEX

Item#	Mfg#
10663871	21033081



BRK® Hardwired Photoelectric Smoke Alarm With Voice Alert

- Photoelectric sensor • 3V (2 AA) battery backup • Voice warning tells what the danger is and its location • Latching alarm indicator - identifies which unit initiated alarm or low battery • Test/silence button • Interconnects with up to 18 alarms, 12 of which can be smoke alarms • Model SM1100V-AC

Item#	Mfg#
10517636	1046721

Smoke Alarms - Hardwired w/ 10-Year Battery Backup



BRK® 10-Yr Hardwired Dual Ionization Smoke Alarm

- Dual ion sensor • Interconnects with most First Alert and BRK hardwired alarms - when one alarm sounds, all compatible alarms sound (up to 12 smoke alarms and 6 other alarms) • Latching alarm indicator - identifies which unit initiated alarm or low battery • Test/silence button • Model SM1105-AC

Item#	Mfg#
10517669	1046850



Kidde® 10-Yr Hardwired Smoke Alarm

- Worry-free 10-yr backup battery • Interconnectable • Self-testing • Easy to install • End-of-life notification • Model SMAC10YFEX

Item#	Mfg#
10663867	21033087



USI® 10-Yr Hardwired Smoke & Fire Alarm

- Multi criteria smoke & fire sensor uses artificial intelligence techniques that can differentiate and classify smoke & fire profiles • 10-yr lithium-free alkaline battery backup • Tamper-proof design • Test/silence button

Item#	Mfg#
8928757	AMI1061SB





Strobe Alarms - Hardwired



Smoke Alarm



BRK® 10-Yr Hardwired Smoke Alarm With LED Strobe

• Integrated smoke alarm and strobe light • Powerful LED strobe light provides effective visual warning to hearing impaired residents • When multiple BRK units are interconnected, strobes flash in unison • 10-yr sealed battery backup • 1 HZ flash rate, 60 flashes per minute • Model SM110LED-AC

Item#	Mfg#
10517660	1046726



Combo Alarm



BRK® 10-Yr Hardwired Smoke And CO Combo Alarm With LED Strobe

• Integrated combination alarm and strobe light • Powerful LED strobe light provides effective visual warning to hearing impaired residents • When multiple BRK units are interconnected, strobes flash in unison • 10-yr sealed battery backup 1 HZ flash rate, 60 flashes per minute • Model SMC0110LED-AC

Item#	Mfg#
10517650	1046789

Smoke & CO Combo Alarms - Battery Powered



BRK® Battery Powered Smoke/CO Combo Alarm

• Protects against the threat of smoke and carbon monoxide • Replaceable 9V alkaline battery included • Test/silence button • Model SMICO100

Item#	Mfg#
10517658	1046864



Kidde® Battery Powered Smoke/CO Combo Alarm

• 2 AA replaceable batteries • Photoelectric smoke sensor • Electrochemical CO sensor • 5" design • Low battery signal • End of life notification • Model 30CUDR

Item#	Mfg#
10663870	21031502

Smoke & CO Combo Alarms - 10-Year Battery Powered



BRK® 10-Yr Battery Photoelectric Smoke/CO Combo Alarm With Slim Profile

• Photoelectric smoke sensor • Electrochemical CO sensor • 10-Yr sealed battery • Slim profile design • Test/silence button • Model SMC0210

Item#	Mfg#
10517665	1046802



Kidde® 10-Yr Battery Powered Smoke/CO Combo Alarm

• Photoelectric smoke sensor • Electrochemical CO sensor • 10-Yr sealed battery • 5" design • End of life notification • Model 30CUD10

Item#	Mfg#
10663863	21031514



USI® 10-Yr Battery Smoke/Fire & CO Combo Alarm

• Multi criteria smoke & fire sensor uses artificial intelligence techniques that can differentiate and classify smoke & fire profiles • 10-yr lithium-free alkaline battery backup • Tamper-proof design • Test/silence button

Item#	Mfg#
8928754	AMIC351SB





Electrical - Smoke & Carbon Monoxide Combination Alarms

Electrical

Smoke & CO Combo Alarms - Hardwired



BRK® Hardwired Ion Smoke/CO Combo Alarm

• Ion smoke sensor • 9V alkaline battery backup • Interconnects up to 18 alarms • Test/silence button • Model SMICO100-AC

Item#	Mfg#
10517670	1046871



BRK® Hardwired Photoelectric Smoke/CO Combo Alarm

• Photoelectric smoke sensor • 3V (2AA) alkaline battery backup • Interconnects up to 18 alarms • Test/silence button • Model SMCO100V-AC

Item#	Mfg#
10517663	1046781



Kidde® Hardwired Smoke/CO Combo Alarm

• 2 AA replaceable batteries • Interconnectable • Self-testing • Easy to install • End-of-life notification • Model CUAFEX

Item#	Mfg#
10663872	21033083



Kidde® Hardwired Smoke/CO Combo Alarm With Voice Alert

• 2 AA replaceable batteries • Self-testing • Easy to install • End-of-life notification • Voice alert • Model CUACFEX-V

Item#	Mfg#
10663873	21033084

Smoke & CO Combo Alarms - Hardwired w/ 10-Yr Battery Backup



BRK® 10-Yr Hardwired Ionization Smoke/CO Combo Alarm

• Ion smoke sensor • 10 year sealed battery • Interconnects up to 18 alarms • Test/silence button • Model SMICO105-AC

Item#	Mfg#
10517671	1046884



Kidde® 10-Yr Hardwired Smoke/CO Combo Alarm With Voice Alert

• Worry-free 10-year backup battery • Voice alert • Interconnectable • Self-testing • Easy to install • Model CUAC10YFEX-V

Item#	Mfg#
10663866	21033086



USI® 10-Yr Hardwired Smoke/Fire & CO Combo Alarm

• Multi criteria smoke & fire sensor uses artificial intelligence techniques that can differentiate and classify smoke & fire profiles • 10-yr lithium-free alkaline battery backup • Tamper-proof design • Test/silence button

Item#	Mfg#
8928756	AMIC1510SB





CO Alarm - Plug-In



BRK® Plug-In Carbon Monoxide Alarm

- Electrochemical CO sensor • Silence features • End of life signal • 9V battery backup

Item#	Mfg#
3302862	CO605B

CO Alarms - Battery Powered



BRK® Battery Powered CO Alarm

- Replaceable 9V battery included • End of life signal • Electrochemical CO Sensor • Single button test/silence

Item#	Mfg#
4084992	CO250B



Kidde® Battery Powered CO Alarm

- Battery operated • Electrochemical sensor • Low battery signal • Event memory • Loud 85 decibel alarm • Test/reset button • 10-yr warranty

Item#	Mfg#
2498163	21025778

CO Alarms - 10-Year Battery Powered



BRK® 10-Yr Battery Powered CO Alarm With Digital Display

- 10-yr built-in battery • Easy-to-read backlit digital LED display shows temperature and CO concentration • Can be wall mounted or sit on a flat surface

Item#	Mfg#
8541966	1039753



Kidde® 10-Yr Battery Powered CO Alarm

- 10-yr sealed lithium battery - LED lights • Test/reset • Self-activation • Event memory

Item#	Mfg#
4870428	21010073



USI® 10-Yr Battery Powered CO Alarm

- 10 year sealed lithium-free battery • Electrochemical CO sensor • Table top or wall mount • Test/silence button • End of life warning • Hardware included

Item#	Mfg#
7653533	MC3045B/U

CO Alarms - Hardwired



BRK® Hardwired CO Alarm

- Replaceable 9V battery backup included • Latching alarm indicator remembers which unit initiated an alarm • End of life signal • Single test button test/silence

Item#	Mfg#
3534922	CO5120BN



Kidde® Hardwired Smoke/CO Combo Alarm

- AC with battery backup • Electrochemical sensor • Test/reset • LED notifications • Battery pull tab • Quick connect

Item#	Mfg#
2498162	21006406





Toggle Switches

LEVITON



Leviton® Toggle Switch

- Residential 15A 120VAC • Single pole • Quickwire® push-in & side wired • Ultrasonic welded construction

Item#	Color
4374368	White
4374328	Ivory

LEVITON



Leviton® Toggle Switch

- Residential 15A 120VAC • 3-way • Quickwire® push-in & side wired • Ultrasonic welded construction

Item#	Color
4374326	White
4374434	Ivory

LEVITON



Leviton® Toggle Switch

- Commercial Spec Grade 20A-120/277VAC • Single pole • Side wired • Self-grounding

Item#	Color
2342993	White
4374441	Ivory

LEVITON



Leviton® Toggle Switch

- Commercial Spec Grade 20A-120/277VAC • 3-way • Side wired • Self-grounding

Item#	Color
2342725	White
2342667	Ivory

LEVITON



Leviton® Toggle Switch

- Commercial Spec Grade 20A-120/277VAC • Double pole • Side wired • Self-grounding

Item#	Color
2342852	White
1138632	Ivory

LEVITON



Leviton® Locking Switch

- Industrial 20A 120-277VAC • Single pole • Key-operated locking mechanism • Clamp-type terminals for up to #10 CU wire • 2 keys included

Item#	Color
4416314	White

LEVITON



Leviton® Toggle Switch

- 2 single pole switches • 15A-120-277VAC

Item#	Color
4374352	White
4374458	Ivory

LEVITON



Leviton® Combination Toggle Switch

- Single pole switch plus receptacle • 15A-125V receptacle

Item#	Color
4374428	White
4374384	Ivory

Decorator Switches

LEVITON



Decora® Single Pole Rocker Switch

- Residential 15A 120/277VAC • Single pole • Quickwire® push-in & side wired

Item#	Color
4374316	White
4374424	Ivory

LEVITON



Decora® 3-Way Rocker Switch

- Residential 15A 120/277VAC • 3-way • Quickwire® push-in & side wired

Item#	Color
4374415	White
4374376	Ivory





Duplex Receptacles



Item#	Mfg#	Grade	Rating	NEMA	Termination	Color
4374325	5320-WCP	Residential	15A 125VAC	5-15R	Push & Side Wired	White
1629827	5320-ICP	Residential	15A 125VAC	5-15R	Push & Side Wired	Ivory
3470294*	T5320-W	Residential	15A 125VAC	5-15R	Push & Side Wired	White
3470292*	T5320-I	Residential	15A 125VAC	5-15R	Push & Side Wired	Ivory



Duplex Receptacle
• *Tamper-resistant



Item#	Mfg#	Grade	Rating	NEMA	Termination	Color
4374349	5325-W	Residential	15A 125VAC	5-15R	Push & Side Wired	White
4374457	5325-I	Residential	15A 125VAC	5-15R	Push & Side Wired	Ivory



Decora Duplex Receptacle



Item#	Mfg#	Grade	Rating	NEMA	Termination	Color
2342395	CR20-W	Commercial	20A 125VAC	5-20R	Side Wired	White
4374329	CR20-I	Commercial	20A 125VAC	5-20R	Side Wired	Ivory
3619868*	TBR20-W	Commercial	20A 125VAC	5-20R	Back & Side Wired	White
3619867*	TBR20-I	Commercial	20A 125VAC	5-20R	Back & Side Wired	Ivory



Duplex Receptacle
• *Tamper-resistant

USB Receptacles



Item#	USB Type	Rating	NEMA	Termination	Color	Qty
7851745	A/A	15A 125VAC	5-15R	Side & Back Wired	White	10
10022314	A/A/C	15A 125VAC	5-15R	Side & Back Wired	White	10



USB Receptacle 10/Pk
• 125V • Tamper-resistant • Order qty 1 and receive package of 10

Item#	Mfg#	USB Type	Rating	NEMA	Termination	Color
4851603	T5632-W	A/A	15A 125VAC	5-15R	Side & Back Wired	White
4851612	T5632-I	A/A	15A 125VAC	5-15R	Side & Back Wired	Ivory
4851601	T5832-W	A/A	20A 125VAC	5-20R	Side & Back Wired	White
4851610	T5832-I	A/A	20A 125VAC	5-20R	Side & Back Wired	Ivory
7928532	T5633-W	A/C	15A 125VAC	5-15R	Side & Back Wired	White
9677926	T5833-W	A/C	20A 125VAC	5-20R	Side & Back Wired	White



Decora® USB Receptacle





Electrical - Receptacles

Electrical

GFCI Receptacles - Non-Tamper Resistant



GFCI Receptacle

- Nylon wall plate and screws included

Item#	Mfg#	Rating	NEMA	Termination	Color
5134309	GFNT1-W	15A 125VAC	5-15R	Back & Side Wired	White
5134303	GFNT1-I	15A 125VAC	5-15R	Back & Side Wired	Ivory
5134314	GFNT2-W	20A 125VAC	5-20R	Back & Side Wired	White
5134305	GFNT2-I	20A 125VAC	5-20R	Back & Side Wired	Ivory

GFCI Receptacles - Tamper Resistant



Value Pack



GFCI Receptacle 10/Pk

- Wall plate and screws included • Tamper-resistant
- Automatic self-testing • Provides notification when GFCI no longer delivers power • Order qty 1 and receive package of 10

Item#	Rating	NEMA	Termination	Color	Qty
7952298	15A 125VAC	5-15R	Back & Side Wired	White	10



GFCI Receptacle

- Nylon wall plate and screws included
- Tamper-resistant

Item#	Mfg#	Rating	NEMA	Termination	Color
5134310	GFTR1-W	15A 125VAC	5-15R	Back & Side Wired	White
5134304	GFTR1-I	15A 125VAC	5-15R	Back & Side Wired	Ivory



GFCI Receptacle

- Self-Test • Tamper-resistant • Wall plate and screws included

Item#	Mfg#	Rating	NEMA	Termination	Color
5134315	GFTR2-W	20A 125VAC	5-20R	Back & Side Wired	White

GFCI Receptacles w/ LED Guide Lights



GFCI Receptacle

- Dual LED guide lights • Tamper-resistant

Item#	Mfg#	Rating	NEMA	Termination	Color
5134290	GFNL1-W	15A 125VAC	5-15R	Back & Side Wired	White
5134285	GFNL1-I	15A 125VAC	5-15R	Back & Side Wired	Ivory

GFCI Receptacles - Hospitality Grade



GFCI Receptacle - Hospital Grade

- Wall plate included

Item#	Mfg#	Rating	NEMA	Termination	Color
5134301	GFNT2-HGW	20A 125VAC	5-20R	Back & Side Wired	White
5134297	GFNT2-HGI	20A 125VAC	5-20R	Back & Side Wired	Ivory
5134300	GFNT2-HGR	20A 125VAC	5-20R	Back & Side Wired	Red





Receptacle Wall Plates



Item#	Gang	Size	Color	Material
4374466	Single	Standard	White	Hard Plastic
2342985	Single	Midway	White	Impact-Resistant Plastic
9534873	Single	Midway	Stainless	Stainless Steel
2342853	Single	Jumbo	White	Hard Plastic
4374440	Double	Standard	White	Hard Plastic
3019994	Double	Midway	White	Impact-Resistant Plastic
9534869	Double	Midway	Stainless	Stainless Steel



Duplex Outlet Wall Plate

Toggle Switch Plates



Item#	Gang	Size	Color	Material
4374330	Single	Standard	White	Hard Plastic
2342713	Single	Midway	White	Impact-Resistant Plastic
9534868	Single	Midway	Stainless	Stainless Steel
1138664	Single	Jumbo	White	Hard Plastic
4374411	Double	Standard	White	Hard Plastic
2342753	Double	Midway	White	Impact-Resistant Plastic
9534867	Double	Midway	Stainless	Stainless Steel
2342877	Double	Jumbo	White	Hard Plastic
4374400	Triple	Standard	White	Hard Plastic
2342788	Triple	Midway	White	Impact-Resistant Plastic



Toggle Switch Plate

Decorator Wall Plates



Item#	Gang	Size	Color	Material
4087563	Single	Standard	White	Hard Plastic
3019971	Single	Midway	White	Impact-Resistant Plastic
9534874	Single	Midway	Stainless	Stainless Steel
2343049	Single	Jumbo	White	Hard Plastic
4913705	Double	Midway	White	Impact-Resistant Plastic
4913702	Double	Midway	Ivory	Impact-Resistant Plastic
9534872	Double	Midway	Stainless	Stainless Steel
7064301	Triple	Midway	White	Impact-Resistant Plastic



Decora® Wall Plate

Blank Plates



Item#	Gang	Size	Color	Material
4087562	Single	Standard	White	Hard Plastic
5115498	Single	Midway	White	Impact-Resistant Plastic
4055538	Single	Jumbo	White	Hard Plastic
9534870	Single	Midway	Stainless	Stainless Steel
7305171	Double	Midway	White	Impact-Resistant Plastic
9534871	Double	Midway	Stainless	Stainless Steel



Blank Wall Plate
• Box Mount





Electrical - Wall Plates

Electrical

Masque® Wall Plates



Masque® Toggle Switch Plate

• Unbreakable premium plastic • Easily painted or wallpapered • Color/Finish: White

Item#	Gang
4596621	Single
4596620	Double



Masque® Single Toggle Cover Up Switch Plate

• 2.94" W x 4.75" H Medium plate • Covers existing toggle switch • Unbreakable premium plastic • Textured finish • Easily painted or wallpapered • Color/Finish: White

Item#	Qty
4596619	1
7272506	5



Masque® Combination Wall Plate

• 4.75" W x 4.75" H • Hides outdated outlets • Easily painted or wallpapered • Single toggle and single duplex • Color/Finish: White

Item#	Qty
4596622	1
10559914	5



Masque® Duplex Outlet Wall Plate 5/Pk

• Hides outdated or discolored devices • Matching screws included • Material: Plastic • Pack of 5

Item#	Color
10559913	White



Masque® Duplex Outlet Wall Plate 5/Pk

• Covers old duplex outlet, adds decorator style • Jumbo • Matching screws included • Material: Polycarbonate

Item#	Color
7306014	White



Masque® Switch Plate

• Unbreakable premium plastic • Paintable • Color/Finish: White

Item#	Gang
4596617	Single
4596623	Double
4596626	Triple



Masque® Single Toggle Adapter Plate

• Allows the use of a Masque® rocker switch plate on a toggle switch • Easily painted or wallpapered • Color/Finish: White

Item#
4596624



Masque® Single Toggle Cover Up Adapter Plate

• Covers existing toggle switch • Allows the use of a toggle switch in Masque® decorator style wall plate • Color/Finish: White

Item#
4596616



Masque® Cover Up Adapter Plate 5/Pk

• Hides outdated duplex outlets in Masque® decorator style wall plates • Paintable • Color/Finish: White

Item#
5129233





Fuses



Bussmann series



Bussmann® Time Delay Fuse

- Time delay • Low breaking capacity • Glass tube
- Nickel-plated brass end caps

Item#	Mfg#	Amp
7053503	GDC-5A	5



Bussmann series



Bussmann® Ceramic Tube Fuse

- Fast acting • Ceramic tube

Item#	Mfg#	Amp
132129	ABC-15	15
132130	ABC-20	20



Bussmann series



Bussmann® Blade Fuse 2/Pk

- Easy ID

Item#	Mfg#	Amp
7376473	BP/ATC3-ID	3
7376472	BP/ATC5-ID	5



Bussmann series



Bussmann® Blade Fuse 5/Pk

Item#	Mfg#	Amp
7376470	ATC-3	3
7376471	ATC-5	5



Bussmann series



Bussmann® Mini Fuse

- ATC blade fuses use industry standard color coding to indicate amp rating commonly used in domestic and imported vehicles today

Item#	Mfg#	Amp
6007958	ATM-3	3
6007967	ATM-5	5



Bussmann series



Bussmann® Easy ID Cartridge Fuse

Item#	Mfg#	Amp
7053496	FRN-R-15ID	15
7053486	FRN-R-20ID	20
7053487	FRN-R-30ID	30
7053488	FRN-R-40ID	40
7053510	FRN-R-50ID	50
7053499	FRN-R-60ID	60



Bussmann series



Bussmann® Time Delay Cart Fuse

Item#	Mfg#	Amp
122412	FRN-R-15	15
122413	FRN-R-20	20
122206	FRN-R-30	30
122210	FRN-R-40	40
122212	FRN-R-50	50
122480	FRN-R-60	60





Wire Connectors



WingTwist® Connector Red/Yellow Assortment 150/Jar

- Includes 75 each of the two most common sizes of connectors
- Feature a square-wire spring and a contoured wing design for easier and more comfortable installation

Item#	Mfg#
10022524	30-5152J



WireTwist® Connector Assorted 300/Jar

- Includes 75 each of blue, orange, yellow and red connectors
- Positive grip shell design for comfort and ease of application

Item#	Mfg#
10022521	30-2346J



IDEAL® WireTwist® Wire Connector 100/Pk

- Twist-on
- General purpose

Item#	Mfg#	Color
7298252	WT1-1	Gray
7298248	WT2-1	Blue
7298251	WT3-1	Orange
7298250	WT4-1	Yellow
7298243	WT6-1	Red



IDEAL® Wire-Nut® Wire Connector 100/Pk

- Fixed, square-wire spring for a grip that will last
- Refined range to handle all common applications
- Positive grip shell that is perfect to twist-on with fingers
- Excellent for fine stranded wire applications

Item#	Mfg#	Color
7298242	30-072	Blue
7298246	30-074	Yellow
7298245	30-076	Red



Twister ProFLEX 347 R/Y 50/Box

- Connector with added protection of a flexible skirt
- Delivers widest wire combination range with the highest voltage rating in the industry
- Tough UL 94V-2 flame-retardant shell

Item#	Mfg#
10022519	30-1047



Twister ProFLEX Mini 343 O/B 100/Box

- Connector with added protection of a flexible skirt
- Delivers widest wire combination range with the highest voltage rating in the industry
- Wire combination range 22 to 12 AWG

Item#	Mfg#
10022523	30-343



IDEAL® Wire-Nut® Wire Connector 500/Pk

- Fixed, square-wire spring for a grip that will last
- Refined range to handle all common applications
- Positive grip shell that is perfect to twist-on with fingers
- Excellent for fine stranded wire applications
- Orange

Item#	Mfg#
7298257	30-273



IDEAL® Twister® Wire Connector 100/Pk

- Swept wings offer more comfort and leverage
- For large wire combinations
- Durable copolymer shell
- Tough, UL 94V-2 flame-retardant shell rated at 105°C (221°F)
- Tan

Item#	Mfg#
7298244	30-341



IDEAL® Wing-Nut® Wire Connector

- Contoured wing design
- Wide range, live-action spring handles
- Copolymer shell expands for smooth, progressive tightening
- Removable

Item#	Mfg#	Color	Qty
7298255	30-454	Blue	25
7298254	30-451	Yellow	100
7298253	30-452	Red	100



IDEAL® Twister® Al/CU Wire Connector 25/Pk

- Only aluminum-to-copper twist-on connector specifically designed to prevent aluminum corrosion
- Pre-filled antioxidant compound prevents oxidation of aluminum conductors
- Swept wings and hexagonal head for easy installation
- Complies with N.E.C. Section #110-14(b) for aluminum-to-copper connections
- Purple

Item#	Mfg#
7298249	30-165



IDEAL® PowerPlug® Luminaire Disconnect 25/Pk

- Allows safe disconnect of hot and neutral ballast wiring
- Perfect for new, retrofit or OEM lighting installations
- Push-in technology results in quicker connections
- Fits through 1/2" knockout

Item#	Mfg#
7298247	30-372



In-Sure Push-In Wire Connector 33 3-Port Org 100/Box

- Fast, easy no-twist push-in connector
- Joins and insulates 3 wires
- Min capacity of three #20 solid wires
- Max capacity of three #12 solid wires
- Stranded wire range: #16 - #12 AWG (19 strand) and #18 AWG (7 strand)

Item#	Mfg#
10022516	30-1033





Extension Cords



Medium-Duty Extension Cord
• 16/3 gauge • Orange

Item#	Length
3383498	25'
3383497	50'



Medium-Duty Extension Cord
• 14/3 gauge • Blue/Yellow

Item#	Length
3383510	50'
3383509	100'



Heavy-Duty Extension Cord
• 12/3 gauge • Yellow

Item#	Length
3383515	25'
3383514	50'
3383513	100'



Heavy-Duty Extension Cord
• Extreme weather • Blue/Orange • SJEOW Heavy-duty outdoor extension cord

Item#	Length
3383518	50'



GFCI Extension Cord
• Cord length: 3' in-line • Water-resistant and flame-retardant jacket on cord • Working temperature range is -31°F to +140°F

Item#	Length
3383521	3'



Prime Wire® Outdoor Extension Cord
• 16/3 • 10'

Item#	Mfg#
7295711	EC501610



Prime Wire® Neon Extension Cord
• 12/3 • Green w/ primelight indicator

Item#	Mfg#	Length
7295736	NS512830	50'
7295734	NS512835	100'



Prime Wire® Arctic Blue All-Weather Extension Cord
• 12/3 • 100' • w/ primelight indicator

Item#	Mfg#
7295758	LT530835



Prime Wire® Shop & Utility Extension Cord
• 14/3 • Black/Orange 3-outlet shop cord

Item#	Mfg#
7295732	EC890715





Radios & Accessories

PROCOM



PROCOM™ Two-Way Radio

- 1 Watt portable business radio • Includes battery, holster and individual charger • 16 channel with scan feature
- Small but a workhorse of a radio • LED flashlight
- Battery save mode

Item#	Mfg#
10152564	PKT-300

PROCOM



PROCOM™ Radio Battery

- 1820mAh lithium ion battery • For use with PROCOM™ PR-300 radio

Item#	Mfg#
10152563	PR-300BAT

PROCOM



PROCOM™ 6-Unit Charger

- For use with PROCOM™ PR-300 radio

Item#	Mfg#
10152565	KSC-506K

KENWOOD



Kenwood® Two-Way UHF Compact Radio

- 2 watt analog • 6-channel • Lightweight and compact
- Powerful 2.0 watt output

Item#	Mfg#
10935808	PKT-300

KENWOOD



Kenwood® Radio Battery Pack

- For use with Kenwood PKT-300 • Lithium ion battery
- Provides long lasting rapid charging power

Item#	Mfg#
7837809	KNB-71L

KENWOOD



Kenwood® Inline 6-unit Multicharger

- For use with Kenwood PKT-300 • Save space and time by charging six radios at once

Item#	Mfg#
7837824	KSC-506K

KENWOOD



Kenwood® Quad-Zone Analog Two-Way Radio

- 16 channels • UHF

Item#	Mfg#	Power
8925451	NX-P1302AUK	2W
8925452	NX-P1300AUK	5W

KENWOOD



Kenwood® Quad-Zone Digital NXDN/Analog Two-Way Radio

- 16 channels • UHF • 5 Watt

Item#	Mfg#
8925454	NX-P1300NUK








Condensing Equipment



R-410A
(While
supplies last)

R-454B



HVAC

14.3 SEER 2 Condensing Unit

• Scroll compressor • Easy access control box • Filter drier (shipped - not installed)

Region	Item#	Mfg#	Refrigerant	Ton	Nominal Btu	Weight (lb)	Width	Depth	Height	Liquid	Suction	Max Fuse	dBA
14.3 SEER 2 Condensing Unit - South and Southwest Regions													
A	10334329	DRACS14A18AJ1ANA	R-410A	1.5	18,000	162	23-63/100"	23-63/100"	32-1/4"	3/8"	3/4"	15 Amps	76
A	10334331	DRACS14A24AJ1ANA	R-410A	2	24,000	161	23-63/100"	23-63/100"	32-1/4"	3/8"	3/4"	25 Amps	76
A	10334333	DRACS14A30AJ1ANA	R-410A	2.5	30,000	192	27-63/100"	27-63/100"	32-1/4"	3/8"	3/4"	25 Amps	74
A	11696743	DRACS14B18AJ1ANA	R-454B	1.5	18,000	134	29-54/100"	29-54/100"	25-17/100"	3/8"	3/4"	15 Amps	70
A	11696744	DRACS14B24AJ1ANA	R-454B	2	24,000	151	33-66/100"	33-66/100"	25-17/100"	3/8"	3/4"	25 Amps	71
A	11696745	DRACS14B30AJ1ANA	R-454B	2.5	30,000	151	33-66/100"	33-66/100"	25-17/100"	3/8"	3/4"	25 Amps	71
A	10740905	DRAC14B36AJ1ANA	R-454B	3	36,000	172	33-66/100"	33-66/100"	25-17/100"	3/8"	3/4"	30 Amps	71
13.4 SEER 2 Condensing Unit - Northern Regions - R-454B													
B	10740853	DRAC13B18AJ1NNA	R-454B	1.5	18,000	134	29-54/100"	29-54/100"	25-17/100"	3/8"	3/4"	15 Amps	70
B	10740859	DRAC13B24AJ1NNA	R-454B	2	24,000	134	29-54/100"	29-54/100"	25-17/100"	3/8"	3/4"	20 Amps	70
B	10740862	DRAC13B30AJ1NNA	R-454B	2.5	30,000	151	33-66/100"	33-66/100"	25-17/100"	3/8"	3/4"	25 Amps	71
B	10740866	DRAC13B36AJ1NNA	R-454B	3	36,000	172	33-66/100"	33-66/100"	25-17/100"	3/8"	3/4"	35 Amps	71
14.3 SEER 2 Condensing Unit - HEAT PUMP - All Regions - R-454B													
C	10491014	DRHP14B18AJ1ANA	R-454B	1.5	18,000	163	29-54/100"	29-54/100"	25-17/100"	3/8"	3/4"	20 Amps	73
C	10491015	DRHP14B24AJ2ANA	R-454B	2	24,000	158	29-54/100"	29-54/100"	25-17/100"	3/8"	3/4"	25 Amps	73
C	10491016	DRHP14B30AJ2ANA	R-454B	2.5	30,000	178	33-66/100"	33-66/100"	27-17/100"	3/8"	3/4"	30 Amps	72
C	10491017	DRHP14B36AJ2ANA	R-454B	3	36,000	213	33-66/100"	33-66/100"	35-17/100"	3/8"	3/4"	30 Amps	72

Specifications are best estimates as of printing






Condensing Equipment - A2L - R-32



R-32



10 TEN YEAR PARTS LIMITED WARRANTY

Goodman 14.5 SEER2 Condensing Unit - R-32 - South and Southwest Regions

- R-32 • Rotary (1.5-2.5t) or Scroll (3.0-5.0t) compressor • Coils constructed with copper tubing and enhanced aluminum fins • Louvered cabinet • Grille/motor mount for quiet fan operation
- Easily accessible control box • Factory installed filter drier • Certified and rated under AHRI • Precharged for 15' line set

Item#	Mfg#	Ton	Nominal Btu	Weight (lb)	Width	Depth	Height	Liquid	Suction	Max Fuse	dB
10740963	GLXS4BA1810	1.5	18,000	117	26"	26"	27"	3/8"	3/4"	15 Amps	74
10740967	GLXS4BA2410	2.0	24,000	117	26"	26"	27"	3/8"	3/4"	15 Amps	74
10740970	GLXS4BA3010	2.5	30,000	155	29"	29"	32"	3/8"	3/4"	25 Amps	71
10740972	GLXS4BA3610	3.0	36,000	158	29"	29"	39-1/2"	3/8"	7/8"	30 Amps	67

R-32




Goodman 13.7 SEER2 Condensing Unit - R-32 - Northern Regions

- R-32 • Rotary (1.5-2.5t) or Scroll (3.0-5.0t) compressor • Coils constructed with copper tubing and enhanced aluminum fins • Louvered cabinet • Grille/motor mount for quiet fan operation
- Easily accessible control box • Factory installed filter drier • Certified and rated under AHRI • Precharged for 15' line set

Item#	Mfg#	Ton	Nominal Btu	Weight (lb)	Width	Depth	Height	Liquid	Suction	Max Fuse	dB
10839810	GLXS3BN1810	1.5	18,000	114	26"	26"	27-1/2"	3/8"	3/4"	15 Amps	73
10839811	GLXS3BN2410	2.0	24,000	114	26"	26"	27-1/2"	3/8"	3/4"	15 Amps	74
10839812	GLXS3BN3010	2.5	30,000	134	26"	26"	32-1/2"	3/8"	3/4"	25 Amps	74
10839813	GLXS3BN3610	3.0	36,000	136	26"	26"	32-1/2"	3/8"	7/8"	30 Amps	69

R-32



Goodman 14.3 SEER2 Heat Pump - R-32 - All Regions

- R-32 • Rotary (1.5-2.5t) or Scroll (3.0-5.0t) compressor • Coils constructed with copper tubing and enhanced aluminum fins • Louvered cabinet • Grille/motor mount for quiet fan operation
- Easily accessible control box • Factory installed filter drier • Factory installed accumulator • Certified and rated under AHRI • Precharged for 15' line set

Item#	Mfg#	Ton	Nominal Btu	Weight (lb)	Width	Depth	Height	Liquid	Suction	Max Fuse	dB
10743032	GLZS4BA1810	1.5	18,000	150	29"	29"	32-1/2"	3/8"	3/4"	15 Amps	74
10743035	GLZS4BA2410	2.0	24,000	150	29"	29"	32-1/2"	3/8"	3/4"	15 Amps	74
10743037	GLZS4BA3010	2.5	30,000	175	29"	29"	39-1/2"	3/8"	3/4"	25 Amps	77
10743039	GLZS4BA3610	3.0	36,000	196	35-1/2"	35-1/2"	35-3/4"	3/8"	7/8"	30 Amps	75






Air Handlers



Durastar Air Handler

• Aluminum Indoor Coil Design: Constructed of aluminum fins bonded to internally grooved aluminum tubing and are more corrosion resistant • Coils are tested at the factory with an extensive refrigerant leak check • Less than 2% Cabinet Air Leakage at 1-inch H2O: When tested in accordance with ASHRAE Standard 193 • Sturdy steel cabinet with one inch of foil faced insulation for quiet and efficient comfort • Versatile 4-Way Convertible Compact Design: Allows for upflow, downflow, horizontal left, and horizontal right applications even in the smallest of spaces • R-454B air handlers include Refrigerant Detection System

Item#	Mfg#	Refrigerant	Ton	Nominal Btu	Weight (lb)	Width	Depth	Height	Liquid	Suction	Max Fuse
9915847	DRAH2TA2417ASTNNJ	R-410A	1.5-2.0	24,000	92	17-1/2"	21-11/16"	42-1/2"	3/8"	3/4"	15 Amps
9915849	DRAH2TA3617ASTNNJ	R-410A	2.5-3.0	36,000	96	17-1/2"	21-11/16"	42-1/2"	3/8"	3/4"	15 Amps
10490990	DRAH2TB2417ASTNNJ	R-454B	1.5-2.0	24,000	92	17-1/2"	21-11/16"	42-1/2"	3/8"	3/4"	15 Amps
10490992	DRAH2TB3617ASTNNJ	R-454B	2.5-3.0	36,000	96	17-1/2"	21-11/16"	42-1/2"	3/8"	3/4"	15 Amps



Universal Heat Kits

Item#	Mfg#	kW	Max Fuse	Breaker
9888911	RXBH-1724A05J-B	5	30	Yes
9888959	RXBH-1724A07J-B	7	40	Yes



Wall Mount Air Handlers

• Sturdy steel cabinet with one inch of foil faced insulation for quiet and efficient comfort • Front or Bottom Return with Aluminum Indoor Coil Design • Constructed of aluminum fins bonded to internally grooved aluminum tubing and are more corrosion resistant • Includes Refrigerant Detection System

Item#	Model #	Refrigerant	Ton	Nominal BTU	Electric Heater Size (kW)	Filter Size	Width	Depth	Height	Liquid	Suction	Weight (lb)
ECM Motor												
11602949	DRF2TB2421ASTSNJB3	R-454B	1.5-2.0	24,000	3	20" x 20" x 1"	21-1/2"	17"	36"	3/8"	3/4"	80
11602951	DRF2TB2421ASTSNJB5	R-454B	1.5-2.0	24,000	5	20" x 20" x 1"	21-1/2"	17"	36"	3/8"	3/4"	80
PSC Motor												
11602924	DRF1PB1821ASTSNJB5	R-454B	1.5	18,000	5	20" x 20" x 1"	21-1/2"	17"	36"	3/8"	3/4"	80
11602929	DRF1PB2421ASTSNJB5	R-454B	2.0	24,000	5	20" x 20" x 1"	21-1/2"	17"	36"	3/8"	3/4"	80
11602934	DRF1PB3024ASTSNJB5	R-454B	2.5	30,000	5	20" x 25" x 1"	24"	21"	36"	3/8"	3/4"	95





Air Handlers



Goodman Multi-Position Air Handler

• Internal factory-installed thermal expansion valves for cooling and heat pump applications • Direct drive, multi-speed ECM blower motor • All-aluminum evaporator coil • Coil mounting track for quick repositioning • R-32 unit include factory installed leak sensor • AHRI certified; ETL listed

Item#	Mfg#	Refrigerant	Ton	Nominal Btu	Weight (lb)	Width	Depth	Height	Liquid	Suction	Max Fuse
10333451	AMST24BU1400BA	R-410A	2.0	24,000	112	17-1/2"	21.0	45	3/8"	3/4"	15
10333453	AMST30BU1400BA	R-410A	2.5	30,000	129	17-1/2"	21.0	53-4/9"	3/8"	3/4"	15
10333455	AMST36BU1400BA	R-410A	3.0	36,000	129	17-1/2"	21.0	53-4/9"	3/8"	3/4"	15
10740821	AMST24BU1300BA	R-32	2.0	24,000	112	17-1/2"	21.0	45	3/8"	3/4"	15
10740825	AMST30BU1300BA	R-32	2.5	30,000	129	17-1/2"	21.0	53-4/9"	3/8"	3/4"	15
10936947	AMST36BU1300BA	R-32	3.0	36,000	153	17-1/2"	21.0	49	3/8"	3/4"	15



Goodman Electric Heat Kits

• Sequencers for better temperature control • Completely assembled and tested • Fuse link secondary high temperature limit control • Plug-in wiring harness for ease of installation into air handler • Rust-resistant nickel chromium heat elements • Used with AMST and ARUF air handlers

Item#	Mfg#	kW	Voltage	Amps	Max Fuse	Breaker
10384259	HKTSN05X1	4.8	208/240	17.3/20.0	30/35 Amps	No
10384261	HKTSN08X1	8.0	208/240	28.9/33.3	45/50 Amps	No
10384246	HKTSN05X1	4.8	208/240	17.3/20.0	30/35 Amps	Yes
10384247	HKTSN08X1	8.0	208/240	28.9/33.3	45/50 Amps	Yes



Goodman Ceiling Mounted Air Handler

• All-Aluminum tube/aluminum fin coil • Direct-drive, resilient-mount, multi-speed motor • Sequence-controlled and rust-resistant nickel chromium heating elements of 5, 8, or 10 kW • High-efficiency evaporator coil • Quiet operation • AHRI Certified; ETL Listed • Primary/secondary drain connection in a high-temperature plastic drain pan • Suitable for free-return installation (non-ducted return air) • Galvanized-steel construction • Factory-installed pull-type disconnect • Easy service access

Item#	Mfg#	Refrigerant	Ton	Nominal Btu	Weight (lb)	Width	Depth	Height	Liquid	Suction	Max Fuse
10056705	ACSF18MN1605	R-22 / R-410A	1.5	18,000	69	43-1/4"	21"	10"	3/8"	3/4"	30
10056707	ACSF24LN1605	R-22 / R-410A	2.0	24,000	79	49-1/4"	21"	10"	3/8"	3/4"	30
10056711	ACSF30LN1605	R-22 / R-410A	2.5	30,000	79	49-1/4"	21"	10"	3/8"	3/4"	30
11681559	ACST18MU1305	R-32	1.5	18,000	69	43-1/4"	21"	10"	3/8"	3/4"	30
11681563	ACST24LU1305	R-32	2.0	24,000	79	49-1/4"	21"	10"	3/8"	3/4"	30
11681570	ACST30LU1305	R-32	2.5	30,000	79	49-1/4"	21"	10"	3/8"	3/4"	30



Goodman Wall Mounted Air Handler

• All-Aluminum tube/aluminum fin coil • Direct-drive, resilient-mount, multi-speed motor • Sequence-controlled and rust-resistant nickel chromium heating elements of 5, 8, or 10 kW • High-efficiency evaporator coil • Quiet operation • AHRI Certified; ETL Listed • Primary/secondary drain connection in a high-temperature plastic drain pan • Suitable for free-return installation (non-ducted return air) • Galvanized-steel construction • Factory-installed pull-type disconnect • Easy service access

Item#	Mfg#	Metering	Refrigerant	Ton	Nominal Btu	Weight (lb)	Width	Depth	Height	Liquid	Suction	Max Fuse	Heat
10084233	AWSF18SU1605	Flowrator	R-22 / R-410A	1.5	18,000	84	20-1/5"	16-1/5"	36"	3/8"	3/4"	30	5Kw
10084235	AWSF24SU1605	Flowrator	R-22 / R-410A	2.0	24,000	84	20-1/5"	16-1/5"	36"	3/8"	3/4"	30	5Kw
10084238	AWSF30LU1605	Flowrator	R-22 / R-410A	2.5	30,000	109	20-1/5"	21"	36"	3/8"	3/4"	30	5Kw
10333477	AWST18SU1405BA	TXV	R-410A	1.5	18,000	84	20-1/5"	16-1/5"	36"	3/8"	3/4"	30	5Kw
10333479	AWST24SU1405BA	TXV	R-410A	2.0	24,000	84	20-1/5"	16-1/5"	36"	3/8"	3/4"	30	5Kw
10333482	AWST30LU1405BA	TXV	R-410A	2.5	30,000	109	24"	21"	36"	3/8"	3/4"	30	5Kw
10740843	AWST18SU1305BA	TXV	R-32	1.5	18,000	84	20-1/5"	16-1/5"	36"	3/8"	3/4"	30	5Kw
10740850	AWST24SU1305BA	TXV	R-32	2.0	24,000	84	20-1/5"	16-1/5"	36"	3/8"	3/4"	30	5Kw
10740863	AWST30LU1305BA	TXV	R-32	2.5	30,000	109	24"	21"	36"	3/8"	3/4"	30	5Kw





Furnaces



10 TEN YEAR PARTS LIMITED WARRANTY

LIFETIME HEAT EXCHANGER LIMITED WARRANTY



80%

Durastar 80% A.F.U.E. Natural Gas Furnace

• Single stage • Constant torque • Upflow or horizontal configuration • Direct spark ignition

Item#	Mfg#	Input Btu	Output Btu	Blower CFM (max)	Width	Depth	Height	Weight (lb)	Max Fuse
9915776	DR80UHAT0501314SAN	50,000	40,000	1027	14"	29-3/5"	34"	110	15
9915777	DR80UHAT0751417SAN	75,000	60,000	1146	17"	29-3/5"	34"	125	15



10 TEN YEAR PARTS LIMITED WARRANTY

LIFETIME HEAT EXCHANGER LIMITED WARRANTY



80%



92%



96%

Goodman® 80% AFUE Gas Furnace

• Single-stage gas furnace • Distinctive, heavy-duty heat exchanger technology • Multi-speed ECM motor supports efficiency • Self-diagnostic control board • Insulated furnace cabinet

80%											
Item#	Mfg#	Input Btu	Output Btu	Blower CFM (max)	Width	Depth	Height	Weight (lb)	Max Fuse (Amp)	NOx	
9635761	GM9S800403AN	40,000	32,000	1,200	14"	28"	33-3/8"	86	15 Amps	Regular	
9635692	GM9S800603AN	60,000	48,000	1,200	14"	28"	33-3/8"	90	15 Amps	Regular	
10050713	GM9S800603AU	60,000	48,000	1,200	14"	28"	33-3/8"	90	15 Amps	Ultra Low	
9635696	GM9S800603AX	60,000	48,000	1,200	14"	28"	33-3/8"	90	15 Amps	Low	

Goodman® 92% AFUE Gas Furnace

• Multi position • Multi-Speed ECM motor • Single Stage • California Compliant • Non-compliant to California's South Coast Air Quality Management District (SCAQMD)

92%											
Item#	Mfg#	Input Btu	Output Btu	Blower CFM (max)	Width	Depth	Height	Weight (lb)	Max Fuse (Amp)	NOx	
9635746	GM9S920603BN	60,000	55,300	1,200	17-1/2"	28-3/4"	35-1/4"	114	15 Amps	Regular	

Goodman® 96% AFUE Gas Furnace

• Multi position • Multi-Speed ECM motor • Single Stage • California Compliant • Non-compliant to California's South Coast Air Quality Management District (SCAQMD)

96%											
Item#	Mfg#	Input Btu	Output Btu	Blower CFM (max)	Width	Depth	Height	Weight (lb)	Max Fuse (Amp)	NOx	
9635735	GM9S960603BN	60,000	57,700	1,200	17-1/2"	28-3/4"	35-1/4"	118	15 Amps	Regular	





Air Handlers, Furnaces, Coils

DURASTAR



Durastar® Cased Coils

• Constructed of aluminum fins bonded to internally grooved aluminum tubing • Chatleff metering device connections, at inlet and outlet of TXV and equalizer • N-Coil design maximizes performance connections • R-454B air handlers include Refrigerant Detection System

Item#	Model #	Refrigerant	Nominal Tons	Weight (lb)	Width	Depth	Height	Liquid	Suction	Metering
11602922	DRBEF2414STAAMC	R-454B	2	45	14"	21-11/16"	23-3/16"	3/8"	3/4"	TXV
10491005	DRBEF2417STANMC	R-454B	2	43	17-1/2"	21-11/16"	20"	3/8"	3/4"	TXV



Goodman Indoor Cased Coil - Upflow, Downflow

All-Aluminum evaporator coil • Optimized for use with R-32, R-410A, or R-22 refrigerant • Single front access panel • Factory installed TXV or flowrator • Rust resistant, thermoplastic drain pans featuring a low water-retention design with secondary drain connections • AHRI certified; ETL listed

Item	Mfg #	Refrigerant	Nom Size (ton)	Width	Depth	Height	Liquid	Suction	Metering	Weight (lb)
10740835	GCAPTA1818A3	R-32	1.5	14"	21"	18"	3/8"	3/4"	TXV	30
9721810	GCAPTA1818A4	R-410A	1.5	14"	21"	18"	3/8"	3/4"	TXV	36
7958505	CAPFA2418A6	R-22/R-410A	2.0	14"	21"	18"	3/8"	3/4"	0.057	33
10740842	CAPTA2422A3	R-32	2.0	14"	21"	22"	3/8"	3/4"	TXV	37
10740845	CAPTA2422B3	R-32	2.0	17-1/2"	21"	22"	3/8"	3/4"	TXV	40
9721806	CAPTA2422B4	R-410A	2.0	17-1/2"	21"	22"	3/8"	3/4"	TXV	48
10740852	CAPTA3022A3	R-32	2.5	14"	21"	22"	3/8"	3/4"	TXV	37
9721807	CAPTA3022A4	R-410A	2.5	14"	21"	22"	3/8"	3/4"	TXV	44
10740856	CAPTA3022B3	R-32	2.5	17-1/2"	21"	22"	3/8"	3/4"	TXV	40



Goodman® Slant Coil

• Fits AWUF air handlers

Item#	Mfg#	Nominal Tons	Piston Size	Gross Width	Gross Depth	Gross Height
10361508	0270A01154SLP	1.5 - 2	-	16"	3-1/2"	18-1/4"
7260629	0270A01167S	2.5	0.065	24"	3-1/2"	22"
10162636	0270A01168SP	3	.068	10-1/4"	37-1/2"	26-1/4"





Condensate Pumps



PROSELECT Condensate Pump

• 115V, 85W, 1.6A, 1/35 hp, with safety switch, 1/2 gal rustproof ABS tank capacity

Item#	Mfg#
10030968	PSCPV315WS

Condensate Safety Switches



Rectorseal® Safe-T-Switch® SS2

• L-shaped switch installs on primary drain pan in the auxiliary outlet; No plug required

Item#	Mfg#
9292586	97087

Condensate P-Traps



PROFLO® 3/4" PVC Condensate P Trap

• For condensate lines

Item#	Mfg#
855030	42860

Condensate Running Traps



PROFLO® 3/4" PVC Condensate Running Trap

• For condensate lines

Item#	Mfg#
855031	42861

PVC Pipe



3/4" PVC Pipe

• Schedule 40 Plain-End pipe • 10 foot length • Priced per foot, must purchase in multiples of 10

Item#
655487

PVC 90° Elbows



3/4" SCH 40 PVC 90° Elbow

• End Connection: Socket, Socket • Intended for pressure applications where the operating temperature will not exceed 140°F

Item#
35636

PVC Tees



3/4" SCH 40 PVC Tee

• End Connection: Socket, Socket, Socket • Intended for pressure applications where the operating temperature will not exceed 140°F

Item#
3857

PVC Couplings



3/4" SCH 40 PVC Coupling

• End Connection: Socket, Socket • Coupling Design: Common • Intended for pressure applications where the operating temperature will not exceed 140°F

Item#
29829





Scroll Compressors



Copeland® Scroll Compressor

• 208/230V single phase • Mounting centers 7-1/2" x 7-1/2"

Item#	Mfg#	Type	Nominal Tons	BTU/hr	Refrigerant	Liquid	Suction
R-410A Scroll Compressors							
3530144	ZP16K5EPFV830	Scroll	1.5	16,000	R-410A	1/2"	3/4"
3529566	ZP21K5EPFV830	Scroll	2	21,000	R-410A	1/2"	3/4"

OEM Motors



Air Conditioning & Heating



Goodman® Condenser Fan Motors

Item#	Mfg#	Voltage	Amps	Horsepower	RPM	Speeds	Rotation	Shaft	Diameter	Capacitor
A 4837975	0131M00060SP	208/230V	1.1A	1/6 hp	810	1	CW	1/2 x 3"	5.6"	5 mfd
B 7260641	0131M00739S	208/230V	2.6A	1/3 hp	1,400	1	CW	3-23/25"	7"	5 mfd
C 4846996	0131M00502S	230V	4.1A	1/2 hp	1,050	5	CCW	4-1/2"	5-5/8"	7.5 mfd
D 5067071	0131M00501S	208/230V	4.1A	1/2 hp	1,200	5	CCW	4-1/2"	5-5/8"	-





Motor

Mounting Bracket



Fasco® Condenser Fan Motor

Item#	Mfg#
3927597	10728



U.S. Motors® Blower Motor

• 115/208/230V • Variable Speed • Integrated Bluetooth Technology • Reversible rotation

Item#	Mfg#
8061984	6633



U.S. Motors® Motor Mounting Bracket

• Direct drive blower mounting ring set • E-band torsion type • Includes motor support ring with welded ears • For 5-3/8" to 10" diameter motors

Item#	Mfg#
1847278	44

HVAC

Capacitors



440v Capacitors Work in 370v Applications

PROSELECT 440/370V Single Round Run Capacitors

Item#	Mfg#	Volts	MFD Rating
10513523	PSIRC1R5A	440/370V	5
10513531	PSIRC1R75A	440/370V	7.5
10513497	PSIRC1R10A	440/370V	10



440v Capacitors Work in 370v Applications

PROSELECT 440/370V Dual Round Run Capacitors

Item#	Mfg#	Volts	MFD Rating
10513552	PSIRC2R305A	440/370V	30/5
10513556	PSIRC2R355A	440/370V	35/5
10513561	PSIRC2R405A	440/370V	40/5
10513567	PSIRC2R455A	440/370V	45/5
10513571	PSIRC2R505A	440/370V	50/5



440v Capacitors Work in 370v Applications

PROSELECT 440/370V Single Oval Run Capacitors

• General replacement non-PCB run capacitors • Equipped with a physical interrupter for safety

Item#	Mfg#	Volts	MFD Rating
10513491	PSIRC105A	440/370V	5
10513495	PSIRC1075A	440/370V	7.5
10513464	PSIRC1010A	440/370V	10



440v Capacitors Work in 370v Applications

PROSELECT 440/370V Dual Oval Run Capacitors

• General replacement non-PCB run capacitors • Equipped with a physical interrupter for safety

Item#	Mfg#	Volts	MFD Rating
10513536	PSIRC20305A	440/370V	30/5
10513538	PSIRC20353A	440/370V	35/3
10513541	PSIRC20355A	440/370V	35/5

Hard Start Kits



Rectorseal® Kickstart® T05 Hard Start Kit

• Kickstart® • For single-phase 208V, 230V and 265V A/C refrigeration and heat pump compressors • 1 to 3 tons

Item#	Mfg#
985091	96503



Supco® Super Boost Hard Start Kit

• PTC hard start relay and capacitor • Easy 2-wire installation • Can be used on PSC type compressors • 120-277 VAC

Item#	Mfg#	Horsepower
76059	SPP5	1/2 to 10 hp
76060	SPP6	1/2 to 10 hp
4479558	SPP7S	1/2 to 10 hp



Supco® E Series Hard Start Kit

• Electronic potential relay (EPR) technology and 330 VAC start capacitor • 170 - 277 VAC • Backup electronic timing circuit to protect the compressor • Voltage sensing • Instant re-start • Easy 2-wire installation • Can be used on PSC and CSIR type compressors • NATE Recognized (Course #1867-0002)

Item#	Mfg#	Horsepower
2240860	SPP8E	1/2 to 10 hp





Through-The-Wall Air Conditioners



Through-the-Wall Acs

Item#	Model #	Voltage	Plug Type	Amps	Cooling (BTU/hr)	Electric Heating (BTU/hr)	Max CFM	CEER	Dehumid (PTS/hr)	Weight (lb)
10384204	DRTAC101XNA1	115V	5-15P	8.69	10,000	-	251	9.6	2.5	67.2
10384205	DRTAC102XNA1	208-230V	6-15P	4.6/4.9	10,000	-	275	9.6	2.7	67.9
10384210	DRTHC102XNA1	208-230V	6-20P	5.4/15	10,000	10,600	293	9.6	2.4	68.1
10384206	DRTAC121XNA1	115V	5-15P	11.04	12,000	-	286	9.5	3.5	75
10384207	DRTAC122XNA1	208-230V	6-15P	5.2/5.6	12,000	-	278	9.5	3.6	74.5
10384211	DRTHC122XNA1	208-230V	6-20P	6.5/15	12,000	10,600	286	9.5	3.3	75
10384208	DRTAC142XNA1	208-230V	6-15P	7.0/7.7	14,000	-	296	9.5	4.4	75.4



LG® Through-The-Wall Air Conditioner

• 24 hour timer • Filter alarm function • 4-way air deflection • Remote control included • Installation kit included • 1-year parts and labor warranty

Item#	Mfg#	Voltage	Plug Type	Cooling Amps	Heating Amps	Cooling (BTU/hr)	Electric Heating (BTU/hr)	Max CFM	CEER	Dehumid (PTS/hr)	Energy Star
7343754	LT1016CER	115V	5-15P	8.5A	-	9,800	-	250	10.6	2.9	No
7343744	LT1036CER	208/230V	6-15P	4.5A	-	9,800	-	250	10.6	2.9	No
7343737	LT1236CER	208/230V	6-15P	5.5A	-	11,800	-	280	10.5	3.5	No
10052743	LT1033HNR	Heat 208/230V	6-20P	4.6A	15.3A	10,000	11,200	260	10.7	2.8	No
10352228	LT12124CNR	115V	5-15P	10.2A	-	11,800	-	280	10.2	3.5	No
10052744	LT1233HNR	Heat 208/230V	6-20P	5.6A	15.3A	11,800	11,200	280	10.2	3.5	No



GE® Through-The-Wall Air Conditioner

• Electronic control, 24 hour timer • Eco mode, dry mode and auto mode • Fits standard wall sleeves • Includes remote control • Unit does not include outside grille • GE® 1 year limited warranty parts and labor, 5 year sealed system parts and labor warranty service

Item#	Mfg#	Voltage	Plug Type	Amps	Cooling (BTU/hr)	Electric Heating (BTU/hr)	EER	Dehumid (PTS/hr)	Energy Star
10029854	AJCQ10AWJ	115V	5-15P	8.8A	10,000	-	10.6	-	✓
10029856	AJCQ12AWJ	115V	5-15P	10.3A	12,000	-	10.5	3.5	✓
10029857	AJCQ12DWJ	230/208V	6-15P	5.3/5.7A	12,000/11,700	-	10.5	3.4/3.4	✓
10029855	AJCQ10DWJ	230/208V	6-15P	4.3/4.7A	10,000/9,800	-	10.6	2.7/2.7	✓
10029861	AJEQ10DWJ	230/208V	6-20P	4.6/5.1A	10,000/9,800	10,600/8,600	9.6/9.6	2.7/2.7	-
10029862	AJEQ12DWJ	230/208V	6-20P	15.0/13.5A	12,000/11,700	10,600/8,600	9.5/9.5	3.4/3.4	-





Window Air Conditioners



HVAC

Durastar Window Mounted Air Conditioner

• 24-hour on/off timer • Multiple fan speeds • Installation kit included • Two year parts and labor warranty

Item#	Model #	Voltage	Plug Type	Amps	Cooling (BTU/hr)	Electric Heating (BTU/hr)	Max CFM	CEER	Dehumid (PTS/hr)	Weight (lb)	Energy Star
10384213	DRWAC081XNA1	115	5-15P	8.4	8000	-	196	10.9	2	43.7	No
10384214	DRWAC101XNA1	115	5-15P	9.4	10000	-	300	10.9	2.2	57.8	No
10384202	DRCAC101XNA1	115	5-15P	8.5	10000	-	324	10.4	2.4	74.1	No
10384215	DRWAC121XNA1	115	5-15P	10.03	12000	-	319	10.9	3.3	63.5	No

Window Air Conditioners



LG® Window Mounted Air Conditioner

• 24-hour on/off timer • Multiple fan speeds • Installation kit included • 1-year parts and labor warranty

Item#	Mfg#	Voltage	Plug Type	Cooling Amps	Heating Amps	Cooling (BTU/hr)	Electric Heating (BTU/hr)	Max CFM	CEER	Dehumid (PTS/hr)	Energy Star
B 10052756	LW8016HR	115V	5-15P	6.3A	11.0A	7,600	3,850	190	11.3	2.1	No
C 10352229	LW1024RD	115V	5-15P	7.7A	-	10,000	-	240	11.4	2.8	No
B 10352237	LW8024R	115V	5-15P	6.4A	-	8,000	-	243	11.4	1.8	No
C 10052747	LW1216HR	208/230V	6-20P	5.1A	14.0A	12,200	11,200	320	11.6	3.5	No





HVAC - Portable Air Conditioners & Dehumidifiers

Portable Air Conditioners

FRIGIDAIRE



HVAC



Frigidaire® Portable Air Conditioner With Dehumidifier Mode

• Programmable timer • Dehumidifying dry mode • Remote control • Easy to clean washable filter • Multi-speed fan • Automatic restart • 1 year full warranty on parts and labor

Item#	Mfg#	Voltage	Plug Type	Amps	Cooling (BTU/hr)	Electric Heating (BTU/hr)	EER	Dehumid (PTS/hr)	Color	Type	Size
9766850	FHPC102AC1	115V	5-15P	9.5A	10,000	-	9.7	2.6	White	Free Standing	16.7"W x 13.87"D x 27.9"H
9766854	FHPW142AC1	115V	5-15P	11.0A	13,000	-	10.5	2.9	White	Free Standing	18.7"W x 15.16"D x 27.9"H
Heat Pump											
9766856	FHPH142AC1	115V	5-15P	11.0A	13,000	-	10.3	2.8	White	Free Standing	18.7"W x 15.16"D x 27.9"H

Dehumidifiers

FRIGIDAIRE



Frigidaire® Dehumidifier

• Easy-to-clean washable filter • Continuous drain option • Custom humidity control • Automatic shut-off • Low temperature operation • Multi-speed fan • 1 year full warranty on parts and labor

Item#	Mfg#	Voltage	Plug Type	Amps	Dehumid (PTS/day)	Size
10120846	FFAD5034W1	115V	5-15P	5.2A	50	15.96"W x 12.19"D x 24.25"H





PTACs




HVAC

DuraStar PTAC

• HVAC equipment products sold to licensed contractors only • Products sold in select areas only • Fits standard wall sleeve • LCDI power cord included • Automatic room freeze protection at 32°F in an unoccupied room • Sleeve and grille sold separately • Washable filters • 5-year limited warranty

Item#	Mfg#	Voltage	Plug Type	Amps	Cooling (BTU/hr)	Electric Heating (BTU/hr)	Heat Pump Heat (BTU/hr)	Max CFM	Dehumid (PTS/hr)	EER	Seacoast Protection
Standard PTAC											
10207062	DRPTAC09Y32351A	208-230	6-20P	3.7/4.0	8800/8700	10900/8900	-	390	1	12.8	-
10207063	DRPTAC12Y32351A	208-230	6-20P	5.3/5.8	12000/11800	10900/8900	-	404	2.9	11.6	-
10207064	DRPTAC15Y32351A	208-230	6-20P	7.5/8.9	14700/14500	10900/8900	-	430	4.5	10.6	-
Heat Pump											
10207067	DRPTH09Y32351A	208-230	6-20P	3.7/4.0	9200/9100	10900/8900	7800/7500	424	1	12.8	-
10207068	DRPTH12Y32351A	208-230	6-20P	5.2/5.6	12000/11800	10900/8900	10800/10500	436	2.9	11.6	-
10207069	DRPTH15Y32351A	208-230	6-20P	6.5/7.4	14700/14500	10900/8900	13500/13200	416	4.3	10.6	-



7055214 - 20amp cord sold separately

GE Zoneline® Packaged Terminal Air Conditioner

• GE Zoneline® Packaged Terminal Air Conditioner • Fits industry standard 16" high x 42" wide wall sleeves • Electronic touch controls with LED display • Quiet operation • Power connection not included • R454B - Most environmentally friendly refrigerant on the market • GE® 1 year limited warranty service on parts and labor, 5 year sealed system parts and labor limited warranty service

Item#	Mfg#	Voltage	Cooling (BTU/hr)	Electric Heating (BTU/hr)	Heat Pump Heat (BTU/hr)	Dehumid (PTS/hr)	Vent Air	EER
10490789	AZES07DCXXA	208/230V	7,200	dependent on plug type	-	1.2	33	13.2 / 13.4
10490790	AZES09DCXXA	208/230V	9,500	dependent on plug type	-	2.2	33	12.2 / 12.5
10490791	AZES12DCXXA	208/230V	12,000	dependent on plug type	-	3.3	33	11.6 / 11.7
10490792	AZES15DCXXA	208/230V	15,000	dependent on plug type	-	4.5	33	10.5 / 10.6
10490793	AZHS07DCXXA	208/230V	7,100	dependent on plug type	6,200	0.9	33	13.0 / 13.2
10490796	AZHS09DCXXA	208/230V	9,600	dependent on plug type	9,000	2.0	33	12.4
10490799	AZHS12DCXXA	208/230V	12,000	dependent on plug type	10,600	3.1	33	11.6
10490802	AZHS15DCXXA	208/230V	15,000	dependent on plug type	13,500	4.1	33	10.4





PTAC



Required thermostat sold separately

Amana® PTAC

• Fits industry standard 16" high x 42" wide wall sleeves • DigiSmart control board for energy savings • Acoustically engineered for quiet comfort and operation • DigiSmart wireless thermostats available • 1 year commercial limited warranty parts and labor, 5 year limited warranty on functional parts, and sealed system labor • Sub-base kit required with 265 volt models • Power cord included with 208/230 volt models • Uses R-32 refrigerant for increase efficiency

Item#	Mfg#	Voltage	Plug Type	Amps	Cooling (BTU/hr)	Electric Heating (BTU/hr)	Heat Pump Heat (BTU/hr)	Max CFM	Dehumid (PTS/hr)	Vent Air	EER	Seacoast Protection
Standard PTAC												
9997449	PTC093J35AXXX	230V	6-20P	20A	9,000	12,000	-	310	2.2	65	11.7	-
10098858	PTC093J35CXXX	230V	6-20P	20A	9,000	12,000	-	310	2.2	65	11.7	Yes
9997461	PTC123J35AXXX	230V	6-20P	20A	12,000	12,000	-	310	3.6	65	10.5	-
10098860	PTC123J35CXXX	230V	6-20P	20A	12,000	12,000	-	310	3.6	65	10.5	Yes
9997473	PTC153J35AXXX	230V	6-20P	20A	14,000	12,000	-	360	4.4	65	10	-
10098862	PTC153J35CXXX	230V	6-20P	20A	14,000	12,000	-	360	4.4	65	10	Yes
9997474	PTC153J50AXXX	230V	6-30P	30A	14,000	17,100	-	360	4.4	65	10	-
Heat Pump												
9997500	PTH093J35AXXX	230V	6-20P	20A	9,000	12,000	8,300	360	2.2	65	11.5	-
9997512	PTH123J35AXXX	230V	6-20P	20A	12,000	12,000	11,500	370	3.6	65	10.7	-
9997524	PTH153J35AXXX	230V	6-20P	20A	15,000	12,000	13,800	410	4.4	65	9.7	-
9997525	PTH153J50AXXX	230V	6-30P	30A	15,000	17,100	13,800	410	4.4	65	9.7	-
265V												
9997455	PTC094J35AXXX	265V	7-20P	20A	9,000	12,600	-	310	2.2	65	11.5	-
9997467	PTC124J35AXXX	265V	7-20P	20A	12,000	12,600	-	310	3.6	65	10.3	-
9997506	PTH094J35AXXX	265V	7-20P	20A	9,000	12,600	8,300	360	2.2	65	11.5	-
9997518	PTH124J35AXXX	265V	7-20P	20A	12,000	12,600	11,400	370	3.6	65	10.7	-

Non-Programmable Thermostats



Amana® PTAC Digital Wireless Wall Thermostat

• Battery Powered • Basic Operation • Backlit Display • For use with Amana J & K Series

Item#	Mfg#
10256016	DSA02NO

Amana® PTAC DigiSmart™ Digistat™ Wireless Wall Thermostat

• 2-Stage Heat/1-Stage Cool Heat Pump or 1-Stage Heat/1-Stage Cool Electric Heat • Works with DigiSmart gateway antenna DT01A (sold separately) • Powered by 4 AAA batteries

Item#	Mfg#	Type
7942392	DS01G	Eden





Line Voltage



Cadet® Thermostat

• For use with line voltage 120/240 or 208 electric baseboard and wall heaters • Controls up to 5280 watts at 240 volts or 2640 watts at 120 volts • Easily replaces most line voltage wall-mounted thermostats • Setpoint range: 40°F to 80°F (5°C to 27°C)
• Comfort range: 3-6°

Item#	Mfg#	Poles	Color
7682133	72865	Single	White

Digital Non-Programmable

Honeywell Home



Honeywell Home Pro 1000 Non-Programmable Thermostat

• Dual-Powered: Hardwired or two AAA batteries • Basic operation - easy-to-use slide switches allow you to select the heat or cool mode and operate the fan • Backlit display

Item#	Mfg#	Stages	Color
4702905	TH110DV1009	1H/1C	White
4702903	TH1100DV1000	1H	White

Digital Non-Programmable



PROSELECT® PSTSN Non-programmable Thermostat

• Dual-Powered: Hardwired or battery • Basic operation • Backlit display • 5 year warranty

Item#	Mfg#	Stages	Color
10334083	PSTSN1AWH	1H/1C	White
10334084	PSTSN21AWH	2H/1C	White



Emerson 70 Series™ Non-Programmable Thermostat

• 24V or millivolt • Battery powered • Horizontal, 5-1/8" W x 3-13/16" H x 1-1/8" D • 5 year limited warranty

Item#	Mfg#	Stages	Color
1607658	1F78-144	1H/1C Conv	White
1817969	1F79-111	2H/1C HP	White

Honeywell Home



Honeywell Home Pro 1000 Non-programmable Thermostat

• Dual-Powered: Hardwired or two AAA batteries • Basic operation - easy-to-use slide switches allow you to select the heat or cool mode and operate the fan • Backlit display

Item#	Mfg#	Stages	Color
4264101	TH110DH1003	1H/1C	Premier White

Honeywell Home



1H/1C Non-programmable Thermostat in White

• Dual-Powered: Hardwired or battery • 20-30V • 32 to 120 Deg F • Large easy to read display

Item#	Mfg#	Stages	Color
8453441	TH1110E1000	1H/1C	White
2355682	TH5220D1029	2H/2C	Premier White





Digital Non-Programmable

Honeywell Home



Honeywell Home T1 Pro Non Programmable Thermostat

• For 24 VAC systems • Includes mounting system, thermostat and mounting plate • 4-1/16" W x 4-1/16" H x 1-3/32" D

Item#	Mfg#	Stages	Color
7507621	TH110D2009	1H/1C	White

Honeywell Home



Honeywell Home Pro 3000 Non-Programmable Thermostat

• Stages: 2H/1C • Displays both current and set temperature • Dual powered: battery or hardwired • Basic operation such as a slide switch for selecting heat or cool mode and operating the fan

Item#	Mfg#	Stages	Color
2452103	TH3210D1004	2H/1C	White
2452102	TH3110D1008	1H/1C	White



Emerson 80 Series™ Non-Programmable Thermostat

• Dual-Powered: Hardwired or battery • 24V or millivolt • 4.5-square-inch blue display • Energy management recovery / Early start program • 6" W x 3-3/4" H x 1-1/8" D • 5 year limited warranty

Item#	Mfg#	Stages	Color
7053319	1F83C-11NP	1H/1C	White

Programmable

Honeywell Home



Honeywell Home T4 Pro Programmable Thermostat

• 7 day, 5-1-1, 5-2, 1 day & non-programmable • 3.93-square-inch screen with backlight • Soft key controls • Dual-Powered: Hardwired or battery • 4-1/16" W x 4-1/16" H x 1-3/32" D • 5 year limited warranty

Item#	Mfg#	Stages	Color
7289058	TH4110U2005	1H/1C	Arctic White
7343499	TH4210U2002	1H/1C Conv / 2H/1C HP	Arctic White

Honeywell Home



Honeywell Home T6 Pro Programmable Thermostat

• 7 day, 5-1-1, 5-2, 1 day & non-programmable • 5.44-square-inch screen with backlight • Soft Key Controls • Dual-Powered: Hardwired or battery • Service reminders • 4-1/16" W x 4-1/16" H x 1-3/32" D • 5 year limited warranty

Item#	Mfg#	Stages	Color
7190557	TH6210U2001	1H/1C Conv / 2H/1C HP	Arctic White
7190555	TH6220U2000	2H/2C Conv / 2H/1C HP	Arctic White

Wi-Fi Programmable

Honeywell Home



Honeywell Home T6 Pro Wi-Fi Programmable Thermostat

• Geofencing, 7 day, 5-1-1, 5-2, 1 day & non-programmable • 24V Common wire required • Maintenance notifications and smart alerts • Works with Apple HomeKit • 4-1/16" W x 4-1/16" H x 1-3/32" D • 5 year limited warranty

Item#	Mfg#	Stages	Color
7190556	TH6220WF2006	2H/2C Conv / 2H/1C HP	Arctic White

Wi-Fi Programmable



Nest® Thermostat E

• Stages: 2H/2C • Control it from anywhere with the Nest App™ • Emergency alerts and shutoff • Works with most 24V heating and cooling systems • Extended warranty with Nest Pro sign up

Item#	Mfg#	Color
9008678	GA02180-US	White



Nest Pro® Learning Thermostat™

• Stages: 3H/2C • Fast setup and installation • Control the temperature and adjust the schedule from phones, tablets or laptops • Advanced learning algorithms • Emergency alerts and shutoff • Extended warranty with Nest Pro sign up

Item#	Mfg#	Color
10670972	GA05560-US	Polished Silver



Southwire® Thermostat Wire

• 18 AWG solid copper, insulated • Color/Finish: Brown • Sold as 250' rolls, not one each or one foot

Item#	Conductors
3059819	8





Fiberglass Air Filters

1" Economy Fiberglass Air Filter MERV 4

• One piece chipboard frame, notched to allow filters to nest • Heat-sealed frame provides rigidity and strength, easy serviceability • Flat faced frame on the air leaving side ensures a good seal • Priced each • Sold only in case of 24

Item#	Size
7367452	12" x 24" x 1"
7367455	14" x 20" x 1"
7367453	16" x 20" x 1"
7367463	16" x 25" x 1"
7367461	20" x 20" x 1"



1" Fiberglass Air Filter MERV 4

• One piece heavy chipboard frame • Constructed with premium grade fiberglass media • Priced each • Sold only in case of 12

Item#	Size	Item#	Size
58275	12" x 12" x 1"	19073	16" x 20" x 1"
58277	12" x 20" x 1"	58284	16" x 25" x 1"
9554667	12" x 24" x 1"	95979	18" x 18" x 1"
95995	12" x 30" x 1"	95980	18" x 20" x 1"
1725596	14" x 18" x 1"	95971	18" x 24" x 1"
2851238	14" x 20" x 1"	2675	20" x 20" x 1"
96001	14" x 24" x 1"	37915	20" x 25" x 1"
58282	14" x 25" x 1"	9554672	20" x 30" x 1"
96003	14" x 30" x 1"	58309	24" x 24" x 1"
96019	16" x 16" x 1"		



HVAC

Pleated Air Filters - MERV 8 - 1"

1" Standard Pleat Air Filter MERV 8

• Synthetic backed media • Priced each • Sold in case of 12

Item#	Size
4010402	12" x 24" x 1"
4939998	14" x 18" x 1"
4471844	14" x 20" x 1"
4408313	14" x 25" x 1"
4010387	16" x 20" x 1"
4010408	16" x 25" x 1"
4010411	18" x 20" x 1"
3998415	20" x 20" x 1"
4010414	20" x 24" x 1"
4010399	20" x 25" x 1"
4010418	20" x 30" x 1"
4010426	24" x 24" x 1"



Pleated Air Filters - MERV 8 - 2"



2" Standard Pleat Air Filter MERV 8

• Synthetic backed media • Priced each • Sold in case of 12

Item#	Size
3998417	16" x 20" x 2"
3998412	16" x 25" x 2"
3998416	20" x 20" x 2"
4028934	20" x 24" x 2"
3998418	20" x 25" x 2"
3998414	24" x 24" x 2"

Air Filter Freshener



WEB Products® Air Filter Freshener

• FilterFresh scented filter pads • 6" x 6" pads attach instantly to any furnace or A/C filter
 • Helps control pet, cooking, smoking and other odors • Use with a clean filter for best results • Ideal for apartment move-ins

Item#	Scent
7235168	Gardenia





Sidewall/Ceiling Registers



PROSELECT 2-Way Steel Ceiling/Sidewall Register

• 1/2" spaced fins at 40° • For both sidewall and ceiling applications • Ideal for shallow duct installation • Integral multi-shutter damper

Item#	Size	Color
2175155	8" L x 4" W	White
2175186	10" L x 4" W	White
2175188	10" L x 6" W	White
2175191	12" L x 4" W	White
2175100	12" L x 6" W	White
2175101	12" L x 8" W	White
2175112	14" L x 6" W	White
2175115	14" L x 8" W	White

PROSELECT 3-Way Steel Ceiling/Sidewall Register

• 1/2" spaced fins at 40° • For both sidewall and ceiling applications • Ideal for shallow duct installation • Integral multi-shutter damper

Item#	Size	Color
2175136	10" L x 6" W	White
2175147	12" L x 6" W	White

Floor Diffusers



PROSELECT Steel Floor Diffuser

• Multi-angled fin setting • Foot-operated damper

Item#	Size	Color
2175118	4" W x 10" L	Brown

Return Air Filter Grilles



PROSELECT Steel Filter Grille

• 1/2" spaced fins at 40° • Removable face with concealed latches and hinges

Item#	Size	Color
2175166	20" W x 20" L	White





Exhaust Fans

BROAN
NuTone



Broan NuTone® Snap-In Ceiling/Wall Exhaust Fan
 • Ceiling/wall mount fan • White polymeric grille 9 x 9-1/4"
 • Housing: 7-1/4" L x 7-1/2" W x 3-5/8" H • 3" Duct • Use 3766896 or 3766937 replacement grille

Item#	Mfg#	CFM	Sones
10936041	688E	50	4.0

Panasonic



Panasonic® WhisperValue® DC™ Bathroom Exhaust Fan
 • Pick-A-Flow airflow selector with options of 50, 80 or 100 CFM • Easy-to-install: for use with 4" oval duct collar
 • L-Shaped bracket simplifies installation • Extremely quiet: less than 0.3 sones at 50 CFM, 0.4 sones at 80 CFM and 0.9 sones at 100CFM • 13 L x 13 W x 4-1/2"H

Item#	Mfg#
7251285	FV-0510VS1

Exhaust Fans With Light

BROAN
NuTone



Broan NuTone® Snap-In Exhaust Fan with Light
 • 8" L x 8-1/4" W x 5-3/4" H • 50 CFM, 0.9 sones
 • Requires medium base lamp up to 100W

Item#	Mfg#
10613032	BEL6

Exhaust Fan Grille And Light Assemblies

BROAN
NuTone



Broan NuTone® Exhaust Fan Grille
 • 10" x 10" • Fits models 663, 670, 671, 675, 688 and 689 exhaust fans

Item#	Mfg#	Color
3766896	BP20	White

BROAN
NuTone



Broan NuTone® Exhaust Fan Replacement Grill
 • 9-1/4 x 9-1/4" • Spring mount installation • Fits models 670, 671, 671EX, 688, 688EX, and 689

Item#	Mfg#
3767018	BP90

Motor & Fan Assemblies

BROAN
NuTone



Broan NuTone® Motor Assembly & Grille Replacement Kit
 • For the newer style 696N-R01 and 696N-R02 housing
 • Fits N690RA 7-1/2" x 7-1/4" housing • 50 CFM, 4.0 sones
 • Grille 8-5/8" x 9-1/2"

Item#	Mfg#	Color
2227636	1688F	White

Motor And Fan Assemblies

BROAN
NuTone



Broan NuTone® Exhaust Fan Assembly
 • 1-Speed 50 CFM 120V, .75A • Fits old style 696N
 • CCW rotation (shaft end) • 8" x 7-1/4" • Fan blade 4.5" DIA

Item#	Mfg#
10926480	C350BNR

BROAN
NuTone



Broan NuTone® Exhaust Fan Assembly
 • 1-Speed 50 CFM • 120V, .75A • Fits Broan 688 H-Z
 • CCW rotation (shaft end)

Item#	Mfg#
7206839	S97012026

Supco



Supco® Exhaust Motor And Fan Assembly
 • Exact replacement for Nutone® range hood ventilators and others • Includes FB460 fan blade • Single speed, reversible • Fits NuTone C65878, K111, EM550, also replaces Robertshaw 33-100 • 1/2" Stack, 1-3/4" D Shaft, 7/32" diameter • Fan blade 4-1/2" diameter • 1-7/8" bolt center • Order as 1 package of two

Item#	Mfg#
4479626	SM550P2

Flexible Duct

deflect-o



Deflecto® Multi-Layered Transition Duct

• Plain end • Fire resistant

Item#	Size	Mfg#
1236039	4" dia x 25'	F0425
4393269	4" dia x 50'	F0450

deflect-o



Deflecto® Semi-Rigid Flexible Non-Crimped Aluminum Duct

• 8' length, shipped compressed to 28"
 • Plain end • Fire resistant

Item#	Size	Mfg#
4572017	4" dia x 8'	A048/40

deflect-o



Deflecto® 4" Metal Worm Clamp

• Use with 4" ducting • Adjusts using a screwdriver

Item#
2480803

EZ-FLO



EZ-FLO® 4" Metal Spring Tension Clamp 10/Pk

• Use with 4" ducting

Item#
7222680





Circulating Pumps



Grundfos® Circulator Pump

• UP Series -- Single speed • UPS Series -- 3 speeds for system flexibility and energy savings • Water lubricated

Item#	Mfg#	Body Type	H/P	Voltage	Flange to Flange	Max Head	Max GPM	Connection	Low Lead	Series
A 3534593	59896771	Stainless Steel	1/12 HP	115	6-1/2"	10	15	GF 15/26 Flange 3/4" to 1-1/2"	Yes	UP15-29SF
A 3534681	59896775	Stainless Steel	1/12 HP	115	5-7/8"	10	15	GU 125 Union 3/4"	Yes	UP15-29SU
A 3534680	G59896773	Stainless Steel	1/15 HP	115	6-1/2"	18	21	Oval SS 2 Bolt Flange	Yes	UPS15-35SFC
B 1783451	59896341	Cast Iron	1/25 HP	115	6-1/2"	19.5	17	GF 15/26 Flange 3/4" to 1-1/2"	No	UPS15-58FC
C 7048268	98961763	Stainless Steel	1/6 HP	115	6-1/2"	29	33	Oval SS 2-Bolt Flange	Yes	UPS26-99SFC
D 3026230	52722512	Cast Iron	1/6 HP	115	6-1/2"	29	33	GF 15/26 Flange 3/4" to 1-1/2"	No	UPS26-99



Taco® Circulator Pump

• Standard high capacity output • Direct drive, low power consumption

Item#	Mfg#	Body Type	H/P	Voltage	Flange to Flange	Max Head	Max GPM	Connection	Low Lead	Series
A 523777	007-F5	Cast Iron	1/25 hp	115V	6-3/8"	9	23	GF 15/26 Flange 3/4" to 1-1/2"	No	007-F5
B 3624890	007-SF5	Stainless Steel	1/25 hp	115V	6-3/8"	9	23	GF 15/26 Flange 3/4" to 1-1/2"	Yes	007-SF5

Zone Valves



Honeywell Home Actuator Zone Valve

• Hydronic zone valve 24V, 7.7A • 3/4" x 3/4" copper sweat connections, straight through • SPST end switch • 18" leads • Manual opening lever • 20 psi max close-off pressure, 125 psi static

Item#	Mfg#
16970	V8043E1012

Air Vents



Taco® Hy-Vent® 1/8" Brass Air Vent

• Hy-Vent® • 3-3/16" H x 1.13/16" D • Material: Brass, nickel plated • Maximum System Pressure: 150 psi • Connection: 1/8" NPT • High-capacity float style nickel plated vent • Automatically vents unwanted air from any hydronic installation • Size: 1/8"

Item#	Mfg#
3698341	400-4

Flange Sets



Grundfos® Bronze Flange Set

• Set Includes: 2 each flanges, 2 each flange gaskets, 4 each bolts with nuts • Material: Bronze

Item#	Mfg#	Size	Pump Connection
40265	519651	3/4"	GF 15/26

Temperature Gauges



FNW® 9" Adjustable Angle Thermometer

• Rotating case • Dual scale • Green kerosene filled • Shown with optional thermowell • Optional accessories: 3-1/2" brass thermowell: FNWBWTWN

Item#	Pressure Class	Temperature Range
3862396	30-240#	30-240°F





Electric Baseboard Heaters



HVAC



Cadet® Electric Baseboard Heater

• 6-3/4" H x 2-1/2" D • Quiet operation • Oversized high temperature limit switch with full length capillary sensor tube • Easy installation with pre-punched case at 1" intervals • Thermostats can mount on either end (thermostats sold separately) • Material: Steel

Item#	Mfg#	Length	Watts	Volts	Amps	Color
4623101	09949	24"	350W	240V	1.46A	White
4623104	09954	48"	1000W	240V	4.17A	White
4623105	09955	60"	1250W	240V	5.21A	White
4623135	09956	72"	1500W	240V	6.25A	White

Non-Programmable Thermostats



Wall Heaters



Cadet® Thermostat

• For use with line voltage 120/240 or 208 electric baseboard and wall heaters • Controls up to 5280 watts at 240 volts or 2640 watts at 120 volts • Easily replaces most line voltage wall-mounted thermostats • Setpoint range: 40°F to 80°F (5°C to 27°C) • Comfort range: 3-6°

Item#	Mfg#	Poles	Color
7682133	72865	Single	White
7682132	72866	Double	White

Broan® Wall Heater

• Adds warmth to bathrooms, entryways or other small areas • 20 gauge steel grille has down flow louvers • Adjustable, front-mounted thermostat offers a simple way to control the level of heat • Factory wired at 1500W at 120V AC, easily converts to 750W/120V, 1125W/208V or 1500W/240V

Item#	Mfg#
2447854	174





Line Sets



Copper Line Set

• Solder end connection • Copper lines that connect the condensing unit to the evaporator • 3/8" closed cell elastomeric insulation on the suction line

Item#	Size
97358	3/8" OD x 3/4" OD x 30'
97515	3/8" OD x 3/4" OD x 50'

Refrigeration Tubing




Soft Copper Refrigeration Coil

• Dehydrated HVAC tubing, annealed and end sealed

Item#	Size
11549	1/4" OD x 50'
29445	3/8" OD x 50'
48020	5/8" OD x 50'
31278	3/4" OD x 50'


Copper Couplings



Copper Couplings Sweat x Sweat With Stop

Item#	Inside Diameter	Outside Diameter
9271	1/4"	3/8" OD
44641	3/8"	1/2" OD
27517	1/2"	5/8" OD
38821	5/8"	3/4" OD
10045	3/4"	7/8" OD
45247	1"	1-1/8" OD

Copper Fittings



Copper Slip Couplings Sweat x Sweat

Item#	Inside Diameter	Outside Diameter
42642	1/2"	5/8" OD
25860	3/4"	7/8" OD
8197	1"	1-1/8" OD

Copper Elbows



Copper 90° Long Radius Elbows Sweat x Sweat

Item#	Inside Diameter	Outside Diameter
5849	1/4"	3/8" OD
41777	3/8"	1/2" OD
25196	1/2"	5/8" OD
7682	5/8"	3/4" OD
43088	3/4"	7/8" OD

Copper 90° Close Rough Elbows Sweat x Sweat

Item#	Inside Diameter	Outside Diameter
31523	1/2"	5/8" OD
49570	3/4"	7/8" OD
31782	1"	1-1/8" OD

Pipe Insulation



Rubber Pipe Insulation

• Closed cell flexible elastomeric foam insulation tubes • Self-Seal (Pre-Slit / Pre-Glued / DoubleSeal closure system) for retrofit applications • Price per foot, order in multiples of six

Item#	Inside Diameter
2971810	5/8"
2971823	7/8"

Filter Driers - Liquid Line



Parker Liquid Line Drier

• Air conditioner liquid line filter drier

Item#	Connection	Size
143180	3/8" ODF sweat	8 cu in
335840	3/8" ODF sweat	16 cu in

Filter Driers - Bi-Flow



Parker Gold Label™ Bi-Flow Filter Drier

• Complete contaminant control to protect and extend system life • Operates in either flow direction with low pressure drop • Suitable for use with HCFC, HFC, and HFO refrigerants

Item#	Connection	Size
335878	3/8" ODF sweat	8 cu in
335880	3/8" ODF sweat	16 cu in





Refrigerants



R-410A Refrigerant

• Refrigerant: R-410A • 25 lb disposable container • EPA Certification required

Item#	Size	Mfg#
1875659	25 lb	R-410A



MO99 Refrigerant

• Alternative refrigerant, can be used to retrofit some R-22 systems; non-zone depleting; can be used with mineral oil, POE, or alkyl benzene lubricants; Do not mix refrigerants; 25lb disposable container; EPA certification required

Item#	Size	Mfg#
4352759	25 lb	MO99



R-407C Refrigerant

• Retrofits many existing R-502 systems • 25 lb container

Item#	Size	Mfg#
3449908	25 lb	R-407C25



A2L Refrigerants

Item#	Trade Name	Size
10267092	R-32	20 lb
10397377	R-454b	20 lb



R-421A "Choice" Refrigerant

• Retrofits R-22 systems • 25 lb container

Item#	Size	Mfg#
4604233	25 lb	R-421A 25



R-22 Refrigerant

• Refrigerant: R-22 • 30 lb disposable container • EPA Certification required

Item#	Size	Mfg#
75909	30 lb	R-22



NU-22B® R-22 Refrigerant

• Direct replacement for R-22, R-422D, R-407C, and R-417A • 25 lb cylinder

Item#	Size	Mfg#
3346784	25 lb	NU-22B



Bluon TDX20

• Replacement for R-22 • 25 lb cylinder

Item#	Mfg#
10103348	R458A25

Refrigerant Recovery Cylinders



Reclamation Cylinder

• Reclaim Cylinder • Empty recyclable cylinder • Includes "Y" valve for liquid/vapor recovery

Item#	Capacity	Mfg#
3062610	30 lb	30 REC EMPTY
3062604	50 lb	50 REC EMPTY



Supco® Refrigerant Line Bullet Piecing Valve

• Use on 1/4, 5/16, and 3/8" OD tubing

Item#	Mfg#	OD Size
96290	BPV31	1/4", 5/16", and 3/8"



IB Industries® 1/4" Schrader Valve Brass Cap

• Finger-tight sealing

Item#	Mfg#	Qty
109385	NFT5-4	10



JB Industries® 1/4" Schrader Valve Core

• Max 800 psi and 220°F • PTFE / Neoprene seal

Item#	Mfg#	Qty
109157	A31999	5
1729535	A31999-25	25





Compressors




Compressors

• Mounting Centers 7-1/2" x 7-1/2" • 208/230V single phase

Item#	Mfg#	Type	Nominal Tons	BTU/hr	Refrigerant	Liquid	Suction
3530144	ZP16K5EPFV830	Scroll	1.5	16,000	R-410A	1/2"	3/4"
3529566	ZP21K5EPFV830	Scroll	2	21,000	R-410A	1/2"	3/4"

Defrost Control Boards



Goodman® Defrost Control Board

Item#	Mfg#
4114593	PCBDM133S

Air Handler Control Board



Goodman® Air Handler Control Board

• Fits most older Goodman air handlers

Item#	Mfg#
3511484	PCBFM103S

Heat Sequencers



Goodman® Sequencer

• Fits Goodman electric heat kits

Item#	Mfg#	kW
2049288	B1256559	8-10
3530733	B1256558	15

Transformer



Goodman® Transformer

• 208/240 Primary, 24V secondary • For use with A18-60 Goodman equipment

Item#	Mfg#
5049850	0130M00138S





Contactor



JARD® Contactors

• Straight thru wiring speeds installation • Industry standard size and mounting • Screw terminal with quick connects

Item#	Mfg#	Amps	Poles	Volts
2443211	17311	30A	1.5	24V
2443214	17321	30A	2	24V

JARD® Contactors

• Straight thru wiring • Industry standard size and mounting • Lug terminals and quick connects

Item#	Mfg#	Amps	Poles	Volts
3347615	17315	30A	1.5	24V
3925927	17325	30A	2	24V
3927527	17415	40A	1.5	24V
3927746	17425	40A	2	24V

MARS Contactors

• Straight thru wiring • Industry standard size and mounting • Lug terminals and quick connects

Item#	Mfg#	Amps	Poles	Volts
177200	91321	30A	2	24V
1243300	91411	40A	1.5	24V

Heat Sequencer



Goodman® Sequencer

• Fits Goodman electric heat kits

Item#	Mfg#	kW
3530733	B1256558	15
2049288	B1256559	8-10

Switching Relays



JARD Heavy-Duty Fan Switching Relay

• 25 Amp switching • Universal mounting bracket • Quick connect terminals • Used on heating and air conditioning equipment to provide switching of heavier loads

Item#	Mfg#	Type	Coil Voltage
2443256	92380	SPNO-SPNC	24V

Defrost Control Boards



Goodman® Defrost Control Board

• 30V • 6-2/5" • Replacement for GSZ140361 heat pump

Item#	Mfg#
4114593	PCBDM133S

Fan Blower Controls



ICM® Fan Blower Control Board

• Replacement for Goodman B1370735S and PCBFM131S control boards • Microprocessor based fan blower control • For circulating fan in heat pump, A/C and forced air systems • 30V • 6" W x 4-1/2" L x 1-3/4" H

Item#	Mfg#
3444601	ICM277C

Transformers



MARS Control Transformer

• NEMA Class II transformers for HVAC/R systems • Foot mount open construction • 120/208/240V • 24V secondary voltage • 40 VA • Color coded primary and secondary leads

Item#	Mfg#
171881	50354



MARS Control Transformer

• NEMA Class II transformers for HVAC/R systems • Foot mount end bell type • Manual reset circuit breaker • Power: 120/208/240/480V • 24V secondary voltage • 75 VA rating • Color coded primary and secondary leads

Item#	Mfg#
171884	50321

Thermocouples



PROSELECT® Thermocouple

• Comes with adaptors for most standard configurations • For residential and light commercial applications • Primarily used in water heaters, forced air heating systems, floor and wall furnaces

Item#	Length
1302320	24"





HVAC Hand Tools



Malco® Service Wrench

• Facilitates easy ratcheting action for servicing hard to access valves • 5-1/2" Length, 3/16", 1/4" square by 5/16, 3/8 square

Item#	Mfg#
115943	RRW3



Malco® Service Wrench Insert

• 1/4" square shanks fit any Malco Refrigeration Wrench • 5/16" hex shown

Item#	Mfg#	Hex Key
196908	RRW316	3/16"



Supco® Fan Blade Puller

• Sturdy, heavy duty steel • 5/8" steel center shaft • 4 pull fingers • Alignment tool included • Has flats for wrench • Fine thread version provides additional torque and pulling power

Item#	Mfg#
4416383	FBP100

HVAC

HVAC Hand Tools



Raptor® 7-Piece Hollow-Shaft Vinyl Grip Nut Driver Set

• Includes 3/16", 1/4", 5/16", 11/32", 3/8", 7/16" and 1/2" • Size markings on each grip

Item#
3383116



Klein® Dual Laser Infrared Thermometer

• Features include dual laser targeting, auto-scan, min/max/avg/diff, high/low alarm and auto-off • Measurement range: -22° - 752°F or -30° - 400°C • Uses one 9V battery

Item#	Mfg#
7260440	KIR5

Laser Thermometers



Milwaukee® Infrared Temp-Gun™

• Non-contact laser thermometer • Features a 10:1 distance to spot ratio • User configurable high/low alarm settings • High contrast with white on black display and backlight for easy reading • Rugged over molding increases durability and user grip • Value Functions: Hold, Max, Min, Avg • 9 volt battery included

Item#	Mfg#
5169660	2267-20

Digital Meters



Ideal Clamp Meter

Item#	Mfg#
4878373	SC260

Non-Contact Voltage Tester



Klein® Non-Contact Voltage Tester

• Detects voltage in cables, cords, circuit breakers, lighting fixtures, switches, outlets and wires • LED indicates tester is operational • Emits light and audible tone • Low battery indicator • 50 - 1000V AC range

Item#	Mfg#
9772405	NCVT1

Capacitor Tester



Supco® Digital Capacitor Tester

• Range 0.01 to 10,000 MFD • Accuracy ±5% • Test clip storage within case • Leads clip to capacitor terminals • LED display • One button operation • Operates on one 9V battery (not included) • Soft carrying case included

Item#	Mfg#
96277	MFD10

Circuit Breakers



Supco® 3 Amp Circuit Breaker

• Temporarily replaces 3 amp ATC type fuses • Allows testing and troubleshooting without burning out multiple fuses • Self-adhesive backing for easy, temporary installation • Push button reset circuit breaker

Item#	Mfg#	Size
3880597	POP3	3 Amp





Soldering & Brazing Supplies



RAPTOR® 4-in-1 Copper Wire Brush
 • 1/2 and 3/4" sizes • Cleans inside and outside of copper tubing and fittings

Item#
4382829



TurboTorch® Extreme® Torch
 • Extreme™ • Soft Solder: 1/4" - 3-1/2" • Silver Braze: 1/4" - 1-3/4" • 360° swivel tip and easy to clean orifice

Item#	Mfg#
45086	0386-0403



TurboTorch® 14.1 oz Disposable Propane Gas Cylinder
 • For soldering, loosening seized bolts and thawing

Item#	Mfg#
25027	0916-0004



TurboTorch® 14.1 oz Disposable MAP-Pro™ Gas Cylinder
 • For welding and brazing • Burns much hotter than propane

Item#	Mfg#
3611437	0916-0122

HVAC

Soldering & Brazing Supplies



Harris® 20" Stay-Silv® 15 Brazing Rod
 • Standard for air conditioning and refrigeration applications
 • Used to braze copper-to-copper and copper-to-brass

Item#	Mfg#	Size
4514011	15620F1	1 lb
2399147	1520FMP0P	1/4 lb



Harris® 20" Stay-Silv® 5 Brazing Rod
 • Standard for air conditioning and refrigeration applications
 • Used to braze copper-to-copper and copper-to-brass

Item#	Mfg#	Size
317213	5620F1	1 lb



Raptor® Heat Shield With Foil
 • 12" L x 16" W • Flame and heat resistant up to 2200°F • Asbestos free • Aluminum backer can be molded around an object and helps keep guard in place

Item#
4328070



YELLOW JACKET® Series 41 R22/404A/410A Refrigerant Manifold
 • 3-1/8" gauges and 60" PLUS II" hose set • 1/4" flare fittings

Item#	Mfg#
10283059	42035



JB Industries® 2 Valve Manifold R-22/R-410A
 • M2 brass manifold • 2-1/2" gauges • R-22/R-404A/R-410A
 • Includes CCLE 60" Kobra hose set • Completely field repairable floating piston design • Limited lifetime warranty

Item#	Mfg#
10273266	M2-8-454-32

Charging Manifolds



JB Industries® 2 Valve Manifold R-22/R-410A
 • Patriot brass manifold, rugged straight bar design with metal handles • All metal, 3-1/8" Class 1 illuminating gauges, surge dampened for reduced needle movement • R-22/R-404A/R-410A
 • Includes CCLE 60" Kobra® hose set • Completely field repairable floating piston design • Limited lifetime warranty

Item#	Mfg#
10273252	26633



JB Industries® 4 Valve Manifold R-22/R-410A
 • Zeppelin premium aluminum manifold, with durable soft grip rubber handles • 3-1/8" glow-in-the-dark gauges
 • R-22/R-404A/R-410A • Includes CCLE 60" Kobra hose set Sight glass included • Completely field repairable floating piston design • Limited lifetime warranty

Item#	Mfg#
10273250	25633



JB Industries® Kobra® Three Hose Set With Secure Seal Low Loss Fittings
 • 1/4" x 60" high pressure Kobra charging hose set with secure seal fitting • 800 psi working and 4,000 psi burst • Includes Blue, Red and Yellow hoses • Secure seal fittings, UL approved for R-410A

Item#	Mfg#
1283732	CCLS-60



Yellow Jacket® Plus II™ Hose Set
 • 800 psi working, 4,000 psi burst • Use with CFC, HCFC and HFC refrigerants • 60" 1/4" Hose Set R/Y/B with 45° SealRight™ fitting at One End • Gaskets resist deterioration from existing CFC, HCFC and HFC refrigerants and oils

Item#	Mfg#
286864	22985



Yellow Jacket® Plus II™ Hose Set With Compact Ball Valve End
 • 800 psi working, 4,000 psi burst • Full flow compact ball valve with metal handle • Uses standard gasket and valve opener • 60" 1/4" Hose Set R/Y/B with compact ball valve end

Item#	Mfg#
2408248	29985





Valve Cores and Accessories



JB Industries® 1/4" Schrader Valve Core Tool

• Remove, install and store 1/4" valve cores • Includes six extra valve cores

Item#	Mfg#
103410	A32004



JB Industries® 1/4" Schrader Valve Core Remover With Side Port

• Valve core remover with 1/4" QC, and side port • Quarter turn ball valve shut-off • Storage area for spare valve cores • Connect micron vacuum gauge to the side port

Item#	Mfg#
4397123	A32525N

Refrigerant Recovery Machine



Variable Speed Digital Refrigerant Recovery Machine

• 1 HP (variable smart speed) 3,000 RPMs • 95-130V • Backlit dual LCD display • Easy access ports • Minimizes liquid slugging and maximizes vapor recovery • Single dual-route ball valve • Selectable auto-stop levels

Item#	Mfg#
2357395	714-202-G1

Vacuum Pumps



JB Industries® Eliminator® Vacuum Pump

• 1/2 horsepower motor, two stage pump for deep vacuum • 25 micron rating • 6 CFM • 1/4" x 3/8" intake port • All metal construction including all brass fittings • Completely field repairable • Two year over-the-counter warranty

Item#	Mfg#
3027150	DV-6E



JB Industries® Vacuum Pump Oil

• Black Gold • Non detergent • Hydro processed rendering the oil extremely refined, more viscous, and more stable

Item#	Size	Mfg#
4397121	1 qt	DVO-12
109413	1 gal	DVO-24

Refrigerant Scales



Inficon® Wey-TEK™ Pro

• 275 lb. capacity • Large, all metal platform for durability and versatility • High accuracy to 0.1 oz, and the load cell will not drift • Easy to use handpiece with large, clear display • Includes weighing platform, control handpiece, communications cable, plastic carrying case, and three AA batteries battery • Two-year over-the-counter warranty

Item#	Mfg#
11546714	501-202-G1

Condensate Drain Line Cleaners



DiversiTech® Drain Gun®

• Clears clogged drain lines • Small and lightweight • 800psi • 16 grams of propellant

Item#	Mfg#	Type
1128286	GG-1	Drain Gun
3184227	GGC-12	Cartridges (Pk 12)



Diversitech® Swoosh® Big Shot™ Drain Gun

• Lightweight • SWOOSH® CO2 cartridges deliver 800 PSI of oil free air to clear the line • 20 grams of propellant

Item#	Mfg#
9204732	SG-1
9204731	SGC-12



Supco® Universal Fin Comb

• Straightens and cleans condenser and evaporator fins • Adjustable for multiple fin sizes

Item#	Mfg#
4416413	UFC1



MARS Fin Whisk Brush

• 6-3/4" plastic brush • Polypropylene bristles

Item#	Mfg#
357137	78833





Electrical Whips



DiversiTech® Electrical Whip

- A labor saving convenience kit for A/C unit hookup
- Also use for heat pumps, refrigeration, hot tubs, swimming pools and outdoor lighting

Item#	Size	Gauge	Type
1135307	1/2" x 6'	#10	Non-metallic
1135282	3/4" x 6'	#8	Non-metallic

Disconnect Switches



DiversiTech® Pull-Out Disconnect Switch

- 240VAC, 10 hp max • Indoor/Outdoor • Metal case with 180° opening door

Item#	Mfg#	Amps	Type
1947807	DDS-60U	60A	Non-Fusible

ATC Fuses



Bussmann® Blade Fuse Type ATC

- Automotive type fuse, used on HVAC control boards
- Maximum 32V • Sold as one pack of 5

Item#	Mfg#	Amps	Qty
7376470	ATC-3	3A	5
7376471	ATC-5	5A	5

Small Cable Ties



PROSELECT Cable Ties

- High tensile strength • Manufactured from type 6/6 nylon
- UL181B approved on 36" and 48" ties for HVAC industry
- 7-1/2" to 36" black are UV rated under standard 62275

Item#	Size	Color	Qty
2484061	7-1/2"	Black	100
2484063	11"	Black	100
2484064	14-1/2"	Black	100

Large Cable Ties



PROSELECT Cable Ties

- High tensile strength • Manufactured from type 6/6 nylon
- UL181B approved on 36" and 48" ties for HVAC industry
- 7-1/2" to 36" black are UV rated under standard 62275

Item#	Size	Color	Qty
10101336	36"	Black	50
10101338	36"	Natural	50

Duct Seal



Hardcast® Duct Sealant

- All purpose duct sealant for use on all types of ductwork
- Built-in polyester reinforcement for exceptional strength, with UV inhibitors for outdoor use • UL 181A-M & UL181B-M Listed • Passes ASTM C-731, D-2202 USDA, EPA & FDA Approved LEED compliant SCAQMD Rule 1168 • City of Los Angeles Approval RR #8427

Item#	Mfg#	Color	Size
1875698	304144	White	1 gal

Insulation Tape



DiversiTech® Insulation Tape

- For the prevention of condensation on refrigeration and cooling lines • Use on hot or cold pipes to stop condensation and drips • Adheres firmly to all metals • Use to wrap metal pipes, tubing and fittings

Item#	Mfg#	Type
547715	6-9718	Foam

Duct Tapes



PROSELECT Premium Grade Duct Tape

- Natural rubber adhesive • 10 mils thickness • HUD and BOCA rated

Item#	Size	Color
4065437	2" x 60 yds	Black
4065438	2" x 60 yds	Silver



PROSELECT Utility Grade Duct Tape

- Natural rubber adhesive • 8 mils thickness • HUD and BOCA rated

Item#	Size	Color
4065440	2" x 60 yds	Silver



Shurtape® PC 857 Printed Cloth Duct Tape

- Used to seal, seam and join Class 1 Flex Duct • Superior shear strength • Resistant to flame spread, smoke generation, mold growth, humidity and the effects of high temperatures

Item#	Size	Color
1376928	48mm x 55m	Black

HVAC Tapes



Shurtape® AF 984CT Foil, Scrim, Kraft Tape

- For sealing seams in scrim-reinforced duct insulation • Superior stability during extreme fluctuations in temperatures
- Wrinkle-free backing resists tearing
- Resists water vapor and smoke transmission

Item#	Size	Color
3879353	72mm x 46m	Silver



Shurtape F 099 60 yd. x 2-1/2 in. Aluminum and Acrylic Adhesive Foil Tape in Silver

Item#	Size	Color
8193790	2-1/2" x 60 yds	Silver



Shurtape® AF 099 UL 181A-P/B-FX Aluminum Foil Tape

- Used to joining and seal fiberglass ductboard, flex air duct and rigid duct board • UL 181A-P/B listed and printed
- Used in temperatures ranging from -20° F to 260° F humid conditions

Item#	Size	Color
8193788	3" x 60 yds	Silver



Shurtape® DC 181 Professional Film Tape

- Used for connecting, joining, sealing and patching flexible duct • Acrylic adhesive quick stick system • Performs in temperatures ranging -1°F to 21°F

Item#	Size	Color
1948971	48mm x 110m	Silver Metalized Printed





Coil Cleaning Chemicals

Nu-Calgon



Best Seller

Nu-Calgon® Nu-Brite® Foaming Condenser Coil Cleaner
• Ready to use • Effective degreaser and cleaner • High foaming formulation

Item#	Size	Mfg#
2336384	18 oz	4291-18

Nu-Calgon



Nu-Calgon Tri-Pow'r® HD Coil Cleaner
• Degreaser and deodorizer

Item#	Size	Mfg#
7848135	19 oz	4371-75

Nu-Calgon



Nu-Calgon® Evap Foam No Rinse® Coil Cleaner
• Biodegradable • NSF registered • Sprays from any angle

Item#	Size	Mfg#
1619066	18 oz	4171-75

Nu-Calgon



Nu-Calgon® Nu-Brite® Foaming Condenser Coil Cleaner Concentrate
• Cuts through grease, dirt and grime better than acids

Item#	Size	Mfg#
1601724	1 gal	4291-08

DIVERSITECH



DiversiTech® PRO-BLUE™ Heavy-Duty Coil Cleaner
• Heavy foaming, alkaline coil cleaner

Item#	Size	Mfg#
4122202	1 gal	Pro-Blue

Coil Cleaning Chemicals

Nu-Calgon



Nu-Calgon Evap Pow'r-C Coil Cleaner
• Indoor coil cleaner • Self-rinsing

Item#	Size	Mfg#
1601720	1 Gal	4168-08

DIVERSITECH



DiversiTech® PRO-GREEN™ Light-Duty Coil Cleaner
• Dilution rate 3:1

Item#	Size	Mfg#
4122205	1 gal	Pro-Green

DIVERSITECH



Asurity® PROTREAT-161 Condensate Drain Pan Treatment
• 1 bottle (100 tablets)

Item#	Mfg#
4121492	PROTREAT-161

DIVERSITECH



Asurity® PROTREAT-200 Condensate Drain Pan Treatment
• 1 bottle (300 tablets)

Item#	Mfg#
4121502	PROTREAT-200

Nu-Calgon



Pan-Treat Condensate Treatment Tablet
• 1 bottle (200 tablets)

Item#	Mfg#
2145188	4296-60

DIVERSITECH



DiversiTech® Hand Held Sprayer

Item#	Size	Mfg#
547716	48 oz	1002

DIVERSITECH



DiversiTech® Wand Sprayer

Item#	Size	Mfg#
765849	2 gal	2602

Nu-Calgon



Nu-Calgon® EasySeal® Ultimate LS®

Item#	Mfg#
5097477	4050-08

Nu-Calgon



Nu-Calgon® EasySeal® Refrigerant Leak Sealant

Item#	Mfg#
7300725	4050-11

Refrigerant Leak Detection



Hercules® MegaBubble® Leak Detector

Item#	Size	Mfg#	Type
1666901	32 oz	45802	Sprayer
2392310	16 oz	45804	Sprayer

Nu-Calgon



Nu-Calgon® Cal Blue Plus Leak Detector

Item#	Size	Mfg#
1612042	1 qt spray bottle	4182-24

Line Flush Supplies

DIVERSITECH



DiversiTech® Pro-Flush™ HVAC Flushing Solvent Starter Kit

Item#	Mfg#	Type
3700021	PF-KIT	Kit
3700022	PF-16	Refill

Lubricants



WD-40® Lubricant

Item#	Size
4834102	8 oz





Jumbo Roll Tissues



Westcraft® Deluxe Jumbo Roll Tissue 1000'

• Color: White • 2-ply • 3.3" x 1,000' roll • Core Diameter: 3.3" • Virgin fibers
• Qty: 12 Rolls/Case

Item#	Mfg#
7800428	WC1501

Standard Roll Tissues



Westcraft® Bath Tissue

• Color: White • 2-ply • Embossed • Virgin fibers

Item#	Quality	Mfg#	Mfg#
7800432	Deluxe	WC3531	96 rolls/case
7800433	Choice	WC3101	80 rolls/case
9936114	Deluxe	WC3701	80 rolls/case

Cleaning & Hygiene

Roll Towels



Westcraft® Choice Hard Roll Towel 800'

• 7.9" x 800' roll • Core Diameter: 1.9" • Embossed • Recycled fibers • Qty: 6 Rolls/Case

Item#	Mfg#	Color
7800426	WC2100N	Natural
7800423	WC2101W	White

Multi-Fold Paper Towels



Westcraft® Multi-Fold Towel 16/250

• Sheet Size: 9.5" x 9" • Folded Size: 3.25" x 9" • Embossed • Virgin fibers • Qty: 250 Towels/Clip; 16 Clips/Case

Item#	Quality	Mfg#	Color
7800422	Deluxe	WC4501W	White
7800427	Choice	WC4101W	White
7800424	Choice	WC4100N	Natural

Paper Towels



Westcraft® Deluxe Kitchen Roll Towel 30/85

• Color: White • 2-ply • Sheet Size: 9" x 11" • Embossed • Virgin fibers • Qty: 85 Sheets/Roll; 30 Rolls/Case

Item#	Mfg#
7800430	WC5501

Facial Tissue



Westcraft® Deluxe Facial Tissue 30/100

• Color: White • 2-ply • Sheet Size: 8.1" x 7.9" • Embossed • Virgin fibers • Qty: 100 tissues/box; 30 boxes/case

Item#	Mfg#
7800431	WC6501





Cleaning & Hygiene - Paper Products

Coreless JRT Jumbo Roll Tissues



Scott® Coreless JRT Jr. 2-Ply Bathroom Tissue White

- Roll size: 3.78" W x 1,150' L • Elemental chlorine-free (ECF) • Reduce packaging waste by eliminating of core waste • Meets EPA guidelines for post-consumer waste
- Qty: 12 rolls/case • **Compatible Dispensers:** 5051838, 4442240 or 5051841

Item#	Mfg#
6202118	07006

Jumbo Jr. Roll Tissues



Scott® 100% Recycled Fiber 2-Ply JRT Jr. Bathroom Tissue White

- Roll Size 3.27" W x 1,000' L • Made with 100% recycled fiber • Meets EPA standards for minimum post-consumer waste content
- Qty: 12 rolls/case • **Compatible Dispensers:** 2180047

Item#	Mfg#
5051872	67805

enMotion® Roll Towels



enMotion® High Capacity Roll Towel

- 10" W x 800' L • USDA Certified Biobased product • Qty: 800'/roll; 6 rolls/case
- **Compatible Dispensers:** 7486354, 7486355, 7486356 or 7486357

Item#	Color	Mfg#
6115378	White	89460
6540810	Brown	89480

enMotion® 8" 1-Ply Roll Towel

- 8-1/5" x 700' • USDA Certified Bio based product • Qty: 6 rolls/case • **Compatible Dispenser:** 7237018

Item#	Color	Mfg#
7020008	White	89420
7043734	Brown	89440

Compact® Tissues



Compact® Coreless 2-Ply Toilet Paper White

- Sheet size: 3.85" x 4.05" • **Compatible Dispenser:** 7464438

Item#	Mfg#	Qty
4441552	19375	Qty: 1,000 sheets/roll; 36 rolls/case
4441585	19378	Qty: 1,500 sheets/roll; 18 rolls/case

Scott Essentials Roll Towels



Scott® Essential™ High Capacity Hard Roll Towels

- Roll Size: 8" x 950' • Qty: 6 rolls/case
- **Compatible Dispenser:** 7159420

Item#	Mfg#
7207649	02001

Multi-Fold Paper Towels



Scott® Multi-Fold Towels White

- Qty: 250 sheets/pack; 16 packs/case

Item#	Mfg#
5051879	01804
3623817	01980



Pacific Blue Select™ Multi-Fold Paper Towels White

- Towel size: 9.2" x 9.4" • Folded width: 3.25" • Meets EPA Comprehensive Procurement Guidelines • Qty: 250 sheets/pack; 16 packages/case

Item#	Mfg#
4632933	20389
5053043	21000

Facial Tissue



Kleenex® Upright 2-Ply Facial Tissue Cube Box

- Qty: 90 tissues/box; 36 boxes/case

Item#	Mfg#
8116705	21270



Scott® 2-Ply Standard Roll Bathroom Tissue White

- Sheet Size: 4.1" x 4" • Meets EPA standards for minimum post-consumer waste content • Qty: 550 sheets/roll; 80 rolls/case

Item#	Mfg#
2150583	4460



Kleenex® Cottonelle® 2-Ply Bathroom Tissue White

- Sheet Size: 4.09" x 4" • Meets EPA standards for minimum post-consumer waste content • Qty: 451 sheets/roll; 60 rolls/case

Item#	Mfg#
2438941	17713



Angel Soft® 2-Ply Premium Embossed Bathroom Tissue White

- Sheet Size: 4" x 4" • Contains at least 20% Post-Consumer Recycled Fiber
- Meets EPA comprehensive procurement guidelines • Qty: 450 sheets/roll; 80 rolls/case

Item#	Mfg#
4441144	16880





Toilet Seat Covers



Disposable Toilet Seat Cover 1/2 Fold White
 • Cost effective, sanitary method of meeting personal hygiene needs in public restrooms

Item#	Qty
7889626	2500/cs
7472614	5000/cs

Sanitary Napkin Receptacle Liners



Waxed Paper Liners
 • 9" W x 10" H x 3-1/4" D • Qty: 250

Item#	5051351
-------	---------



Kraft Waxed Feminine Hygiene Disposal Bags with Gusset
 • 7-1/2" W x 10-1/4" H x 3-1/2" D • Qty: 500

Item#	5051347
-------	---------

Sanitary Napkins



Maxithins® Maxi Pads
 • No. 4 box • For use in vending machines • Qty: 250/case

Item#	6229256
-------	---------

Tampons



Tampax® Tampons Professional Pak
 • Individually wrapped and in vending tube

Item#	5051356	Qty	500/case
-------	---------	-----	----------

Sanitary Napkin Receptacles



Bobrick Contura Series® Wall Mount Napkin Receptacle
 • Satin-finish stainless steel • 7-1/2" W x 10" H x 3-13/16" D

Item#	1254048	Mfg#	270
-------	---------	------	-----

Toilet Seat Cover Dispensers



Bobrick Classic Series® Wall Mounted Seat-Cover Dispenser

• Satin-finish stainless steel • Dispenses 250 Single or half-fold toilet seat covers.
 • Fills from bottom • 15-3/4"W x 11"H x 2"D

Item#	1195479	Mfg#	221
-------	---------	------	-----

Vending Machines



Dual Sanitary Napkin / Tampon Vending Machine

• Dispenses both Sanitary Napkins and Vend Pack Tampons • High capacity machine requires less frequent service
 • ADA compliant • High capacity machine requires less frequent service

Item#	7575492
-------	---------

Sanitary Napkin Receptacles



Safe-Use Plastic Sanitary Napkin Receptacle White

• Unit empties from the bottom so hands never touch the contents • Prevents the spread of disease or cross contamination
 • Unit operates by pulling bottom forward; liner automatically drops into waste receptacle • Can be used on floor as single or double unit • Can be wall-mounted

Item#	5052985
-------	---------

Toilet Seat Cover Dispensers



Health Gards® 1/2 Fold Toilet Seat Cover Dispenser

• Holds two sleeves of 250 half-fold seat covers • Includes self adhesive tape for mounting

Item#	4441606
-------	---------





High Density Can Liners



Westcraft High Density Can Liners

• Made from virgin high density polyethylene resin • High Density can liners are stiffer with less stretch to offer a strong lift strength • Applications for small to large receptacles, primarily used indoors where materials are soft such as food, laundry, paper or rags • Not recommended for sharp or rough objects

Item#	Capacity	Size	Color	Gauge	Pkg Qty	Max Load
7460363	10 gal	24" x 24"	Natural	8 Mic	1000/cs	25 lbs
7460167	16 gal	24" x 33"	Natural	6 Mic	1000/cs	20 lbs
7460361	16 gal	24" x 33"	Natural	8 Mic	1000/cs	25 lbs
7460383	30 gal	30" x 37"	Natural	10 Mic	500/cs	30 lbs
7460354	33 gal	33" x 40"	Natural	16 Mic	250/cs	75 lbs
7460353	45 gal	40" x 48"	Natural	12 Mic	250/cs	50 lbs
7460520	45 gal	40" x 48"	Black	16 Mic	250/cs	75 lbs
7460226	45 gal	40" x 48"	Natural	16 Mic	250/cs	75 lbs
7459766	45 gal	40" x 48"	Black	22 Mic	150/cs	100+ lbs
7460351	56 Gal	43" x 48"	Black	22 Mic	150/cs	100 lbs
7460122	60 gal	38" x 60"	Natural	17 Mic	200/cs	75 lbs
7460136	60 gal	38" x 60"	Black	22 Mic	150/cs	100+ lbs

Linear Low Density Can Liners



Westcraft Linear Low Density Can Liners

• Manufactured with Premium Virgin Resin. All Westcraft Low Density can liners 0.7mil or thicker contain at least 10% PCR (Post Consumer Resin). • Linear Low Density Polyethalene (LLDPE) Can Liners are very strong with more stretch and more resistant to puncture and tears from sharp objects than HDPE can liners • Applications includes small to large trash receptacles, indoor or outdoor use where trash contains sharps such as sticks, glass, cardboard, metal, plastic eating utensils and food with rough edges • Star Sealed for easy removal from receptacles and best protection from leaks

Item#	Capacity	Size	Color	Gauge	Pkg Qty	Max Load
5024997	16 gal	24" x 32"	Black	0.7 mil	500/cs	70 lbs
5073294	16 gal	24" x 32"	Clear	0.7 mil	500/cs	60 lbs
5025052	33 gal	33" x 39"	Clear	1.1 mil	250/cs	90 lbs
9832845	33 gal	33" x 39"	Black	1.35 mil	150/cs	90 lbs
7460482	56 gal	43" x 47"	Black	1.35 mil	100/cs	100+ lbs
5025074	56 gal	43" x 50"	Grey	2 mil	100/cs	100+ lbs
5025003	55 gal	45" x 50"	Grey	2 mil	100/cs	100+ lbs
7677084	60 gal	38" x 58"	Black	1.3 mil	100/cs	100+ lbs
5025009	60 gal	38" x 58"	Black	1.8 mil	100/cs	100+ lbs
5025058	60 gal	38" x 58"	Clear	2 mil	100/cs	100+ lbs





Contractor Bags



Westcraft Black Contractor Bag
• 38 x 58" • 1.8mil • 25/Roll

Item#	Size
9938339	42 gallon
9938340	55 gallon

Kitchen Trash Bags



13 Gallon Tall Kitchen Drawstring Bag
• White • .95 mil • 100/Box

Item#
9998366

Waste Container Dollies



BRUTE® Dolly Black

- Swivel casters offer better mobility through work areas
- Heavy duty non-marking casters • Twist lock secures container to the dolly • Compatible with 20, 32, 44 and 55 gal Brute® containers • Capacity (Mass): 250 lbs

Item#	Mfg#
264104	FG264000BLA

Cleaning & Hygiene

Waste Containers



BRUTE® Container Gray
• Innovative venting channels make lifting out liners up to 50% easier • Integrated cinches secure the liner • Rounded rim handles & contoured base handles • Lids sold separately

Item#	Mfg#	Capacity
3442792	FG264360GRAY	44 gal



BRUTE® Container Gray
• Innovative venting channels make lifting out liners up to 50% easier • Integrated cinches secure the liner • Rounded rim handles & contoured base handles • Lids sold separately

Item#	Mfg#	Capacity
287335	FG263200GRAY	32 gal
287337	FG265500GRAY	55 gal



Deskside Wastebasket
• Rolled rims add strength, and are easy to clean • Won't chip, rust or dent • Material: Plastic

Item#	Mfg#	Color	Size
3442640	FG295700BLA	Black	10.25 gal
3441831	FG295600BLA	Black	7 gal
3777980	FG295673BLUE	Blue - Recycling	7 gal

Waste Container Caddies



Brute® Caddy Bag Yellow
• Adjustable buckles and bottom strap to fit 32 or 44 gal containers (sold separately) • Big elastic pockets can hold cans, bottles, tools and cleaning utensils

Item#	Mfg#
3441606	FG264200YEL

Waste Containers



Slim Jim™ Vented 23 gal Container
• Venting channels improve productivity and reducing the risk of worker injury • Space-saving profile fits virtually anywhere • Integrated cinches secure the liner

Item#	Mfg#	Color/Finish
3442717	FG354060BLA	Black
3441914	FG354007BLUE	Blue - Recycling

Indoor Decorative Refuse



HLS Commercial 16 Gallon Stainless Steel Round Open Top Trash Can
• Slim, Efficient Design saves space • Stainless Steel Finish • Air vents provide effortless trash bag removal • Dual, heavy-duty activated carbon filters neutralize odors • Convenient carry handle

Item#	Mfg#
9558216	HLS16STR





Wall Mounted Skin Care



Westcraft Clear Fragrance Free Foam Soap

• Dye Free and Frange Free formula • 99% product evacuation • Gentle formula cleans light to medium soils • **Compatible Dispenser:** 10151811 or 10151810

Item#	Mfg#
10151809	WC10009



Westcraft Antibacterial Foam Soap

• Contains 0.13% benzalkonium chloride for broad spectrum germ kill • Gentle on skin and will not cause dryness or irritation • 99% product evacuation • **Compatible Dispenser:** 10151811 or 10151810

Item#	Mfg#
10151808	WC10007

Wall Mounted Manual Skin Care Dispensers



Westcraft Manual Soap Dispenser White

• Compatible with refills: 10151809 and 10151808

Item#	Mfg#
10151811	WC615WH
10151810	WC615BL



Westcraft Hand Soap Gallon

• Gentle on hands • Superior cleaning • Almond scent

Item#	Color	Mfg#
10221873	Clear	WC410CLR
10221875	White	WC410WH
10221874	Pink	WC410PNK

Wall Mounted Skin Care



Spartan foamy IQ Cranberry Ice

• Formulated to leave skin feeling softer, smoother and silky, it features a tangy-cranberry fragrance and does not contain ingredients that contribute to dry skin • When foamyIQ is empty, simply remove it from the bracket, and snap on a fresh, new one.

Item#	Mfg#
8025760	460200



Spartan foamy IQ Non Alcohol Hand Sanitizer

• Non-Alcohol Hand sanitizer is a benzalkonium chloride based, triclosan-free foaming antibacterial hand sanitizer with a sunshine lemon fragrance • When foamyIQ is empty, simply remove it from the bracket, and snap on a fresh, new one

Item#	Mfg#
10080274	461000





Bottle Hand Sanitizer



Purell® Advanced Hand Sanitizer Gel

• Kills 99.99% of common, illness-causing germs • Specially formulated with moisturizers to leave hands soft and refreshed • Qty: 12 bottles/case; priced each

Item#	Mfg#	Size
526230	9651-24	4 oz
4440999	3659-12	12 oz
4912491	3023-12	20 oz

Pumice Hand Cleaner



GOJO® NATURAL® ORANGE™ Pumice Hand Cleaner 1 gal Pump

• Cleans a broad range of industrial soils, medium dirt and grease • Contains pumice scrubbing particle • Qty: 4 bottles/case; priced each

Item#	Mfg#
1347482	0955-04

Counter Mount Hand Cleaners



GOJO® CX™ Luxury Foam Handwash Refill 1500 mL
 • Rich, gentle, pre-lathered luxury foam handwash
 • For general light duty cleaning • Qty: 1,500 mL/bottle; 4 bottles/case • Refill for CX™, CXi™, CXac™, CXT™ dispensing systems

Item#	Mfg#
7924789	8561-04
7926830	8565-04

Cleaning & Hygiene

Wall Mounted Skin Care



PURELL® ES8 Healthy Soap® 1200ml Foam Hand Soap

• Enriched with moisturizers and skin conditioners • Dye-free and fragrance-free • "Energy-on-the-Refill" technology - every refill has a built-in energy source • Qty: 2 bottles/case • **Compatible Dispenser:** 7445363

Item#	Mfg#	System
7563666	7772-02	ES8



Pink Foam Soap Refills

• Rich lather • Contains moisturizers • Sealed container keeps soap free of contaminants • For use only with the Kimberly-Clark Professional® cassette skin care dispenser • Qty: 1 L/bottle; 6 bottles/case • **Compatible Dispensers:** 6239175 or 7459617

Item#	Mfg#
5174403	91552



Refresh™ AntiBac Foam Refill

• Antibacterial foam cleanses skin and eliminates 99.99% of germs and bacteria • Pleasant scent • Added skin conditioners improve hydration and prevent drying • Mild formula allows for frequent use • Qty: 1 L/ bottle; 6 bottles/case • **Compatible Dispenser:** 7013859

Item#	Mfg#
7100507	ANT1L



Purell ES10 Healthy Soap 1200ml Fragrance Free Foam Soap

• Remarkably mild formulation removes over 99% of dirt and germs without antibacterial ingredients or harsh preservatives. • Made with plant based ingredients • Qty 1200ml; 2 refills per case • **Compatible Dispenser:** 10306636

Item#	Mfg#	System
10306636	8385-02	ES10

Wall Mounted Hand Sanitizers



PURELL® ES8 Professional Advanced Hand Sanitizer Foam

• Kills more than 99.99% of most common germs that may cause illness • Enhanced with skin conditioners • Hypoallergenic • Qty: 1200mL bottle; 2 bottles/case • **Compatible Dispensers:** 7445379, 7445382

Item#	Mfg#	System
7445353	7753-02	ES8



Purell ES10 Advanced Hand Sanitizer Foam

• Kills 99.99% of germs that may cause illness while remaining gentle on hands for everyday use • Exceeds FDA healthcare personnel handwash requirements with a single pump. • Gentle on skin • Causes no dryness or irritation even when used frequently • Qty 1200ml; 2 bottles/case • **Compatible Dispensers** 10306621

Item#	Mfg#	System
10306631	8353-02	ES10



Purell CRT Healthy Soap High Performance Foam

• 515ml Counter Top Pump Bottle • Remarkably mild formulation removes over 99 percent of dirt and germs without harsh preservatives or antibacterials • Qty 4 per case

Item#	Mfg#
9918306	5014-04





Cleaning & Hygiene - Sanitizing Wipes • Sanitizing Wipes Dispenser • Disinfecting Wipes

Hand Cleaning Wipes



WypAll® Waterless Hand Wipes Green

• Waterless wash-up made easy • Alcohol-free formulation • Ingredients aid in moisturizing skin • Orange peel extract cleansing agent

Item#	Mfg#	Qty
2254009	91371	75 wipes/canister



Purell® Hand Sanitizing Wipes 270 Count Canister

• Kills 99.99% of common germs • Durable, textured wipe sanitizes hands while wiping away light soils and dries quickly • Dermatologist tested • Tested for surface compatibility; incidental contact will not harm vinyl, plastic, metal or rubber • Qty: 6 canisters/case

Item#	Mfg#
6226993	9113-06

Facility/Gym Wipes



GymWipes® Antibacterial Towelette Refills

• Disinfects and deodorizes • Each roll contains 700 thick and durable 8" x 6" towelettes • Will not damage vinyl, rubber, leather, plastic, acrylic, metal, finished wood, and other non-porous surfaces • Qty: 700 wipes/pack; 4 packs/case

Item#
4483724



Wipe-a-Way All Purpose Facility Wipes

• Pre-moistened facility wipes that are ideal for gyms wipes & athletic clubs • Cleans & deodorizes all surfaces • Wipe size 8" x 10" • Qty: 800 wipes/roll; 2 rolls/case

Item#
7238821

Facility/Gym Wipe Dispenser



Wipe-a-Way Stainless Steel Floor Stand Dispenser

• Attractive and durable stand for dispensing wipes • Features a center-pull dispenser on top and a discard receptacle in front • 15.5" x 15.5" x 37.5" • Inner dimension length 13" • Inner dimension width 13" • Inner dimension Height 36" • Wipes not included

Item#	Mfg#
7238819	WA-FAC-SS



Wipe-a-Way All Purpose Facility Wipe Dispenser Black

• Wall Mounting • Hinged, side-loading cover • Vandal-proof lock • Wipes not included

Item#
7238818

Sanitizing Wipes



Lysol Disinfect Wipe Citrus 80 Count

• Each thick, pre-moistened wipe kills 99.9% of viruses and bacteria on hard nonporous surfaces when used as directed • Ideal for cleaning, disinfecting and deodorizing • Use on kitchen counters, appliances, stove tops, cabinets, floors, garbage cans, toilet exteriors, bathtubs and sinks

Item#
5162123



Clorox® Disinfecting Wipes Fresh Scent 75 Count

• Kills bacteria in just 10 seconds • Disinfection time 1 to 4 minutes • One step, no pre-cleaning required • Qty: 75 wipes/canister

Item#
6206760





Facilipro

ECOLAB



Facilipro 1.3L Rapid Multi Surface Disinfectant Cleaner

- Broad range of hospital level disinfection claims
- Effective on high touch point hard surfaces, mirrors, windows, glass, and fixtures
- Flexible, 4-in-1 disinfectant cleaner
- Simplify cleaning with one product across a variety of spaces and surfaces including public spaces, bathrooms, tables and hard furniture
- Qty: 2 bottles/case

Item#	Mfg#
10073175	6102261

ECOLAB



Facilipro™ 1.3 L Bio-Enzymatic Odor Eliminator (Case of 2)

- Designed to counteract urine and body odor
- Continuous action on odor post-application
- Effective on hard and soft surfaces

Item#	Mfg#
7483810	6101025

ECOLAB



Facilipro™ 1.3 L Concentrated Neutral Floor Cleaner (Case of 2)

- Low foaming formula
- Patent pending formula achieves alkaline cleaner performance on foot traffic soil and is safe on vinyl, stone, rubber, epoxy, porcelain, concrete, linoleum and all finished floors

Item#	Mfg#
7482690	6100081

Cleaning & Hygiene

ECOLAB



Facilipro™ 1.3 L Liquid Degreaser Case of 2

- Concentrated Extra Heavy-Duty Caustic Degreaser
- Effective for manual cleaning - spray bottle or mop bucket as well as autoscrubber, steam cleaner and pressure washer applications

Item#	Mfg#
7483779	6101047

ECOLAB



Facilipro™ 72 Concentrated Laundry Fresh Air Freshener Case of 2

- Long-lasting heavy-duty room refresher. Fragrance of sun-dried linen with fresh floral accents and a touch of clean white musk
- Neutralize odors in guest areas while providing a pleasant and subtle, yet lasting clean scent

Item#	Mfg#
8194246	6102058

ECOLAB



Facilipro™ 1.3 L Concentrated Glass Cleaner Case of 2

- Streak-free, fast-drying glass cleaner
- Effective on windows, mirrors, glass, plastic, acrylics and painted surfaces

Item#	Mfg#
7482648	6100299

Facilipro

ECOLAB



Facilipro™ 93 1.3 L Concentrated Acid Bathroom Cleaner Case of 2

- Effectively removes dirt, soap scum, and hard water deposits from bathroom surfaces
- Safe for use on bathroom chrome, porcelain, vinyl, tile and fiberglass.

Item#	Mfg#
7477954	6100300

Facilipro Dilution Control Dispensers

ECOLAB



Facilipro™ Ultra Concentrated Dispensing System

- Multiproduct dispenser fills both mop buckets and spray bottles with no mess or waste and feature windows for volume monitoring
- Lockable, compact dispenser holds four solutions and fits into tight spaces direct ship to customer only

Item#	Mfg#
7478090	92022030

ECOLAB



Facilipro™ Mobile Dispensing System

- Mobile Dispensing System that works with QC line of products (both core and FACILIPRO) for dilution control needs of Facility Care customers

Item#	Mfg#
7479086	92652406

ECOLAB



2.5 gal Mobile Dispensing Foam or Rinse System

- Mobile Dispensing System that works with QC line of products (both core and FACILIPRO) for dilution control needs of Facility Care customers

Item#	Mfg#
7479087	92652407





Cleaning & Hygiene - Cleaning Chemicals

Drain Cleaners



Hercules Clobber® Drain And Waste System Cleaners

Fastest and most effective method for emergency waste line stoppages • No mechanical equipment needed • For professional use only

Item#	Type	Size	Qty
36331	Clobber Drain and Waste System Cleaner	32 oz	12/cs
36508	Clobber Drain and Waste System Cleaner	1/2 gal	6/cs



Hercules Sizzle® Sizzle Drain And Waste System Cleaners

Triple action formula of virgin hydrochloric acid • Dissolves inorganic deposits that restrict flow of water and waste • Effectively dissolve hard water and other deposits of carbonates, sulfates, phosphates, oxides, urinary salts and other mineral deposits

Item#	Type	Size	Qty
55469	Sizzle Drain and Waste System Cleaner	32 oz	12/cs
1395	Sizzle Drain and Waste System Cleaner	1 gal	4/cs



Hercules Glug® Drain Cleaner 20 oz

• Non-acid crystals clear sluggish drains and prevent clogs • Harmless to most metal and plastic pipe, valves and fittings • Leaves no after-odor

Item#	Type	Size	Qty
279633	Glug Kitchen Cleaner Liquid	32 oz	10/cs
987728	Glug Drain Cleaner	20 oz	24/cs

Cleaning & Hygiene

All Purpose Cleaners



Fabuloso Professional All Purpose Cleaner/Degreaser 1 gal

• New improved formulation for better bathroom and stove top cleaning • Long lasting lavender scent • No rinsing required • Bilingual labeling • Concentrate makes 64 gal of solution • Qty: 4 bottles/case

Item#	Mfg#
4478264	



Clean by Peroxy® All Purpose Cleaner

• All-Purpose cleaner with the power of peroxide • Cleans windows, mirrors, floors, walls, restrooms without streaking • Green Seal certified • Qty:4/Case

Item#	Mfg#
5051640	003504



Simple Green® General Purpose Cleaner & Degreaser 1 gal

• Concentrate • Nontoxic • Biodegradable • Nonflammable • Dilution Ratio: 1:11 • Nonabrasive

Item#	Mfg#
7532945	



Xcelente Multi Purpose Cleaner 20oz

• Enjoy the fresh fragrance of lavender • The convenient aerosol provides spray and wipe cleanup for stains and spills as they occur • Safe for use on a variety of hard surfaces • Qty: 12 20oz cans/case

Item#	Mfg#
7955493	603100

Bleaches



Clorox Ultra Concentrated Germicidal Bleach 121 oz

• Sanitizes and disinfects virtually all nonporous surfaces • 39 kill claims including C Diff, Hepatitis B and C, MRSA, Norovirus, and leading viruses that cause the common cold and flu • Meets FDA guidelines for sanitizing food-contact surfaces

Item#	Mfg#
4779723	30966



Tough Duty® Cleaner & Degreaser

• Butyl-based industrial strength all-purpose cleaner • Quickly penetrates and removes both food and industrial type grease-base soils • Qty: 12 bottles/case

Item#	Mfg#
4884418	204003





Disinfectants & Sanitizers



Clorox® Clean-Up® Disinfectant Cleaner With Bleach 32 oz
 • One-step cleaning and disinfecting
 • Removes tough stains and grease
 • Eliminates odors caused by bacteria, mold and mildew • Deodorizes surfaces and leaves a clean, fresh scent
 • Qty: 9 bottles/case

Item#	Mfg#
4440777	



TNT® Foam Disinfectant Cleaner 20 oz
 • Foam disinfectant cleaner for bathroom fixtures, tables, countertops and other hard, non-porous surfaces • Removes mold & mildew stains • Clinging foam penetrates and emulsifies soap scum, grime, grease and other tough soils • Non-abrasive
 • Qty: 12/Case

Item#	Mfg#
5051578	634300

Glass Cleaners



Windex® Ammonia Glass Cleaner 32 oz
 • Cleans with Ammonia-D® for streak free shine • Streak free shine and won't leave a film • Cleans glass, chrome, stainless steel, plastic and many other washable surfaces
 • Qty: 8 bottles/Case

Item#	Mfg#
9814118	



Glame Glass Cleaner 20oz
 • Spray and wipe clean • Leaves no film • Use on windows, mirrors, windshields, and other glass surfaces • 12 cans

Item#	Mfg#
7485327	CL050

Cleaning & Hygiene

Restroom Cleaners



NABC Disinfectant Restroom Cleaner
 • Non-acid disinfectant, deodorizer for toilet bowls, urinals and other restroom surfaces • Safe to use on any hard surface
 • Effective for clean-ups per the blood borne pathogen standard • Qty: 12/Case

Item#	Mfg#
7575514	710603

Gum Removers



Chewing Gum Remover 6.5 oz
 • Chewing Gum Remover is a combination of two liquefied gases that remove chewing gum, candle wax, and other gummy substances from carpets, upholstery, wood, plastic, and vinyl.
 • Chewing Gum Remover instantly freezes chewing gum, candle wax and sticky spills
 • Qty: 12 cans/case

Item#	Mfg#
7438629	644500

Restroom Cleaners



Germicidal Bowl Cleanse
 • Disinfects and removes tough stains, rust and scale • Formulated with metal corrosion inhibitors, protects plumbing and is safe for use on all vitreous china surfaces
 • Qty: 12/Case

Item#	Mfg#
5051483	712003

Ice Machine Cleaner



Nu-Calgon® Nickel-Safe Ice Machine Cleaner
 • Citric/Phosphoric food-grade product
 • Formulated for removing scale deposits from ice makers with nickel-plated or tin-plated evaporators • 16 oz

Item#	Mfg#
1601710	

Stainless Steel Cleaners



Claire® Oil Base Stainless Steel Cleaner 20 oz
 • Cleans, polishes and protects stainless steel without hard rubbing • Does not leave an oily residue. With regular care this product can help prolong the factory finish
 • Resists fingerprints, grease and water spatter. Use the stainless steel polish on escalators, elevators, doors, metal trim

Item#	Mfg#
9861112	CL841

Stainless Steel Wipes



Oil Based Stainless Steel Cleaner Wipes 40 Count
 • Size: 9-1/2" x 12" • Wipes that clean and polish stainless steel • Brightens and protects • Prevents watermarks and corrosion

Item#	Mfg#
5051300	

Oven Cleaner



Easy Off 24 oz Fume Free Oven Cleaner
 • No harsh Fumes • No need to use protective gloves • Ready to Use product
 • Qty: 6 cans/case

Item#	Mfg#
9727703	

Urine Removers & Cleaners



Clorox Urine Remover
 • Removes urine stains and odors • Great for cleaning organic waste and pet stains
 • Does not contain bleach • For use on tile, grout, urinals and toilets, mattresses, carpet, upholstery, sidewalks, pavement and concrete

Item#	Size
5057429	32 oz
7104394	1 gal refill





Detergent Solids



Ultimate One Shot Solid Laundry Detergent
• Solid detergent for institutional laundering • Laundry Detergent • Detergent / Softener

Item#	Mfg#
7019912	7860S2



Low Temp Solid Laundry Detergent
• NPE and Phosphate free solid detergent formulated to deliver premium linen results for our Hospitality customers
• Helps remove the toughest soils such as cosmetic soils and blood

Item#	Mfg#
7728960	6101766



Home-Style Solid Laundry Detergent w/Color Safe Bleach
• Ideal for small load machines less than 25lb • Mild alkalinity is safe for personals and home-style washers
• The added Color Safe Bleach provides safe and stable destaining

Item#	Mfg#
7503398	6101659

Laundry Liquid Bleach



Clothesline Fresh Chlorine Bleach
• Mild Fragrance • Color - Clear yellow
• Chlorine-based bleach that enhances the performance of Clothesline Fresh Laundry Detergents and aids in the removal of tough stains

Item#	Mfg#	Size
7481645	700404	1 Gal
7480930	700405	5 Gal

Laundry Liquid Builder



Clothesline Fresh Liquid Alkali
• Mild Fragrance • Color - Clear, Water White • Concentrated laundry builder that prepares the fabric for the washing process by raising the pH of the wash water, which accelerates the washing process and allows individual fibers of a fabric to open up and begin releasing entrapped soil particles • Size: 5 Gal Pail

Item#	Mfg#
7485008	701605

Laundry Liquid Softener



Clothesline Fresh Softener X
• Lavender Linen • Color - White • Softens and eliminates static cling from laundered fabrics • Fortified with a fabric protectant to reduce fiber damage, preventing color fade, prolonging linen life, and increasing softness

Item#	Mfg#	Size
8144146	702504	1 Gal
8144155	702505	5 Gal

Laundry Liquid Sour



Clothesline Fresh Xtreme Sour
• Mild Fragrance • Color - Clear, Faint Yellow • Concentrated liquid laundry sour designed to neutralize the pH of the finished wash to a comfortable level which will not irritate skin • Will help to remove iron stains from previously stained linen and is also excellent at removing suntan lotion stains • Size: 5 Gal Pail

Item#	Mfg#
7484635	701705

Liquid Detergents



Clothesline Fresh Laundry Detergent
• Pleasant Fragrance • Color - Blue
• Clothesline Fresh Laundry Detergent quickly suspends tough oily and particulate soils to prevent them from redepositing back onto the fabric

Item#	Mfg#	Size
7484960	700304	1 Gal
5051577	700305	5 Gal



Home-Style Liquid Laundry Detergent
• High Efficiency Neutral Laundry Detergent
• Ideal for small load machines less than 25lb • Designed for home-style machines
• Effective at both low and high temperatures

Item#	Mfg#
9292230	6100916

Dishwashing Liquids



Dawn Dishwashing Liquid 38 oz
• Cuts through the toughest grease • Long lasting suds • Specially formulated to help remove greasy food soils from pots, pans, and utensils

Item#
5057662

Fabric Softener



Bounce® Fabric Softener 160 Sheets
• Prevents static cling on garments as they come out of dryer and as they are worn
• Softens clothes • Scent: Outdoor Fresh™

Item#
6233990





Air Fresheners



Steriphene II Disinfectant Deodorant Clean Fresh 20oz

• Steriphene II has been tested and shown effective against Methicillin-resistant Staphylococcus aureus (MRSA) and Vancomycin-resistant Enterococcus faecalis (VRE) • Qty: 12 cans/case

Item#	Mfg#
5051495	608100



Airlift® Tropical Aerosol Spray

• Controls and eliminates unpleasant odors wherever they occur • Airlift may be sprayed on carpet when extra carpet freshness is desired • 12/case

Item#	Mfg#
5051523	606800

Bio Stain Removers



Clorox 32 oz Bio Stain and Odor Remover

• Cleans and deodorizes a variety of hard and soft surfaces such as walls, tile, grout, concrete, carpet, fabrics, upholstery and more • Compliant with OSHA Bloodborne pathogens standard and works great on stains from blood, feces, vomit, sweat, saliva, and urine • Disinfects Norovirus, E. coli, MRSA, Salmonella, Staph on a variety of hard, non-porous surfaces • Bleach-free • Qty: 9 bottles/case

Item#
7658017

Disinfectant & Deodorant



Compare to OdoBan®

Virex® II Disinfectant & Deodorant

• SmartDose® dilution control • Makes 84 Gallons! • One-step quat based disinfectant cleaner concentrate • Fight mold, mildew & bad odor • Bactericidal, virucidal & fungicidal • Kills MRSA & VRE • Meets bloodborne pathogen standards for decontaminating blood and body fluids • Qty: 2/case

Item#
8967088

Cleaning & Hygiene

Odor Eliminator



Consume® Cleaner, Odor Eliminator, Stain Remover and Drain Maintainer

• Naturally removes difficult organic soils from many surfaces including tile, concrete, steel and carpet • Regular use of Consume eliminates organic build-up in drains, keeping them clear and odor-free • Ideal for cleaning and odor control in many areas, such as carpets, drains, dumpsters, and more • 12/Case

Item#	Mfg#
8130944	319703

Urine Removers & Cleaners



Clorox Urine Remover

• Removes urine stains and odors • Great for cleaning organic waste and pet stains • Does not contain bleach • For use on tile, grout, urinals and toilets, mattresses, carpet, upholstery, sidewalks, pavement and concrete

Item#	Size
5057429	32 oz
7104394	1 gal refill

Ozone Generators



Rainbowair Activator 250 Series II Ozone Generator

• Remove offensive odors caused by tobacco smoke, urine, body odors, food, pets, mildew, diapers, formaldehyde and other causes • Convert a smoking room to a non-smoking room in as little as an hour • Capacity: 2500 sq ft • Ozone Output: 20-250 mg/hr • Timer Settings: 0-60 minutes with auto shutoff

Item#
4623874

Toilet Bowl Clips



Eco Bowl Clip

• Lasts 30 days • Contains 30 times more fragrance than the standard rim-stick and releases a consistent fragrance load over 30 days • Simply place the clip, logo side out, on the toilet rim and lower the seat to secure it • Can also be clipped on bathroom dividers, under vanities or office cubicles • Qty: 12 clips/box

Item#	Scent
4442656	Spiced Apple
7754751	Cucumber Melon
4441267	Mango
7754745	Cotton Blossom
7754744	Herbal Mint

Urinal Screens



Wave 3D™ Urinal Screen Deodorizer

• Eliminates odor • Freshens for 30 days • Qty: 10 screens/box

Item#	Scent
7658223	Spiced Apple
5119230	Cucumber Melon
5119231	Mango
5119232	Herbal Mint
7754740	Cotton Blossom



Hospeco Health Gards® Urinal Screen With Non-Para Block

• Clean and deodorizes • Non-staining, non-toxic, biodegradable block • Patented no-splash design • Not to be used in urinals with standing water • Scent: Cherry • Qty: 12/case

Item#
5051350

Wall Mounted Systems



Metered Air Freshener

• Contains Ordenone® odor neutralizer • No wet fallout • No residue or staining • Effective in areas up to 6,000 cu ft • Contains more than 3,000 metered releases • **Compatible Dispenser:** 7012112

Item#	Scent
5051301	Dutch Apple
5051281	Fresh Linen
8935243	Invigorating Garden
5051282	Citrus Blast
5051283	Country Garden





Cleaning & Hygiene - Pet Waste

Pet Waste Bags



Poopy Pouch Pet Waste Header Bags

- Pet waste bags hang flat for easy dispensing one bag at a time, so there is less waste • For use with the Regal dispenser or station and fits most competitors • One of the thickest bags available • 200 bags per header packaged 12 headers per case (2400 bags total) • Bag Size: 8" x 13" • Color: Opaque Green

Item#
7238810

Poopy Pouch Pet Waste Bags, Lemon Scented w/ Tie-Handle

- Lemon-scented to keep odors out • Large Gusset with a tie-handle • 400 bags per roll packaged 6 rolls per case (2400 bags total) • Bag Size: 7" x 15" x 5" • For use with the Imperial dispenser or station

Item#
7014382

Pet Waste Westcraft Pet Waste Bags



Westcraft Universal Pet Waste Bags

- Universal fit bags for use with most universal pet waste dispensers • 10 boxed bags per case (2000 bags total) • 8x13 inches and 17 microns thick • 200 bags per roll, 10 rolls per case

Item#
10437531

Mfg#
WCPW200

Pet Waste Westcraft Pet Waste Bags



Westcraft 13 Gallon Trash Can Liners

- Heavy Duty, draw tape liners fit most 10 to 13 gallon waste receptacles • For use with pet waste station receptacles • Size: 27.5" x 29" 1.5Mil Thickness • 50 bags per roll in box

Item#
10437530

Mfg#
WCPW13GAL

Pet Waste Stations and Accessories



Poopy Pouch Universal Pet Waste Station, Monarch

- Constructed of high-quality galvanized powder coated steel • Station kit includes a vandal resistant, locking dispenser, 10 gal waste receptacle with lid, 8' channel post (in two 4' sections), one 12" x 18" powder coated steel sign "Please Clean Up After Your Dog" and 4 boxes of 200 bags per roll of the 7014381 Poopy Pouch Universal Bags (800 bags total) • Mounting hardware and instructions included • Dimensions: 14" x 12" x 96"

Item#
8103939



Poopy Pouch Tie-Handle Pet Waste Station, Imperial

- Constructed of high-quality galvanized powder coated steel • For use with the Poopy Pouch Tie-Handle Bags 7014382 • Dimensions: 14" x 12" x 96" • Color: Green

Item#
8103938

Pet Waste Stations and Accessories



Poopy Pouch Header Dispenser Station, Regal

- Provides a convenient and economical solution to dispose of pet waste • Ideal for any outdoor area such as dog parks, beaches, HOA communities, local and state parks, municipalities and other public spaces • Constructed of high-quality galvanized powder coated steel • For use with the Poopy Pouch Header CPPH200 • Dimensions: 14" x 12" x 96"

Item#
8103937



Poopy Pouch Universal Pet Waste Station, Monarch

- Constructed of high-quality galvanized powder coated steel • Station kit includes a vandal resistant, locking dispenser, 10 gal waste receptacle with lid, 8' channel post (in two 4' sections), one 12" x 18" powder coated steel sign "Please Clean Up After Your Dog" and 4 boxes of 200 bags per roll of the 7014381 Poopy Pouch Universal Bags (800 bags total) • Mounting hardware and instructions included

Item#
10332617



Pooper Scooper And Pan

- Rustproof aluminum pan with powder coated finished rake • Easily removes pet waste and other small debris • Works on any surface • Spring button for easy assembly

Item#
9565201



Cleaning & Hygiene



Ant & Roach Control

Bedbug Control

SC Johnson
PROFESSIONAL
A family company

JT EATON
SINCE 1932



Raid Fogger Triple Pack

- Kills ants, roaches, fleas, ticks, spiders and other hidden bugs
- Penetrates into cracks & crevices to kill bugs where they live & breed
- Keeps killing for up to 2 months
- Treat an entire room (25' x 25' with an 8' ceiling) • Qty: 3

Item#
7730445

Boric Acid Insecticidal Dust 16 oz

- Kills roaches, ants, silverfish, fleas and ticks

Item#
7688575

Bed Bug and Lice Killer 17.5 oz

- EPA registered aerosol product that controls pests for up to four weeks
- Designed for use on furniture, mattresses and other non-washable items
- Effective against bed bugs, lice and louse eggs • Qty: 12 cans/case

Item#
10052533 Mfg#
690500

Cleaning & Hygiene

Insect Killer

DIVERSITECH



Enforcer® Wasp & Hornet Killer 16 oz

- Shoots a 20-foot jet blast for instant knockdown of wasps, hornets, and yellow jackets
- Blanketing foam that plugs yellow jacket holes and clings to wasp and hornet nests, preventing their escape • Qty: 1 each

Item#
759470 Mfg#
8WH16

Wasp & Hornet killer 20 oz

- Long-lasting residual spray with quick knockdown
- Spray pattern up to 20 feet
- Kills wasps, hornets and yellow jackets • Qty: 12 cans/case

Item#
7482285 Mfg#
682000

CR-2™ Roach & Ant Killer 20 oz

- Quick killing action and residual control for up to 3 months
- Qty: 12 cans/case
- Eliminates and controls reinfestations by ants, bees, carpenter ants, carpet beetles, centipedes, cockroaches, crickets, earwigs, firebrats, fleas, flour beetles, grain beetles, ground beetles, millipedes, mole crickets, moths, pillbugs, sowbugs, spiders, ticks, and many other crawling insects • 12 cans/case

Item#
7482288 Mfg#
690300

Insect Repellents

Rodent Control



JT EATON
SINCE 1932

JT EATON
SINCE 1932



Off® Deep Woods® Insect Repellent 6 oz

- Repellent is equipped with 25% DEET formula
- Provides up to 8 hours of protection from mosquitoes, flies, ticks, chiggers and fleas
- Spray is non-greasy and odorless
- Long-lasting repellency, especially in heavily wooded areas • Qty: 12 cans/case

Item#
9814117

Pest Catchers Glue Boards for Mice and Insects

- Artificially peanut butter scented inserts that attract and capture multiple mice and insects
- No poison pest removal option
- Use flat or fold to use in smaller multi catch traps • Qty: 12

Item#
7688540

Stick-Em Rat/Mouse Size Double Glue Trap Tray

- 10" Length x 5" Width x 3/4" Height
- Peanut butter scent with foamed adhesive so mice sink further into the adhesive for better capture
- 50% thicker plastic and 20-30% heavier to resist chewing and escapes by larger aggressive rodents • Qty: 6

Item#
7688594





Pad Holders

ECOLAB



Phazer® Mobile Floor Finish System

• Ergonomically designed backpack fits comfortably on the operator for the ultimate in floor finishing convenience

Item#	Mfg#
7478645	92021103



Universal Collar Swivel Pad Holder

• Built-in teeth on base accepts 4-1/2" x 10" cleaning pads
• Accepts 15/16" diameter tapered or threaded handle • Swivel action in all directions for hard-to-reach areas • Includes: 1 brown stripping pad and 1 white polishing pad
• Color/Finish: Gray

Item#	Mfg#
5052991	

ECOLAB



Phazer® Applicator Pad for Phazer Movable Floor Care System

• Long lasting, reusable microfiber pads for use with the Phazer® Mobile Floor Care System

Item#	Mfg#
7333159	92022264

Doodlebug Pads

3M



Doodlebug™ Brown Stripper Pad 5/Pk

• Ideal for removing floor finish build-up on baseboards, stairs and floor edges • Conformable stripping pad provides a maximum contact to uneven surfaces
• Washable, reusable pad resists loading and clogging
• Allows stripping in hard-to-reach places like corners and stairwells • Qty: 5 pads/box, 4 boxes/case

Item#	Mfg#
5051920	8541
7480799	8541N

3M



Doodlebug™ Black Stripper Pad 10/Pk

• Designed for heavy duty maintenance and stripping applications • The flexibility of the pad also brings a range of benefits, such as conformity to uneven surfaces, and ease of wash after use • Material: Synthetic Fiber • Qty: 10 pads/box, 4 boxes/case

Item#	Mfg#
5051919	8550

Floor Cleaners



Damp Mop No Rinse Floor Cleaner

• Effortlessly removes dirt and other surface soils in heavily-trafficked areas • Leaves no residue or haze to dull floor finish • Pleasant lemon fragrance • biodegradable and phosphate-free • Qty: 4/Case

Item#	Mfg#
8203123	301604

Floor Cleaners



Stride® Citrus Neutral Cleaner 32 oz

• Formulated for everyday cleaning of floors and other hard surfaces • Non-dulling and rinse free • Accumix system for easy dilution • Dilution Rate: 1:256 • Qty: 6 bottles/case

Item#	Mfg#
10464693	D101109755



iShine® Floor Finish

• 25% high solids floor finish • Employs patented optically enhanced polymer technology to amplify the overall gloss appearance and clarity of floors • Durable finish that provides protection against scuff marks, water spots, and black heel marks • Qty: 4/Case

Item#	Mfg#
5051582	405504

ECOLAB



FaciliPro™ 5 gal Low Odor Floor Stripper

• Super-concentrated, low-odor floor finish stripper designed to remove the heaviest floor finish buildups • Free-rinsing, low foaming formula is fast-acting and non-ammoniated • Suitable for use on vinyl and vinyl asbestos floor tiles, ceramic tile, terrazzo, and concrete floors

Item#	Mfg#
7481350	6101033



Shineline Emulsifier Plus® Floor Stripper

• Quickly removes heavy build-ups and brunished floor finish • For use with ultra-high speed floor care systems • Formulated with a light fragrance to eliminate strong solvent odors • Qty: 4/Case

Item#	Mfg#
5051636	08404





Buffers



Task-Pro™ Heavy Duty Floor Machine

- Pad Speed: 175 rpm • Heavy duty, 1.5 hp 66-frame • Triple planetary, all steel gear box • Power Cable: 50'
- Non-Marking Gray Wheels: (2) 5" • Optional Solution Tank: 2.5 gal

Item#	Mfg#	Pad Size
5051409	TP1715HD	17"
5051417	TP2015HD	20"

Burnishers



Task-Pro™ High-Speed Burnisher

- Pad Speed: 1,500 rpm • Width: 20" • Pad Driver Size: 16"
- 1.5 hp dc rectified motor • Cord Length: 50' • Handle-mounted handle release and circuit breaker

Item#	Mfg#
5051416	TP1500

Scrubbers



Chariot™ 2 iScrub 20

- Stand-on cleaning technology that significantly increases productivity and cleaning quality • Swiveling no-adjustment squeegee • Quiet operation • 18,000 sq ft/hr • rpm: 180
- Solution/Recovery Tank: 10 gal • Not available in all locations

Item#	Mfg#	Battery
9550013	1.008-008.0	130 Ah
9550012	1.008-011.0	114 Ah

Cleaning & Hygiene

Buffer Pads



3M™ Red Buffer Pad 5100

- Specially designed for spray buffing • Cleans when damp, buffs when dry • Quickly cleans and removes scuff marks and enhances floor appearance • Works great on automatic floor scrubber for light duty cleaning, use with low speed machines • Polyester fiber contains a minimum of 50% post-consumer recycled content • Color/Finish: Red • Qty: 5 pads/case

Item#	Diameter
5055007	13"
6080694	17"
5055010	20"

Burnishing Pads



3M™ Eraser Burnish Pad 3600

- Optimizes scuff and black mark removal • For use with ultra high speed machines
- Retains excellent gloss and image clarity • Open construction of washable, reusable pad provides long life • For use with machines running at ultra high speed • Color/Finish: Pink
- Qty: 5 pads/case

Item#	Diameter
5055009	20"

Polishing Pads



3M™ Natural Blend White Pad 3300

- Natural hair and synthetic fiber pad designed for best gloss • For use with ultra high speed machines • Provides excellent results on a wide variety of floor finishes and traffic conditions • Polyester fiber contains a minimum of 50% post-consumer recycled content • Color/Finish: White • Qty: 5 pads/case

Item#	Diameter
5054992	20"

Stripping Pads



3M™ High Productivity Stripper Pad 7300

- Quickly and thoroughly removes old floor finish, dirt and build-up • Unique, open web construction allows stripping solution to flow through pad to rinse out dirt and reduce loading for increased pad-to-floor contact and efficient stripping • Color/Finish: Black
- Qty: 5 pads/case

Item#	Diameter
5054999	20"





Cleaning & Hygiene - Carpet Care

Air Blowers



Nilfisk® Viper AM2400D Air Blower

- 3-speed induction motor with reduced power consumption • Easy to manoeuvre to desired blowing angle • CFM: 2400 • 21' cord

Item#	Mfg#
7897943	50000390

Oreck Vacuum & Parts



Oreck® XL 8 lb Upright Vacuum

- 12" wide cleaning path • Self adjusting for carpets and bare floors • 35' power cord • Uses 7217598 vacuum bags

Item#	Mfg#	Description
7217608	XL2100RHS	Oreck® XL 8 lb Upright Vacuum

Vacuums



Sensor® XP

- Automatically adjust brush height on any surface • Triple lined bag that traps 99% of contaminants down to 0.3 microns • Cleans both hard floors and carpets • Ultra-quiet operation • 40' cord • 5,400 brush contacts per minute • Uses W98406430 filter bags

Item#	Mfg#	Width
8124087	1.012-024.0	12"
8124088	1.012-027.0	15"

Backpack Corded Vacuums



GOFIT 6 6qt Backpack Vacuum w/Multi Surface Telescoping Wand Kit

- Capacity 6qt • Advanced Filtration — ProLevel Filtration System that captures and contains soil and harmful particles, preventing them from being reintroduced into the environment. • Productivity — Cleans carpets and hard surfaces without stirring up dust, plus backpack vacuums are proven to clean more in less time and with less operator fatigue. • 3 years parts, labor and motor on vacuum, limited lifetime on molded body parts

Item#	Mfg#	Capacity
10038366	107696	6 qt

Sanitaire Vacuums & Parts



Sanitaire® High-Capacity Commercial Upright Vacuum

- 12" cleaning path • 6-position carpet height adjustment • 18 quart shake-out bag • Chrome steel Vibra Groomer II ball bearing agitator • Adjustable 3-position handle • 50' power cord • 16 lb

Item#	Mfg#	Description
8254911	SC684G	High-Capacity Commercial Upright Vacuum

Carpet Cleaners



Xtraction II® Carpet Cleaner

- Fast acting heavy-duty carpet cleaner for use with hot or cold water extractors • Power boosting dual surfactant system • low foam solution leaves no residue • Springtime scent • Qty: 4/Case

Item#	Mfg#
5051570	309604

Backpack Cordless Vacuums



GOFIT 3 Cordless 4Ah 3qt Backpack Vacuum w/Multi Surface Telescoping Wand Kit

- Cordless vacuuming allows you to safely go wherever you need to go to get the job done and increase your productivity by 30% compared to corded backpack vacuums • Use the high/low power switch to control the power setting and enjoy an extended runtime of approximately 51 minutes on low setting and approximately 39 minutes on high • Also used to clean heavily soiled hard surface floors such as concrete when used with appropriate cleaning chemicals

Item#	Mfg#	Capacity
10401479	107774	3 qt
10401486	107786	6 qt

Vacuums



Sensor® S12

- Width: 12" • 40' cord • Larger, 1200W vacuum motor • 5,400 brush contacts per minute • High efficiency filtration traps 99.6% at 0.3 microns • Low profile, flat-to-floor hinge design • Uses W98406430 filter bags

Item#	Mfg#
8330130	1.012-021.0

Spot Remover



Contempo® H2O2 Spotting Solution

- Hydrogen peroxide-based spotting solution and pre-spray treatment • Cleans away many of the most common stains including red wine, red sauces, cooking oils and greases • Qty: 12/Case

Item#	Mfg#
7438075	313703





Microfiber Cloths



16" x 16" Microfiber Cleaning Cloths

- Color coding to reduce cross contamination of cleaning surfaces • Electromagnetic charged microfibers attract and hold dust, dirt and grime • Provides superior absorption
- Ideal for cleaning or dusting any surface, wet or dry
- Washable • Qty: 12 cloths/pack

Item#	Color
9731481	Blue
10114033	Green
10114034	Red
10114035	Yellow



T-Shirt Multi-Colored Rags

- Knit t-shirt material • Economical rag suited for almost all rag needs • Cut in usable-sized pieces • Washable

Item#	Size
5057736	10 lb
5057726	25 lb

Rags



Scott® Rags in a Box White

- Rag Size: 10" x 13" • Ideal for painting, wiping up spills, staining and refinishing furniture • Soft and absorbent towel that performs like cloth • Pop-up box with built in handles allows you to take the product to the job while keeping the rags clean • Qty: 200 rags/box

Item#	Mfg#
3794918	75260

Towels



Terry Towels

- Very absorbent and ideal for all purpose cleaning, polishing and detailing • Can be used around the auto, home and garage • Machine washable • Fully hemmed
- Material: Cotton • Color/Finish: White
- Qty: 24 towels/case

Item#
5057735



Bar Mop Towels

- Combination pack of all white terry towels and color striped towels with slight manufacturing imperfections
- For heavy-duty cleaning, dusting and polishing
- Absorbent, low linting and machine washable • Fully hemmed • Material: Cotton

Item#	Description
5057734	Bar Mop Towels 5 lb Box
7105212	Bar Mop Towels 2 lb Box



Scott® Shop Towel Roll Blue

- Towel Size: 4.5" x 11" • 1-ply • Fits standard towel holder
- Qty: 55 sheets/roll

Item#	Mfg#
2346654	75130

General Purpose Wipers



WypAll® L40 Wipers Power Clean Extra Absorbent Towels

- 10" x 10" • Specially designed to absorb liquids, lubricants and oils. • Great for wiping up spills large and small. • Qty: 90 wipers/box

Item#	Mfg#
9409093	05790



WypAll® X70 Wipers

- 9.1" x 16.8" • Reusable • Ideal for all manufacturing and maintenance/repair
- Qty: 100 wipers/box case of 10

Item#	Mfg#
8116691	41455



WypAll® X60 Wipers

- 16-4/5" L x 9-1/10" W • Pop-up box dispenser • Hydroknit® technology
- Teri® reinforced • Qty: 126 wipers/box case of 10

Item#	Mfg#
8133614	34790



WypAll® X80 Wipers

- 12.5" x 16.8" • Absorbs more water and oil than rental shop towels • Replaces your cloth rags and shop towels • Consistent size, shape and cleanliness • Qty: 160 wipers/box

Item#	Mfg#	Color/Finish
8116687	41041	Blue
1832664	41044	White





Cleaning & Hygiene - Cleaning Tools

Cleaning & Hygiene

Dusters

3M



3M Easy Trap Sheet Rolls

- Roll Length: 125' • Traps and holds up to 8 times more dust and hair than other dusting systems • Works in wet environments • Works with most high dusting tools
- 5" size comes with 2 x 125' rolls

Item#	Sheet Size
7101201	5" x 6"
7101199	8" x 6"



30" Lambswool Duster with Extension

- Made from 100% lambswool • Attracts dust like a magnet
- Ideal for cleaning hard to clean devices such as louvers, vents and blinds • Material: 100% genuine lambs wool

Item#	Length
117502	30" - 45"
5052984	33" - 60"

Dust Pans



Lobby Pro® Upright Dust Pan Black

- Width: 11-3/10" • Durable rear wheels improve wear resistance • Ideal for use in malls, restaurants and lobbies
- Will not stain, discolor or absorb odors

Item#	Mfg#
3441903	FG253100BLA

Dust Pans



12" Black Dust Pan

- Metal handle • Long handled flip up dust pan for holding litter & light debris when sweeping

Item#
9756517



10.5" Angle broom

- Long-lasting, stain resistant polypropylene bristles • 56" High

Item#	Mfg#
1800923	FG637500GRAY
3779458	FG638906BLA

Brooms



Warehouse Broom

- 42 x 1-7/8" handle • Blended corn fiber
- Size: 28 lbs

Item#
7959721

Dust Mop Frames



Hygen™ 18" Quick-Connect Frame

- Flat profile slides easily under furniture and equipment • One-step connecting mechanism speeds mop assembly and changeover • Replaceable hook-and-loop strips' cost efficiently extend product life
- **Compatible Handle:** 3442872

Item#	Mfg#
3443003	FGQ56000YL00

Dust Mops



Hygen™ Green Microfiber Dust Mop with Fringe

- High-pile with looped fringe • HYGEN™ antimicrobial treatment • Shrink-proof, ultra-durable microfiber material
- Advanced hook-and-loop backing • Stiff, double-stitched edges • Qty: 6 mops/case; priced each

Item#	Mfg#	Size
3442361	FGQ41800GR00	18"

Scouring Pads

3M



Scotch-Brite™ General Purpose Scouring Pad 20/Pk

- Size: 6" x 9" • Use by hand or with Scouring Pad Block 3M04801109493 • Use for everyday cleaning of most cooking utensils and equipment

Item#	Mfg#
5051913	04801108293
5051925	86
7480714	86N

Mop Buckets



35 qt Mop Bucket With Side Press Wringer

- Ergonomic rubber grip • Non-marking casters • Color/Finish: Yellow

Item#
9606596

Grabbers



Unger® Nifty Nabber Extension Arm With Claw

- 36" Length • Ideal for picking up bottles and garbage including cigarette butts and other small objects • Can be used to retrieve items from high shelves • Gear driven claws • Over molded fingers provide excellent gripping power

Item#
7432635





Mop Handles



60" Quick Change Mop Handle

• 2 pack • Janitor size 1-1/8" • Quick change • Heavy duty design for professional cleaning

Item#	Handle
8051760	Wood Handle
7959621	Fiberglass Handle



60" Plastic Head Mop Handle

• 2 pack • Janitor size 1-1/8" with wood handle • Jaw grip • Heavy duty design for professional cleaning

Item#	Mfg#
7959737	



Gripper® 60 in. Heavy Duty Hardwood Handle

• Clamp style handles hold mop firmly between the jaws of the mop • Most optimal for 5" headband mops

Item#	Mfg#
3441659	FGH216000000

Cleaning & Hygiene

Mop Heads



Cotton Cut End General Purpose Mop

• 100% Recycled Cotton • Narrow band • 5-ply • Space saving Brik-Pak™ of 3

Item#	Size
10094665	16 oz
7959613	20 oz
7959604	24 oz



Economy Cut-End Cotton Mop White

• Size: 1" headband • Best for general purpose cleaning

Item#	Mfg#	Mop Capacity
3442633	RFGV11700WH00	20 oz
287352	RFGV11800WH00	24 oz
3441896	RFGV11900WH00	32 oz



Rayon 4-Ply Narrow Band Cut-End Mop

• Narrow band • Reinforced polyester headband • Rayon yarn provides for a quick absorption and even release with minimal lint making it a perfect solution for floor finish • Space saving Brik-Pak™

Item#	Mfg#
10506711	



Blue Cotton Cut End Mop

• Blended cotton yarns for strength & absorption • Narrow band • 4-ply • Space saving Brik-Pak™ of 3

Item#	Size
7959654	16 oz
7959692	20 oz
7959729	24 oz



Disinfectant Loop End Mop

• Rayon & polyester blend • Wide band • 4-ply • Launderable for repeated use • Synthetic yarns with anti-microbial properties • Space saving Brik-Pak™ of 2

Item#	Mfg#
7959750	



Blue Cotton Loop End Mop

• Blended cotton yarns for strength & absorption • Narrow band • 4-ply • Space saving Brik-Pak™ of 2

Item#	Size
7959672	Small
7959609	Medium



Super Stitch® Heavy Duty Wet Mop in Blue

• Blend of cotton and synthetic yarns for absorbency and strength • Looped ends and yarn tailband mop for greater floor coverage • 1" Band • 24 Oz

Item#	Size
3442376	Medium
3442967	Large





Westcraft® Tulip Knob



Westcraft® Tulip Knob

• For 2-3/8 or 2-3/4" backset • 2-way adjustable steel latch • KW1 keyway on keyed functions

Item#	Finish	Function	ANSI Grade
8940331	Satin Chrome	Passage/Hall/Closet	3
8940278	Satin Nickel	Passage/Hall/Closet	3
8940363	Satin Chrome	Privacy/Bed/Bath	3
8940214	Satin Nickel	Privacy/Bed/Bath	3
8940255	Satin Chrome	Entry	3
8940374	Satin Nickel	Entry	3
8940219	Satin Chrome	Entry & Deadbolt Combo	3
8940349	Satin Nickel	Entry & Deadbolt Combo	3
8940285	Satin Chrome	Dummy	
8940335	Satin Nickel	Dummy	

Westcraft® Ball Knob



Westcraft® Ball Knob

• For 2-3/8 or 2-3/4" backset • 2-way adjustable steel latch • KW1 keyway on keyed functions

Item#	Finish	Function	ANSI Grade
8940299	Satin Chrome	Passage/Hall/Closet	3
8940325	Satin Nickel	Passage/Hall/Closet	3
8940377	Satin Chrome	Privacy/Bed/Bath	3
8940266	Satin Nickel	Privacy/Bed/Bath	3
8940271	Satin Chrome	Entry	3
8940193	Satin Nickel	Entry	3
8940238	Satin Chrome	Entry & Deadbolt Combo	3
8940252	Satin Nickel	Entry & Deadbolt Combo	3
8940240	Satin Chrome	Dummy	
8940340	Satin Nickel	Dummy	

Westcraft® Flat Ball Knob



Westcraft® Flat Ball Knob

• For 2-3/8 or 2-3/4" backset • 2-way adjustable steel latch • KW1 keyway on keyed functions

Item#	Finish	Function	ANSI Grade
8940196	Satin Nickel	Passage/Hall/Closet	3
8940198	Matte Black	Passage/Hall/Closet	3
8940229	Satin Nickel	Privacy/Bed/Bath	3
8940232	Matte Black	Privacy/Bed/Bath	3
8940300	Satin Nickel	Entry	3
8940297	Matte Black	Entry	3
8940290	Satin Nickel	Entry & Deadbolt Combo	3
8940287	Matte Black	Entry & Deadbolt Combo	3
8940353	Satin Nickel	Dummy	
8940354	Matte Black	Dummy	





Westcraft® Straight Lever



Item#	Finish	Function	ANSI Grade
8940206	Satin Chrome	Passage/Hall/Closet	3
8940351	Satin Nickel	Passage/Hall/Closet	3
8940254	Satin Chrome	Privacy/Bed/Bath	3
8940308	Satin Nickel	Privacy/Bed/Bath	3
8940357	Satin Chrome	Entry	3
8940224	Satin Nickel	Entry	3
8940280	Satin Nickel	Entry & Deadbolt Combo	3
8940338	Satin Chrome	Dummy	
8940387	Satin Nickel	Dummy	



Westcraft® Straight Lever
 • For 2-3/8 or 2-3/4" backset • 2-way adjustable steel latch • KW1 keyway on keyed functions

Westcraft® Wave Lever



Item#	Finish	Function	ANSI Grade
8940260	Satin Nickel	Passage/Hall/Closet	3
8940257	Matte Black	Passage/Hall/Closet	3
8940274	Satin Nickel	Privacy/Bed/Bath	3
8940272	Matte Black	Privacy/Bed/Bath	3
8940343	Satin Nickel	Entry	3
8940346	Matte Black	Entry	3
8940230	Satin Nickel	Entry & Deadbolt Combo	3
8940382	Satin Nickel	Dummy-Right	
8940221	Satin Nickel	Dummy-Left	
8940379	Matte Black	Dummy-Right	
8940218	Matte Black	Dummy-Left	



Westcraft® Wave Lever
 • For 2-3/8 or 2-3/4" backset • 2-way adjustable steel latch • KW1 keyway on keyed functions

Westcraft® Flat Bar Lever



Item#	Finish	Function	ANSI Grade
8940213	Satin Nickel	Passage/Hall/Closet	3
8940199	Polished Chrome	Passage/Hall/Closet	3
8940210	Matte Black	Passage/Hall/Closet	3
8940247	Satin Nickel	Privacy/Bed/Bath	3
8940236	Polished Chrome	Privacy/Bed/Bath	3
8940239	Matte Black	Privacy/Bed/Bath	3
8940311	Satin Nickel	Entry	3
8940303	Polished Chrome	Entry	3
8940309	Matte Black	Entry	3
8940370	Satin Nickel	Dummy	
8940359	Polished Chrome	Dummy	
8940364	Matte Black	Dummy	



Westcraft® Flat Bar Lever
 • For 2-3/8 or 2-3/4" backset • 2-way adjustable steel latch • KW1 keyway on keyed functions





Westcraft® Round Rod Lever



Westcraft® Round Rod Lever
 • For 2-3/8" or 2-3/4" backset • 2-way adjustable steel latch • KW1 keyway on keyed functions

Item#	Finish	Function	ANSI Grade
8940328	Satin Nickel	Passage/Hall/Closet	3
8940295	Polished Chrome	Passage/Hall/Closet	3
8940330	Matte Black	Passage/Hall/Closet	3
8940242	Satin Nickel	Privacy/Bed/Bath	3
8940259	Polished Chrome	Privacy/Bed/Bath	3
8940246	Matte Black	Privacy/Bed/Bath	3
8940220	Satin Nickel	Entry	3
8940234	Polished Chrome	Entry	3
8940222	Matte Black	Entry	3
8940367	Satin Nickel	Dummy	
8940380	Polished Chrome	Dummy	
8940369	Matte Black	Dummy	

Westcraft® Standard Single Cylinder Deadbolt



Westcraft® Single Cylinder Deadbolt
 • For 2-3/8" or 2-3/4" backset • Fits doors 1-3/8" to 1-3/4" thick • 5-pin cylinder • 2-way adjustable steel latch • KW1 keyway • Individually keyed, non-mastered

Item#	Finish	Function	ANSI Grade
8940225	Satin Chrome	Single Cylinder Deadbolt	3
8940321	Satin Nickel	Single Cylinder Deadbolt	3
8940323	Matte Black	Single Cylinder Deadbolt	3

Westcraft® Square Contemporary Deadbolt



Westcraft® Square Contemporary Deadbolt
 • For 2-3/8" or 2-3/4" backset
 • 2-way adjustable latch • Fits 1-3/8" to 1-3/4" standard door thickness • KW1 keyway

Item#	Finish	Function	ANSI Grade
8940216	Satin Nickel	Single Cylinder Deadbolt	3
8940208	Polished Chrome	Single Cylinder Deadbolt	3
8940217	Matte Black	Single Cylinder Deadbolt	3

Westcraft® Round Contemporary Deadbolt



Westcraft® Round Contemporary Deadbolt
 • For 2-3/8" or 2-3/4" backset • 2-way adjustable latch
 • Fits 1-3/8" to 1-3/4" standard door thickness • KW1 keyway

Item#	Finish	Function	ANSI Grade
8940292	Satin Nickel	Single Cylinder Deadbolt	3
8940276	Polished Chrome	Single Cylinder Deadbolt	3
8940289	Matte Black	Single Cylinder Deadbolt	3





Westcraft® Commercial Lever



Westcraft® Commercial Passage Lever
 • For 2-3/4" backset • Steel cylindrical housing

Item#	Finish	Function	ANSI Grade
7507389	Satin Chrome	Passage/Hall/Closet	2



Westcraft® Commercial Privacy Lever
 • For 2-3/4" backset • Steel cylindrical housing

Item#	Finish	Function	ANSI Grade
7507385	Satin Chrome	Privacy/Bed/Bath	2



Westcraft® Commercial Entry Lever
 • For 2-3/4" backset • Steel cylindrical housing
 • SC1 Keyway • 6-pin cylinder
 • Individually keyed, non-mastered

Item#	Finish	Function	ANSI Grade
7507386	Satin Chrome	Entry	2



Westcraft® Commercial Storeroom Lever
 • For 2-3/4" backset • Steel cylindrical housing • SC1 Keyway • 6-pin cylinder • Individually keyed, non-mastered

Item#	Finish	Function	ANSI Grade
7507372	Satin Chrome	Storeroom	2

Westcraft® Commercial Deadbolt



Westcraft® Commercial Single Cylinder Deadbolt
 • For 2-3/8 or 2-3/4" backset • Steel cylindrical housing
 • SC1 Keyway • 6-pin cylinder • Individually keyed, non-mastered

Item#	Finish	Function	ANSI Grade
7507375	Satin Chrome	Single Cylinder Deadbolt	2





Kwikset® Polo Knob

Kwikset



Kwikset® Polo Knob

- For 2-3/8" or 2-3/4" backset • 6-way adjustable latch
- Mfg# 200P

Item#	Finish	Function	ANSI Grade
4860208	Satin Nickel	Passage/Hall/Closet	3
4630241	Satin Nickel	Privacy/Bed/Bath	3
4630254	Satin Nickel	Entry	3
10353026	Satin Chrome	Storeroom	3
4667131	Satin Nickel	SmartKey® Entry	3
7716168	Satin Nickel	Entry & Single Cylinder Deadbolt	3
2379975	Satin Nickel	Dummy	

Kwikset® Cove Knob

Kwikset



Kwikset® Cove Knob

- For 2-3/8" or 2-3/4" backset • 6-way adjustable latch
- Mfg# 200CV

Item#	Finish	Function	ANSI Grade
4456972	Satin Nickel	Passage/Hall/Closet	3
4456973	Satin Nickel	Privacy/Bed/Bath	3
8199380	Satin Nickel	SmartKey® Entry	3

Kwikset® Balboa Lever

Kwikset



Kwikset® Balboa Lever

- For 2-3/8" or 2-3/4" backset • 6-way adjustable latch
- Mfg# 200BL

Item#	Finish	Function	ANSI Grade
7237834	Satin Nickel	Passage/Hall/Closet	3
7237831	Satin Nickel	Privacy/Bed/Bath	3
8199350	Satin Nickel	SmartKey® Entry	3
7358551	Satin Nickel	Dummy - LH	
7358550	Satin Nickel	Dummy - RH	





Kwikset® Delta Lever

Kwikset



Item#	Finish	Function	ANSI Grade
4667132	Satin Chrome	Passage/Hall/Closet	3
7252803	Satin Chrome	Privacy/Bed/Bath	3
8199363	Satin Chrome	Entry	3
8199320	Satin Chrome	SmartKey® Entry	3
10353028	Satin Chrome	Storeroom	3
2390013	Satin Chrome	Dummy	

ANSI 3

Kwikset® Delta Lever
 • For 2-3/8 or 2-3/4" backset • 6-way adjustable latch • Mfg# 200DL

Kwikset® Halifax Square Lever

Kwikset
Signature Series



Item#	Finish	Function	ANSI Grade
9505656	Satin Nickel	Passage/Hall/Closet	2
9505712	Polished Chrome	Passage/Hall/Closet	2
9505668	Satin Nickel	Privacy/Bed/Bath	2
9505711	Polished Chrome	Privacy/Bed/Bath	2
9505657	Satin Nickel	SmartKey® Entry	2
9505671	Polished Chrome	SmartKey® Entry	2

ANSI 2

Kwikset® Halifax Lever
 • For 2-3/8 or 2-3/4" backset • 6-way adjustable latch • Mfg# 720HFL SQT

Kwikset® Milan Round Lever

Kwikset
Signature Series



Item#	Finish	Function	ANSI Grade
9505672	Satin Nickel	Passage/Hall/Closet	2
9505655	Polished Chrome	Passage/Hall/Closet	2
9505663	Satin Nickel	Privacy/Bed/Bath	2
9505716	Polished Chrome	Privacy/Bed/Bath	2
9505661	Satin Nickel	SmartKey® Entry	2
9505702	Polished Chrome	SmartKey® Entry	2

ANSI 2

Kwikset® Milan Lever
 • For 2-3/8 or 2-3/4" backset • 6-way adjustable latch • Mfg# 720MIL RDT

Hardware





Kwikset® Single Cylinder Deadbolt - Grade 3



Grade 3

Kwikset® 660 Series Single Cylinder Deadbolt
• For 2-3/8 or 2-3/4" backset • Individually keyed, non-mastered

Item#	Finish	Function	Mfg#
2389881	Satin Chrome	Single Cylinder Deadbolt	660
2379979	Satin Nickel	Single Cylinder Deadbolt	660
4410935	Satin Chrome	SmartKey® Single Cylinder Deadbolt	660SMT
4320438	Satin Nickel	SmartKey® Single Cylinder Deadbolt	660SMT

Kwikset® Single Cylinder Deadbolt - Grade 2



Grade 2

Kwikset® Heavy-Duty 780 Series SmartKey® Single Cylinder Deadbolt
• For 2-3/8 or 2-3/4" backset • Individually keyed, non-mastered • SmartKey® cylinder • Mfg# 780 SMT

Item#	Finish	Function
10198176	Satin Chrome	SmartKey® Single Cylinder Deadbolt
10198172	Satin Nickel	SmartKey® Single Cylinder Deadbolt

Kwikset® Contemporary Single Cylinder Deadbolt - Grade 2



Grade 2

Kwikset® Halifax SmartKey® Deadbolt
• For 2-3/8 or 2-3/4" backset • Individually keyed, non-mastered • SmartKey® cylinder • Mfg# 158 SQT SMT

Item#	Finish	Function
10198142	Satin Nickel	SmartKey® Single Cylinder Deadbolt
10198144	Polished Chrome	SmartKey® Single Cylinder Deadbolt



Grade 2

Kwikset® Milan SmartKey® Deadbolt
• For 2-3/8 or 2-3/4" backset • Individually keyed, non-mastered • SmartKey® cylinder • Mfg# 158 RDT SMT

Item#	Finish	Function
10198130	Satin Nickel	SmartKey® Single Cylinder Deadbolt
10198133	Polished Chrome	SmartKey® Single Cylinder Deadbolt

Kwikset® Key Control Deadbolt



Grade 2

Kwikset® 816 Series Key Control™ Deadbolt
• Smart alternative to master keying • Top concealed cylinder provides one-key control for the property manager • Lower exposed cylinder allows unique use keys for the resident • Rekey your user or control cylinder at any time in seconds • For 2-3/8 or 2-3/4" backset • Fits door thickness of 1-3/4" or more • 1-3/8" Doors require additional adapter kit • Mfg# 816

Item#	Finish	Function
10352156	Satin Chrome	Key Control™ Deadbolt
10352155	Satin Nickel	Key Control™ Deadbolt





Schlage® Solstice Lever



Item#	Finish	Function	ANSI Grade
7044126	Satin Nickel	Passage/Hall/Closet	3
7044123	Satin Nickel	Privacy/Bed/Bath	3
8928978	Satin Nickel	Entry	3



Schlage® Solstice Lever
 • For 2-3/8 or 2-3/4" backset • Mfg# J10 SOL

Schlage® Elan Lever



Item#	Finish	Function	Mfg#
3666580	Polished Brass	Passage/Hall/Closet	F10 ELA
3666807	Satin Chrome	Passage/Hall/Closet	F10 ELA
3666664	Polished Brass	Privacy/Bed/Bath	F40 ELA
3666919	Satin Chrome	Privacy/Bed/Bath	F40 ELA
7254573	Polished Brass	Entry	F51 ELA
7212396	Satin Chrome	Entry	F51 ELA
7252651	Satin Chrome	Storeroom	F80 ELA



Schlage® Elan Lever
 • For 2-3/8 or 2-3/4" backset • Includes dual option latch

Hardware

Schlage® Flair Lever



Item#	Finish	Function	ANSI Grade
3668289	Polished Brass	Passage/Hall/Closet	2
3669572	Satin Nickel	Passage/Hall/Closet	2
3666997	Polished Brass	Privacy/Bed/Bath	2
3668066	Satin Nickel	Privacy/Bed/Bath	2
4737623	Polished Brass	Entry	2
7252662	Satin Nickel	Entry	2



Schlage® Flair Lever
 • For 2-3/8 or 2-3/4" backset • Includes dual optional latch • Mfg# F10 FLA

Schlage® Deadbolt



Schlage® Heavy-Duty Single Cylinder Deadbolt
 • For 2-3/8 or 2-3/4" backset • Anti-pick shield • Fits both 1-1/2" and 2-1/8" bore • Includes triple optional latch • Schlage "C" keyway • Individually keyed, non-mastered • 5-Pin cylinder • Mfg# B60

Item#	Finish	Function	ANSI Grade
3878066	Polished Brass	Single Cylinder Deadbolt	1
3878350	Satin Chrome	Single Cylinder Deadbolt	1
8928979	Satin Nickel	Single Cylinder Deadbolt	1





Key Machines



Ilco® Manual Heavy-Duty Milling Key Machine

- Four sided, nickel plated jaws for clamping the majority of all edge cut/flat type keys
- Slotted jaw surfaces accommodate tip stop bars and a rigid shoulder gauge design to allow for greater accuracy
- Wide spacing 3-1/2" spacing between clamps accommodate large bow and long blade keys, including flip style keys
- Depth tracer system with micro adjustment for precise calibration
- Titanium Nitride coated cutter for longer life and oxidation resistance
- Nylon deburring brush
- Electro-magnetic "main" safety switch with a separate cutter motor switch for easy access
- Mounting bracket included for securing the machine to counter

Item#	Mfg#
7199210	045SPEED



Silca® Portable Key Duplicating Machine

- Lightweight
- Portable, easy to carry
- Four sided jaw to accommodate for more keys
- Clean ergonomic design
- Easy access on/off switch

Item#	Mfg#
7289099	FLASH008

Key Blanks



Kwikset® KW1 Brass 5-Pin Key Blank

Item#	Qty
4626113	50
7685051	250



Kwikset® Key Control® Key Blank

Box/10	Item#
7506818	



KW1 Random Cut Keys 25 Pairs/Pk

- Ideal for Kwikset SmartKey® applications when new keys are required
- Precut keys, not blanks

Item#
7685053



Schlage® SC1 Brass 5-Pin Key Blank

Item#	Qty
4626115	50
7221917	250



National® NA12 Brass Key Blank Box/50

- 5-pin, can be cut to 4-pin
- Also fits Amerock

Item#
4804674



National® NA14 Brass Key Blank Box/50

Item#
4626114



National® 1646 Key Blank Box/50

- Use on Florence factory installed locks (compX USPS1172c) found on Vital™ 157 Series CBU and Versatile™ 4C mailboxes
- Use if current keys are marked with codes 1PS-1999PS or 3PS-3999PS

Item#
4897008



National® 1646R Key Blank Box/50

- Use on Florence factory installed locks (CompX USPS1172C) found on Vital™ 157 Series CBU and Versatile™ 4C mailboxes
- Use if current keys are marked with codes 2PS-2999PS or 4PS-4999PS

Item#
4897014





Residential Plain Hinges



Item#	Size	Finish	Material	Bearing	Corner	Qty
5172688	3-1/2" x 3-1/2"	Bright Brass	Steel	Plain	5/8" Radius	2
9263734	3-1/2" x 3-1/2"	Satin Chrome	Steel	Plain	5/8" Radius	2
9263713	3-1/2" x 3-1/2"	Satin Nickel	Steel	Plain	5/8" Radius	2
9263707	3-1/2" x 3-1/2"	Matte Black	Steel	Plain	5/8" Radius	2

3-1/2" Residential Plain Hinge 2/Pk



Item#	Size	Finish	Material	Bearing	Corner	Qty
9263737	3-1/2" x 3-1/2"	Satin Brass	Steel	Plain	1/4" Radius	2
9263721	3-1/2" x 3-1/2"	Satin Chrome	Steel	Plain	1/4" Radius	2
9263727	3-1/2" x 3-1/2"	Satin Nickel	Steel	Plain	1/4" Radius	2
9263701	3-1/2" x 3-1/2"	Matte Black	Steel	Plain	1/4" Radius	3

3-1/2" Residential Plain Hinge 2/3/Pk



Item#	Size	Finish	Material	Bearing	Corner	Qty
9263681	4" x 4"	Satin Nickel	Steel	Plain	1/4" Radius	2

4" Residential Plain Hinge 2/Pk



Item#	Size	Finish	Material	Bearing	Corner	Qty
9263684	3-1/2" x 3-1/2"	Satin Brass	Steel	Spring	5/8" Radius Round Corner	2
9263725	3-1/2" x 3-1/2"	Satin Chrome	Steel	Spring	5/8" Radius Round Corner	2
9263678	3-1/2" x 3-1/2"	Satin Nickel	Steel	Spring	5/8" Radius Round Corner	2

3-1/2" Residential Spring Hinge 2/Pk



Item#	Size	Finish	Material	Bearing	Corner	Qty
9263750	4" x 4"	Satin Brass	Steel	Spring	5/8" Radius Round Corner	2
9263731	4" x 4"	Satin Chrome	Steel	Spring	5/8" Radius Round Corner	2
9263696	4" x 4"	Satin Nickel	Steel	Spring	5/8" Radius Round Corner	2

4" Residential Spring Hinge 2/Pk

Hardware





Westcraft® Light Commercial Door Closers

2



Light Commercial Door Closer

- Non-handed • Adjustable closing & latch speeds
- Standard & top mount application • Maximum width of door: Interior 3'0" • Mounting holes: 6-5/8" center to center horizontal, 3/4" vertical • Cover not included

Item#	Size	Finish	ANSI Grade
7507376	2	Aluminum	2
7507373	2	Bronze	2

2



Light Commercial Door Closer

- Non-handed • Adjustable closing & latch speeds
- Standard & top mount application • Maximum width of door: Interior 3'6", exterior inswinging 2'6", interior inswinging 3'0" • Mounting holes: 8-1/8" center to center horizontal, 3/4" vertical
- Cover not included

Item#	Size	Finish	ANSI Grade
7507383	3	Aluminum	2
7507387	3	Bronze	2

2



Light Commercial Door Closer

- Non-handed • Adjustable closing & latch speeds
- Standard & top mount application • Maximum width of door: Interior 4'0", exterior inswinging 3'0", interior inswinging 3'6" • Mounting holes: 8-3/16" center to center horizontal, 3/4" vertical
- Cover not included

Item#	Size	Finish	ANSI Grade
7507380	4	Aluminum	2

Westcraft® Heavy-Duty Door Closers

1



Heavy-Duty Commercial Door Closer

- Non-handed • Adjustable closing & latch speeds
- Adjustable back-check • Standard & top mount application • Mounting holes: 9-1/16" center to center horizontal, 3/4" vertical • Cover not included

Item#	Size	Finish	ANSI Grade
7507388	4	Aluminum	1

1



Heavy-Duty Commercial Door Closer

- Non-handed • Adjustable closing & latch speeds
- Barrier free • Standard & top mount application
- Mounting holes: 9-1/16" center to center horizontal, 3/4" vertical • Cover included

Item#	Size	Finish	ANSI Grade
7507382	1-4	Aluminum	1
7507379	1-4	Bronze	1





Door Viewers



Item#	Finish	Width	Height	Viewer Diameter
4892233	Bright Brass	2"	4"	1/2"
4597119	Chrome	2"	4"	1/2"
5060453	Satin Nickel	2"	4"	1/2"

Door Viewer With Knocker

- Material: Die cast metal • Fits doors 1-3/8" to 1-3/4" thick
- Plastic lens



Item#	Finish	Width	Height	Viewer Diameter
4892232	Bright Brass	2-3/8"	5-1/4"	9/16"
4597141	Chrome	2-3/8"	5-1/4"	9/16"
5078775	Satin Nickel	2-3/8"	5-1/4"	9/16"

Door Viewer With Knocker

- Material: Die cast metal • Fits doors 1-3/8" to 1-3/4" thick
- Plastic lens

Item#	Finish	Diameter	View
7051613	Bright Brass	9/16"	180°
4597128	Satin Chrome	9/16"	180°
7051623	Satin Nickel	9/16"	180°
7051612	Bright Brass	5/8"	160°
4597146	Satin Nickel	5/8"	160°
7051614	Polished Chrome	1"	180°
4597151	Satin Chrome	1"	180°
7051615	Satin Nickel	1"	180°



Door Viewer With Plastic Lens

- Material: Brass • Fits doors 1-3/8" to 2" thick

Item#	Finish	Diameter	View
7051607	Bright Brass	5/8"	160°
4597121	Satin Chrome	5/8"	160°
7051611	Satin Nickel	5/8"	160°
7051618	Bright Brass	9/16"	200°
4597131	Satin Chrome	9/16"	200°
7051619	Satin Nickel	9/16"	200°



Door Viewer With Glass Lens

- Material: Brass • Fits doors 1-3/8" to 2" thick
- Fire rated

Hardware





Door Stops



Heavy-duty Spring Door Stop

Item#	Size	Finish	Qty
9606778	3"	Bright Brass	5
9606786	3"	Satin Nickel	5
9606801	3"	Matte Black	1
9606766	4"	Bright Brass	5
9606828	4"	Chrome	5
9606811	4"	Satin Nickel	5



Heavy-duty Rigid Door Stop

Item#	Size	Finish	Qty
9606800	3"	Bright Brass	5
9606822	3"	Satin Nickel	5
9606820	3"	Matte Black	1



One Point Hinge Pin Door Stop

Item#	Finish	Qty
9606789	Satin Nickel	1
9606794	Matte Black	1



Standard Cast Zinc Hinge Pin Door Stop

Item#	Finish	Qty
9606780	Bright Brass	10
9606773	Satin Nickel	10



4" Standard Cast Zinc Kick Down Holder

Item#	Finish
7233928	Bright Brass
7233901	Chrome
7233903	Satin Nickel



4" Heavy-Duty Cast Iron Kick Down Holder

Item#	Finish
4624827	Painted Gray
7233890	Bronze



4-1/2 x 1" Rubber Wedge Door Stop 5/Pk

• Brown
Item#
7638709





Weatherstrips & Door Bottoms



Economy Aluminum And Vinyl Door Weatherstrip 2/Pk

• Roll formed aluminum • For wood frame doors • Includes one 36" top strip and two 84" side strips • 1-1/8" Overall height • Slotted mounting holes for adjustment • Screws included • Color/Finish: Aluminum

Item#
7233923



Frost King Premium Aluminum And Vinyl Door Weatherstrip

• Durable extruded aluminum • For metal or wood frame doors • Includes one 36" top strip and two 84" side strips • 15/16" Overall height • Slotted mounting holes for adjustment • Screws included • Color/Finish: Aluminum

Item#	Mfg#
7216953	VA17H



Pemko Premium Aluminum And Vinyl Door Weatherstrip

• Meets ASTM air infiltration requirements • Use on UL listed steel frames and/or classified swinging type fire doors • Includes one 36" top strip and two 84" side strips • 1-1/8" Overall height • Screws included • Color/Finish: Aluminum

Item#	Mfg#
7222921	303AV3684



Frost King 7' Replacement Door Seal for Kerfed Doors

• A soft foam enclosed by a tear resistant cover • Conforms to irregularities for a tight seal • Includes one 7ft vinyl insert for a fast and easy install • Thermostat plastic seal replaces door seal with standard kerfs

Item#	Finish	Mfg#
7014610	White	DS7W25
7014608	Brown	DS7B25



Frost King Magnetic Weatherstrip

• Thermoplastic construction • For steel entry doors • Installs in kerf in door stop • Creates magnetic seal with door • Flexible gasket compensates for unevenness in doors • For door frames with kerfs or at least 3/8" and door stop widths of 7/16" • Seals top and sides of door • Includes one 82" magnetic strip, one 82" compression strip and one 36" magnetic strip • Color/Finish: White

Item#	Mfg#
7033390	TMDS17HA



Frost King 36" Vinyl Slide-On Door Bottom

• Slides easily onto aluminum, steel or wood doors 1-3/4" thick • Seals out dirt, water and insects • Slotted mounting holes for adjustment • Screws included

Item#	Finish	Mfg#
4700351	Brown	B7936H
4700352	White	W7936H



Pemko 36" Aluminum Door Shoe & Kickplate

• Protects door bottom • Extends and overcut door to meet threshold • For doors 1-3/4" thick • 3-1/8" Height • Meets ASTM air infiltration, ASTM sound testing, UL/ASTM fire labeling and UL smoke labeling requirements • Color/Finish: Aluminum

Item#	Mfg#
7222922	221AV36



Pemko 36" Aluminum & Vinyl Slide-On Door Bottom

• 1-3/4" Width • 1-5/8" Height • Insert is constructed of soft, pliable black vinyl with an alternate notching pattern, allowing HVAC systems and bathroom fans to circulate air under the door while still blocking light and noise • Meets ASTM air infiltration, ASTM sound testing, UL/ASTM fire labeling and UL smoke labeling requirements • Color/Finish: Dark Bronze

Item#	Mfg#
4625394	2173DV36





Cabinet Knobs



1-1/4" Mushroom Cabinet Knob

Item#	Size	Finish	Qty	Material
7223748	1-1/4"	Polished Chrome	5	Solid Zinc
7223738	1-1/4"	Satin Chrome	5	Solid Zinc
7223772	1-1/4"	Satin Chrome	25	Solid Zinc
7223763	1-1/4"	Satin Nickel	5	Solid Zinc
7223692	1-1/4"	Satin Nickel	25	Solid Zinc



1-1/4" Mushroom Cabinet Knob

Item#	Size	Finish	Qty	Material
7223769	1-1/4"	Satin Chrome	5	Hollow Brass
7223688	1-1/4"	Satin Nickel	5	Hollow Brass



1-1/4" Decorative Cabinet Knob

Item#	Size	Finish	Qty	Material
4625906	1-1/4"	Satin Nickel	1	Zinc
4490525	1-1/4"	Oil Rubbed Bronze	1	Zinc

Cabinet Pulls



Cabinet T-Pull

Item#	Size	Finish	Qty	Material
4625878	1-9/16"	Satin Nickel	1	Diecast Zinc



Bar Cabinet Pull

Item#	Size	Finish	Qty	Center to Center	Material
5108976	6-1/8"	Stainless Steel	1	3-3/4"	Solid Stainless Steel
10196863	5-3/8"	Satin Nickel	1	3"	Steel
4625770	6-1/8"	Satin Nickel	1	3-3/4"	Steel
9552144	6"	Satin Nickel	10	4"	Steel
7223710	5.35"	Satin Nickel	5	3-3/4"	Steel




Square Cabinet Pull

Item#	Center to Center	Finish	Qty	Material
7066744	3"	Satin Nickel	1	Zinc
10196929	3-3/4"	Satin Nickel	1	Zinc






Screen Doors



Item#	Size	Finish	Qty
4606108	30"	White	5
4606109	30"	Bronze	5
4606103	30"	Gray	5
4606105	36"	White	5
4606106	36"	Bronze	5
4606107	36"	Gray	5
4606110	48"	White	5
4606102	48"	Bronze	5
4606104	48"	Gray	5

Ritescreen® Economy Sliding Screen Door 5/Pk
 • 1-1/2" Profile steel frame • Fiberglass screen
 • Self-adjusting, extruded aluminum spring loaded top and bottom expanders • Adjustable height from 78 to 80" • Steel rollers

Hardware



Item#	Size	Finish	Qty
7221412	36"	White	1
7221415	36"	Bronze	1
7221411	36"	Gray	1
7221414	48"	White	1
7221416	48"	Bronze	1
7221413	48"	Gray	1

Ritescreen® Heavy-Duty Sliding Screen Door
 • 2" Profile steel frame • Fiberglass screen
 • Self-adjusting • Extruded aluminum spring loaded top and bottom expanders • Adjustable height from 78 to 81" • Steel rollers • Hat section for added strength





Mailbox Locks



Universal 5-Cam Aluminum Face Clip-On Mailbox Lock (C8730)

• HL1 keyway • Clip-On • Fits American Device, Florence, Miami-Cary, Bommer and Auth • Nickel finish

Item#
7952287



Universal 5-Cam Aluminum Face Mailbox Lock (C8730)

• NA14 keyway • Threaded-barrel • Fits American Device, Auth-Florence, Bommer and Miami-Carey • Counter-clockwise rotation • Color/Finish: Nickel

Item#
4870870



Universal 5-Cam Aluminum Face Mailbox Lock (C8735)

• Fits Superior, Auth-Florence, Auth Electric, Bommer and Cutler Federal • NA14 keyway • Dust cover included • Counter-clockwise rotation • Color/Finish: Nickel

Item#
7233905



5-Pin Tumbler Mailbox Lock (C8725)

• NA14 keyway • Offset cam • Fits Cutler Federal • Nickel finish

Item#
7638693



5-Pin Tumbler Mailbox Lock (C8715)

• HL1 keyway • Offset cam • Fits Auth-Florence and Florence • Nickel finish

Item#
7638696



Universal 9-Cam Aluminum Face Mailbox Lock

• Clip-on mount • Fits American Device, Auth-Florence, Bommer, Jensen, Permabilt, Dura Steel, Security (Vertical), Cutler Federal (Pedestal) and NuTone • Counter-clockwise rotation • Color/Finish: Nickel

Item#	Keyway
7233914	XL
5123932	NA14



Universal 9-Cam Aluminum Face Mailbox Lock

• Fits American Device, Auth-Florence, Bommer, Jensen, Permabilt, Dura Steel, SH Couch, NuTone, and Miami-Carey • Threaded barrel • HL1 keyway • Counter-clockwise rotation • Color/Finish: Nickel

Item#
7233913



5-Pin Tumbler Mailbox Lock (C8715)

• Offset cam • Fits Auth-Florence and Florence • NA14 keyway • Clockwise rotation • Color/Finish: Nickel

Item#
5123934



5-Cam Mailbox Lock With Dustcover

• Fits Cutler Federal, Auth, Auth Florence, and Bommer pedestal type mailboxes • For exterior applications • HL1 keyway • Color/Finish: Nickel

Item#
7233902



C9100 Mailbox Lock

• Cam not included • Clockwise rotation • NA14 keyway • Fits Florence vital™ 1570 Series cluster box units (all types), Versatile™ 4C Mailbox Suites; also works on 1575 Cluster Box Units (8-compartment units only) • 1570 Series can be identified by serial number beginning with "F" located on back of mailbox • Color/Finish: Nickel

Item#
5123933



C9200 Mailbox Lock

• Cam not included • Counterclockwise rotation • NA14 keyway • Fits Florence Vital™ 1575 Series cluster box units 12, 13 & 16 compartment models • Does not fit Florence Vital™ 1570 Series cluster box units and Versatile™ 4C mailbox suites • 1575 Series can be identified by serial number beginning with "C2" located on back of mailbox

Item#
4926320



1-1/8" Cam Lock

• Color/Finish: Chrome

Item#	Keying
7299858	Keyed Alike
7233931	Keyed Different



1-3/8" Cam Lock

• Color/Finish: Chrome

Item#	Keying
7233894	Keyed Alike
7048608	Keyed Different





Leading the Way in Innovation, Quality and Trust

You can count on LG for innovative technology, unique products and cutting-edge design that makes customers' lives better. LG freestanding and built-in appliances allow customers to enjoy power and precision in an upbeat and accessible way. From the new A.I.-powered Washer to the InstaView® ThinQ® Range with Air Fry to the highly acclaimed LG InstaView® Door-in-Door® Refrigerator with the industry's first Craft Ice®, LG is leading the way to a better life in the kitchen and laundry room.



Stainless Steel



LG® 20 cu ft Top-Mount Refrigerator

- Factory installed ice maker • 2 tempered glass refrigerator shelves • 2 humidity crispers
- 1 glass freezer shelf • Reversible doors • Stainless Steel • 29-3/4" W x 66-1/8" H x 33-3/8" D
- Mfg# LTCS20030S

Item#

8879836



LG® Smart Wi-Fi Enabled Electric Range

- 6.3 cu ft • Two 9" dual elements • EasyClean® oven • Super-sized window • Storage drawer • Stainless Steel • 29-7/8" W x 46-1/2" H x 28-7/8" D • Mfg# LREL6321S

Item#

8329189



LG® 1.7 cu ft Over-The-Range Microwave

- 1,000 watts • 2-speed 300 CFM ventilation system • 10 power levels • Auto defrost
- Energy savings key • Stainless Steel • 29-7/8" W x 16-7/16" H x 15-11/16" D
- Mfg# LMV1764ST

Item#

8879858



LG® 24" Built-In Dishwasher

- Fully integrated electronic front controls • 5 wash cycles • NSF certified • 50 dBA
- NeveRust™ Stainless Steel tub • Stainless Steel • 23-3/4" W x 33-5/8" H x 24-5/8" D
- Mfg# LDFN3432T

Item#

9403032

SAMSUNG



Samsung® 18 cu ft Top-Mount Refrigerator

- All around cooling • Garage ready • Automatic ice maker • Reversible doors • Stainless Steel • 28-3/4" W x 66-3/4" H x 31-7/8" D • Mfg# RT18DG6700SR/AA

Item#

10423633

SAMSUNG



Samsung® 30" Smart Self/Steam-Clean Electric Range

- 6.3 cu ft • Flexible cooktop • Two dual ring burners • Hidden bake element • Storage drawer • Stainless Steel • 29-5/16" W x 46-5/16" H x 28-11/16" D • Mfg# NE63A6311SS/AA

Item#

9345528

SAMSUNG



Samsung® 1.6 cu ft Over-The-Range Microwave

- 1,000 watts • 2-speed 300 CFM ventilation system • 10 power levels • Auto defrost • LED display • Stainless Steel • 29-7/8" W x 17-1/16" H x 16-1/2" D • Mfg# ME16A4021AS/AA

Item#

9563555

SAMSUNG



Samsung® 24" Built-In Dishwasher

- Digital touch controls • Adjustable rack • Digital water leakage sensor • 55 dBA
- Plastic tub • Stainless Steel • 23-4/5" W x 35-1/10" H x 24-3/5" D • Mfg# DW80CG4021SR/AA

Item#

10119519

Appliances are non-returnable. Commercial use of residential appliances may void warranty. Please inspect all appliances upon delivery. Claims for damage in transit must be reported within one (1) day following delivery. For concealed damage returns, original packaging must be returned with the damaged appliance. Model numbers and product image are subject to change and may vary from image shown. Freight charges may apply in some areas.



SAMSUNG

Best in class, best in home



Build with America's #1 Appliance Brand*

Samsung understands the needs of today and innovates for tomorrow. We set the industry standard in overall service experience as the most awarded brand in appliance customer satisfaction and the only ENERGY STAR® Corporate Commitment Award recipient in the past decade. Upgrade your facilities with SmartThings Energy, a sustainable solution designed to reduce energy consumption and recognized by the U.S. Environmental Protection Agency (EPA) as the first mass-market Smart Home Energy Management System.

Learn more at



*Source: TraQline market research, Major Appliances through Q1 2024.



Count On Us

WE'RE STANDING ALONGSIDE YOU. NO MATTER WHAT.

Consumers have counted on Whirlpool Corporation appliances for more than 110 years, but it takes more than longevity to earn the trust of the trade. That's why we continue to put in the hard work, to push for better, and to face your challenges with you. **Commitment is more than a promise — it's how we get things done together.**

whirlpoolpro.com/count-on-us





Stainless Steel

Whirlpool



Whirlpool



Whirlpool® 18.2 cu ft Top-Mount Refrigerator

- Frameless glass shelves • Electronic temperature control • Clear humidity controlled crispers • Optional ice maker ready • Stainless Steel • 29-3/4" W x 65-7/8" H x 33-1/2" D
- Mfg# WRT148FZDM

Item#

7914408

Whirlpool® 30" Standard Clean Electric Smoothtop Range

- 5.3 cu ft • Glass cooktop • FlexHeat™ dual radiant element • Large oven window
- Stainless Steel/Black • 29-7/8" W x 47-7/8" H x 27-3/4" D • Mfg# WFES3030RS

Item#

10355596

Appliances

Whirlpool



Whirlpool



Whirlpool® 30" 1.7 cu ft Microwave Hood Combination

- 1,000 watts • 2-speed, 300 CFM • 4 quick touch/one touch selections
- 10 power levels • Dishwasher safe turntable plate • Stainless Steel
- 29-7/8" W x 17-1/8" H x 15-9/16" D • Mfg# WMMS3130RS

Item#

10680324



Whirlpool® 24" Built-In Dishwasher

- 12-place setting capacity • High-temp wash option • 57 dBA • Plastic tub • Stainless Steel
- 23-7/8" W x 33-1/2" H x 24-1/2" D • Mfg# WDF341PAPM

Item#

10191194

Appliances are non-returnable. Commercial use of residential appliances may void warranty. Please inspect all appliances upon delivery. Claims for damage in transit must be reported within one (1) day following delivery. For concealed damage returns, original packaging must be returned with the damaged appliance. Model numbers and product image are subject to change and may vary from image shown. Freight charges may apply in some areas.





Enhance your kitchens. Attract more renters.

WE'VE GOT EVERY PROPERTY COVERED

No matter the size of your space or budget, we've got the right suite.
Our wide range of appliance brands help you offer more to
your customers—so you can get more in return.



Hotpoint

Tougher than tenants.

good things, for life.



GE APPLIANCES
a Haier company



Stainless Steel



GE® 17.5 cu ft Top-Mount Refrigerator

- Frost free • Upfront temperature controls • Edge-to-edge glass shelves • LED lighting
- Sliding deli drawer • Optional IM4D ice maker ready • Stainless Steel
- 28" W x 67-3/8" H x 32-5/8" D • Mfg# GTE18GSNRSS

Item#

8026993



GE® 30" Self Clean Electric Range

- 5.0 cu ft • Coil elements • One-piece upswept porcelain-enamel cooktop • Dual element bake • Removable full-width storage drawer • Use with PROSELECT drip bowls: 6" PS3040203, 8" PS3040208 • Stainless Steel/Black • 30" W x 47" H x 28-3/4" D
- Mfg# JB256RTSS

Item#

9866582



GE® 30" 1.6 cu ft Over-The-Range Microwave

- 950W • Convenience cooking controls • Auto and time defrost • Turntable on/off • Two-speed, 300-CFM venting system • Stainless Steel • 29-7/8" W x 16-7/16" H x 15-7/8" D

Item#

5148379

Mfg#

JVM3162RJSS

Vent Type

Vented



GE® 24" Built-In Dishwasher

- Up To 12-place setting capacity • 4 cycles, 4 options • 100% filtration with Piranha™ hard food disposer and removable filter • Active flood protect • Dry boost • 59 dBA • Stainless Steel • 23-3/4" W x 33-3/8" H x 24" D • Mfg# GDF510PSRSS

Item#

9263394

Appliances are non-returnable. Commercial use of residential appliances may void warranty. Please inspect all appliances upon delivery. Claims for damage in transit must be reported within one (1) day following delivery. For concealed damage returns, original packaging must be returned with the damaged appliance. Model numbers and product image are subject to change and may vary from image shown. Freight charges may apply in some areas.



FRIGIDAIRE®

Trusted

quality

for all your multi-family needs.



True to our legacy of careful craftsmanship and reliability, the Frigidaire® Series offers delightfully sensible, easy-to-use products you can count on for years to come.

AVAILABLE AT:

FERGUSON®



Stainless Steel

FRIGIDAIRE



Frigidaire® 17.6 cu ft Top-Mount Refrigerator

- Humidity-controlled crisper drawers • 2 adjustable glass shelves • 1 wire freezer shelf
- Reversible doors • Optional IM117000 ice maker ready • Brushed Stainless
- 27-7/8" W x 66-15/16" H x 30-13/16" D • Mfg# FFHT1822UV

Item#

9808147

FRIGIDAIRE



Frigidaire® 30" Steam Clean Smoothtop Electric Range

- 5.3 cu ft • Five element cooktop • Extra-large oven capacity • Stainless handle • Stainless Steel/Black • 30" W x 46-3/4" H x 28-1/2" D • Mfg# FCRE3062AS

Item#

9304917

FRIGIDAIRE



Frigidaire® 30" 1.8 cu ft Over-The-Range Microwave

- 1,000 watts • Quick start options • Bright interior lighting • Two speed ventilation • Zero-clearance door • Stainless handle • Stainless Steel • 29-7/8" W x 16-3/8" H x 15-3/4" D
- Mfg# FMOS1846BS

Item#

9884880

FRIGIDAIRE



Frigidaire® 24" Built-In Dishwasher

- 3 cycles • Delay start • Electronic controls • Tall plastic tub • 60 dBA • Stainless Steel/Black • 24" W x 35" H x 25" D • Mfg# FFCD2413US

Item#

7655147

Appliances are non-returnable. Commercial use of residential appliances may void warranty. Please inspect all appliances upon delivery. Claims for damage in transit must be reported within one (1) day following delivery. For concealed damage returns, original packaging must be returned with the damaged appliance. Model numbers and product image are subject to change and may vary from image shown. Freight charges may apply in some areas.





Appliances - Whirlpool • Amana

Whirlpool



Whirlpool® 16.3 cu ft Top-Mount Refrigerator

• LED interior lighting • Flexi-Slide™ bin • Electronic temperature controls • Freezer temperature control • Optional ice maker ready • 28-1/8" W x 66-5/8" H x 31-7/8" D

Item#	Mfg#	Color
10100675	WRTX5028PW	White
10097899	WRTX5028PB	Black

Whirlpool



Whirlpool® 30" Standard Clean Electric Range

• 4.8 cu ft • Coil elements • Upswept porcelain spill guard • Storage drawer • Clock and timer • Use with PROSELECT drip bowls: (Chrome) 6" PSDPPRW6, 8" PSDPPRW8 or (Black) 6" PS3040207, 8" PS3040212 • 29-7/8" W x 47-7/8" H x 27-3/4" D

Item#	Mfg#	Color
8194445	WFC150M0JW	White
8194466	WFC150M0JB	Black

Whirlpool



NEW

Whirlpool® 30" 1.7 cu ft Microwave Hood Combination

• 1,000W • 2-speed, 300 CFM • 4 quick touch/one touch selections • 10 power levels • Dishwasher safe turntable plate • 29-7/8" W x 17-1/8" H x 15-9/16" D

Item#	Mfg#	Color
10680325	WMMS3130RW	White
10680323	WMMS3130RB	Black

Whirlpool



NEW

Whirlpool® 24" Built-In Dishwasher

• 12-place setting capacity • High-temp wash option • 57 dBA • Plastic tub • 23-7/8" W x 33-1/2" H x 24-1/2" D

Item#	Mfg#	Color
10191196	WDF341PAPW	White
10191193	WDF341PAPB	Black

Appliances

AMANA
JUST RIGHT.



Amana® 18.2 cu ft Top-Mount Refrigerator

• Humidity-controlled Garden-Fresh™ crisper bins • Electronic temperature controls • Reversible doors • Optional ice maker ready • White • 29-3/4" W x 65-7/8" H x 31-3/8" D • Mfg# ART308FFDW

Item#
4912273

AMANA
JUST RIGHT.




Amana® 30" Standard Clean Electric Range

• 4.8 cu ft • Coil elements • Temp Assure™ cooking system • SpillSaver™ unswept cooktop • Easy-clean glass door • Use with PROSELECT drip bowls: 6" PSDPPRW6, 8" PSDPPRW8 • White • 29-7/8" W x 46-7/8" H x 27-3/4" D • Mfg# ACR4203MNV

Item#
10170102

AMANA
JUST RIGHT.



Amana® 30" 1.6 cu ft Over-The-Range Microwave

• 1,000W • Defrost feature • Popcorn feature • Reheat feature • White • 30" W x 17-3/8" H x 15-7/8" D • Mfg# AMV2307PFW

Item#
7095319

AMANA
JUST RIGHT.



Amana® 24" Built-In Dishwasher

• 12-place setting capacity • 1-hour wash option • Triple filter wash system • Heated dry option • High temperature wash option • White • 23-7/8" W x 34-1/2" H x 24-1/2" D • Mfg# ADB1400AGW

Item#
7264799

Appliances are non-returnable. Commercial use of residential appliances may void warranty. Please inspect all appliances upon delivery. Claims for damage in transit must be reported within one (1) day following delivery. For concealed damage returns, original packaging must be returned with the damaged appliance. Model numbers and product image are subject to change and may vary from image shown. Freight charges may apply in some areas.





GE® 16.6 cu ft Top-Mount Refrigerator

- Upfront temperature controls • Adjustable wire shelves • LED lighting
- Optional IM4D ice maker ready • 28" W x 64-3/4" H x 32-5/8" D

Item#	Mfg#	Color
8017159	GTE17DTNRWW	<input type="radio"/> White
8026882	GTE17DTNRBB	<input checked="" type="radio"/> Black



GE® 30" Standard Clean Electric Range

- 5.0 cu ft • Coil elements • Dual element bake • Removable full-width storage drawer
- One-piece upswept porcelain-enamel cooktop • Use with PROSELECT drip bowls: White ranges - 6" PSDPPRG6, 8" PSDPPRG8, Black ranges - 6" PS3040203, 8" PS3040208
- 30" W x 47" H x 29" D

Item#	Mfg#	Color
7387033	JBS160DMWW	<input type="radio"/> White
7387294	JBS160DMBB	<input checked="" type="radio"/> Black



GE® 30" 1.6 cu ft Over-The-Range Microwave

- 950W • Convenience cooking controls • Auto and time defrost • Turntable on/off
- Two-speed, 300-CFM venting system • 29-7/8" W x 16-7/16" H x 15-7/8" D

Item#	Mfg#	Vent Type	Color
5097040	JVM3162DJWW	Vented	<input type="radio"/> White
5097030	JVM3162DJBB	Vented	<input checked="" type="radio"/> Black



GE® 24" Built-In Dishwasher

- 12 place setting capacity • 3 cycles, 3 options • 100% filtration with Piranha™ hard food disposer and removable filter • Active flood protect • Automatic hot start • 60 dBA
- 23-3/4" W x 33-3/8" H x 24" D

Item#	Mfg#	Color
9507255	GDF450PGRWW	<input type="radio"/> White
9507256	GDF450PGRBB	<input checked="" type="radio"/> Black

Hotpoint



Hotpoint® 15.6 cu ft Top-Mount Refrigerator

- Adjustable wire shelves • Right-hand swing • Reversible doors • Optional IM4D ice maker ready • 28" W x 61-3/4" H x 30" D

Item#	Mfg#	Color
8026146	HPS16BTNRRWW	<input type="radio"/> White
8026147	HPS16BTNRRBB	<input checked="" type="radio"/> Black

Hotpoint



Hotpoint® 30" Standard Clean Electric Range

- 5.0 cu ft • Coil elements • One-piece upswept porcelain-enamel cooktop
- Storage drawer • Use with PROSELECT drip bowls: White ranges - 6" PSDPPRG6, 8" PSDPPRG8, Black ranges - 6" PS3040203, 8" PS3040208 • 30" W x 46-3/4" H x 28-3/4" D

Item#	Mfg#	Color
7387343	RBS160DMWW	<input type="radio"/> White
7387035	RBS160DMBB	<input checked="" type="radio"/> Black

Hotpoint



Hotpoint® 30" 1.6 cu ft Over-The-Range Microwave - Vented

- 1,000W • Convenience cooking controls • Weight and time defrost • Two-speed, 300 CFM venting system • Add 30 seconds button • 29-7/8" W x 16-7/16" H x 17-15/16" D

Item#	Mfg#	Color
4717521	RVM5160DHWW	<input type="radio"/> White
4717512	RVM5160DHBB	<input checked="" type="radio"/> Black

Hotpoint



Hotpoint® 24" Built-In Dishwasher

- Up To 12-place setting capacity • 2 cycles, 2 options • 100% filtration with Piranha™ hard food disposer and removable filter • Active flood protect • Automatic hot start • 60 dBA
- 23-3/4" W x 33-3/8" H x 24" D

Item#	Mfg#	Color
9329138	HDF310PGRWW	<input type="radio"/> White
9329154	HDF310PGRBB	<input checked="" type="radio"/> Black

Appliances are non-returnable. Commercial use of residential appliances may void warranty. Please inspect all appliances upon delivery. Claims for damage in transit must be reported within one (1) day following delivery. For concealed damage returns, original packaging must be returned with the damaged appliance. Model numbers and product image are subject to change and may vary from image shown. Freight charges may apply in some areas.





FRIGIDAIRE



Frigidaire® 18 cu ft Top-Mount Refrigerator

- Automatic defrost • Store-More™ humidity controlled crisper drawers • Full-width wire freezer shelf • Wire shelves • Optional IM117000 ice maker ready • Optional IM117000 ice maker ready • 30" W x 66-5/8" H x 30-1/8" D

Item#	Mfg#	Color
9305376	FFTR1814WW	<input type="radio"/> White
9305383	FFTR1814WB	<input checked="" type="radio"/> Black

FRIGIDAIRE



Frigidaire® 30" Steam Clean Smoothtop Electric Range

- 5.3 cu ft • Five element cooktop • Even baking technology • SpaceWise® dual expandable element • Extra-large oven capacity • 30" W x 46-3/4" H x 28-1/2" D

Item#	Mfg#	Color
9304935	FCRE3062AW	<input type="radio"/> White
9304944	FCRE3062AB	<input checked="" type="radio"/> Black

FRIGIDAIRE



Frigidaire® 30" 1.8 cu ft Over-The-Range Microwave

- 1,000 watts • Quick start options • Bright interior lighting • Two speed ventilation • Zero-clearance door • 29-7/8" W x 16-3/8" H x 15-3/4" D

Item#	Mfg#	Color
9884882	FMOS1846BW	<input type="radio"/> White
9884886	FMOS1846BB	<input checked="" type="radio"/> Black

FRIGIDAIRE



Frigidaire® 24" Built-In Dishwasher

- Up to 14-place setting capacity • Energy saver dry option • 5 level wash system • 62 dBA • Plastic tub • 24" W x 35" H x 25" D

Item#	Mfg#	Color
8339618	FDPC4221AW	<input type="radio"/> White
8339630	FDPC4221AB	<input checked="" type="radio"/> Black

Appliances are non-returnable. Commercial use of residential appliances may void warranty. Please inspect all appliances upon delivery. Claims for damage in transit must be reported within one (1) day following delivery. For concealed damage returns, original packaging must be returned with the damaged appliance. Model numbers and product image are subject to change and may vary from image shown. Freight charges may apply in some areas.



The smart choice in laundry

Simplify facility management with Smart Care from Samsung. Easily troubleshoot and diagnose washers and dryers from any smartphone, saving time and money on repairs.

In stock and ready to ship



4.5 cu. ft. Front Load Washer with Vibration Reduction Technology+™

WF45T6000AW

Experience peace of mind and convenience with a Samsung washer. Protect your purchase with a 20-year warranty on the Digital Inverter Motor, and deliver ease-of-use with a new control panel that improves visibility when stacked.

7.5 cu. ft. Front Dryer with Sensor Dry

DVE45T6000W

Maximize installation flexibility with up to 120 feet of venting and optimize energy usage with Sensor Dry technology. This seamless combination ensures each dryer performs efficiently and fits perfectly into any space.

*ADA Compliant when using a Samsung 27" wide riser (WE272NV, WE272NW, or WE272NC.) †Requires wireless network, Samsung account and Samsung SmartThings app. The Samsung SmartThings app supports Android OS 4.0 (ICS) or later which is optimized for Samsung smartphones (Galaxy S and Galaxy Note series). This app also supports iOS 7 or later for iPhone models. Samsung SmartThings app available in App Store and Play Store.



LAUNDRY SOLUTIONS FOR EVERY SPACE



Full Size Front Load
WM3600HWA / DLE3600W

Whether it's a laundry room, kitchen nook or closet, small space or large, LG has the laundry products that perfectly fit your space and impress your tenants. Beneath the beautiful exteriors are LG innovations that are built to perform. With compact laundry for small spaces, full size front load or top load pairs for large loads, or our space-saving, full size WashTower™ with a convenient Center Control™ panel, the LG laundry lineup keeps clothes looking, smelling, and feeling great.

YOU GET SO MUCH MORE WITH LG

INNOVATION

Smart innovations that make your tenant's lives easier.

QUALITY

Sleek, premium design, yet tough enough to hold up to years of use.

TRUST

Reliable and worry-free, so you can purchase with confidence.



Compact Front Load
WM3555HWA, WM1455HWA /
DLHC1455W



WashTower™
WKE100HWA



Top Load Agitator
WT7005CW / DLE7000W





Front Load Laundry



LG® Mega Capacity Front Load Washer

• 5.0 cu ft • 6Motion™ technology • ColdWash™ technology • Direct drive motor 10-year limited warranty • 1,300 max RPM • White • 27" W x 39" H x 33-1/8" D • Mfg# WM3470CW

Item#

10099851



LG® Ultra Large Capacity Electric Dryer

• 7.4 cu ft • Sensor dry • FlowSense™ duct clogging indicator • Closet depth • Aluminized alloy steel drum • White • 27" W x 39" H x 30-1/8" D • Mfg# DLE3470W

Item#

10099822

Appliances



Samsung® Front-Load Washer

• 4.5 cu ft • VRT Plus™ Technology • Self Clean+ • Smart Care • AI powered smart dial • 1,200 RPM • White • 27" W x 38-7/10" H x 31-3/10" D • Mfg# WF45T6000AW/A5

Item#

8939970



Samsung® Electric Dryer

• 7.4 cu ft • Sensor dry • 10 preset drying cycles • Smart Care • Lint filter indicator • White • 27" W x 38-7/10" H x 31-1/2" D • Mfg# DVE45T6000W/A3

Item#

8952674

Appliances are non-returnable. Commercial use of residential appliances may void warranty. Please inspect all appliances upon delivery. Claims for damage in transit must be reported within one (1) day following delivery. For concealed damage returns, original packaging must be returned with the damaged appliance. Model numbers and product image are subject to change and may vary from image shown. Freight charges may apply in some areas.



WHIRLPOOL CORPORATION
FACTORY CERTIFIED CARE

JENNAIR® KitchenAid® MAYTAG® Whirlpool®

Service You Can Count On

YOU DON'T STOP AT THE SALE. WHY WOULD WE?

- **Over 2,400** companies, staffing **5,300** technicians, with **97%** national coverage
- Next-day and weekend scheduling
- **100%** genuine original equipment manufacturer (OEM) parts
- U.S.-based contact center
- Real-time analytics

whirlpoolpro.com/count-on-us

Whirlpool
CORPORATION



Top Load Laundry



Amana® Top Load Washer

• 3.5 cu ft • 5 temperature settings • Dual action agitator • Late lid lock • Porcelain tub
• White • 27-1/2" W x 42" H x 27" D • Mfg# NTW4516FW

Item#

7169216



Amana® Dryer

• 6.5 cu ft • 11 dryer cycles • Automatic dryness control • Wrinkle prevent option • White
• 29" W x 44" H x 27-3/4" D

Item#

5025357

Mfg#

NED4655EW

Power Source

Electric

5025366

NGD4655EW

Gas



Whirlpool® Top Load Washer

• 3.8 cu ft • Water level selection • Two-way wash action agitator • Max spin speed 680 rpm • Smooth spiral stainless steel wash basket • White • 27-1/2" W x 44" H x 27" D
• Mfg# WTW4855HW

Item#

7503604



Whirlpool® Dryer

• 7.0 cu ft • AutoDry™ drying system • 12 dryer cycles • 3 temperatures • 3 options • White
• 29" W x 43" H x 28-1/4" D

Item#

7544932

Mfg#

WED4850HW

Power Source

Electric

7543264

WGD4850HW

Gas



GE® Top Load Washer

• 4.0 cu ft • 10 cycles • Water level control • Deep rinse • Heavy-duty agitator • Late lid lock safety • Stainless steel drum • Fill hose included • White • 27" W x 44" H x 27" D
• Mfg# GTW220ACWWW

Item#

10365201



GE® Dryer

• 6.2 cu ft • 3 cycles • Auto dry feature • Flat back design • Up to 120' venting • White
• 27" W x 44" H x 26-3/4" D

Item#

7055378

Mfg#

GTX22EASKWW

Power Source

Electric

7055175

GTX22GASKWW

Gas



Hotpoint® Top Load Washer

• 4.0 cu ft • 6 cycles • Deep rinse • Heavy-duty agitator • Stainless steel basket • White
• 27" W x 44" H x 27" D • Mfg# HTW265ASWWW

Item#

10334966



Hotpoint® Dryer

• 6.2 cu ft • 3 cycles • Auto dry • Up to 120 ft venting • White • 27" W x 44" H x 26-3/4" D

Item#

10334967

Mfg#

HTX26EASWWW

Power Source

Electric

10334968

HTX26GASWWW

Gas



Appliances are non-returnable. Commercial use of residential appliances may void warranty. Please inspect all appliances upon delivery. Claims for damage in transit must be reported within one (1) day following delivery. For concealed damage returns, original packaging must be returned with the damaged appliance. Model numbers and product image are subject to change and may vary from image shown. Freight charges may apply in some areas.





Combination and Space Saving Laundry

Whirlpool®



Whirlpool® 24" Thin Twin Electric Laundry

- 1.6 cu ft washer/3.4 cu ft dryer • 6 wash cycles • 4 dry cycles • Stainless steel drum with impeller • EasyView™ glass lid • White • 23-7/8" W x 74-1/4" H x 26-5/8" D
- Mfg# WET4024HW

Item#

7503655

Whirlpool®



Whirlpool® 27" Thin Twin Electric Laundry

- 3.5 cu ft washer/5.9 cu ft dryer • 9 wash cycles • 4 dryer cycles • AutoDry™ drying system
- Porcelain basket with agitator • White • 27-1/4" W x 75-1/2" H x 32-7/16" D
- Mfg# WET4027HW

Item#

7503624

Appliances

FRIGIDAIRE



Frigidaire® 27" Laundry Center

- 3.9 cu ft washer/5.5 cu ft dryer • 10 wash cycles • 6 dry cycles • Quiet Pack • Quick wash and dry cycles • MaxFill™ setting • Stainless wash tub • Cycle status lights • White • 27" W x 76" H x 31-1/2" D

Item#

8339608

Mfg#

FLCE7522AW

Power Source

Electric

8339652

FLCG7522AW

Gas



GE® 24" Unitized Washer/Dryer

- 2.3 cu ft washer/4.4 cu ft dryer • 11 wash cycles
- 830 rpm maximum spin speed cycles
- Stainless Steel wash basket
- White • 23-3/4" W x 74-7/8" H x 27-3/8" D

Item#

7387169

Mfg#

GUD24ESSMWW

Power Source

Electric

7387038

GUD24GSSMWW

Gas



GE® 27" Unitized Washer/Dryer

- 3.8 cu ft washer/5.9 cu ft dryer • 11 wash cycles • 800 rpm maximum spin speed • 4 dryer cycles • Stainless Steel wash basket • White • 26-3/4" W x 75-7/8" H x 30-7/8" D

Item#

7387280

Mfg#

GUD27ESSMWW

Power Source

Electric

7387205

GUD27GSSMWW

Gas

Appliances are non-returnable. Commercial use of residential appliances may void warranty. Please inspect all appliances upon delivery. Claims for damage in transit must be reported within one (1) day following delivery. For concealed damage returns, original packaging must be returned with the damaged appliance.

Model numbers and product image are subject to change and may vary from image shown. Freight charges may apply in some areas.



COMMERCIAL LAUNDRY

Boost business and generate efficiencies with reliable solutions.

Learn how to make every cycle seamless.



GE APPLIANCES
a Haier company

PRO

Commercial Washer & Dryers

Microban® Protection Commercial-Grade Components Front Serviceable
Built in WiFi* Payment Flexibility - QR Reader/Laundryday App/Coin Kit Options*

COMMERCIAL TOP LOAD SET

WASHER



VTW525ASRWB - FFS# 9568542
VTW565ASVWB - FFS# 10112427

DRYER



VTD52EASRWB - FFS# 9568585
VTD56EASVWB - FFS# 10030052
VTD52GASRWB (GAS) - FFS# 9568549
VTD56GASVWB (GAS) - FFS# 10030053

COMMERCIAL FRONT LOAD SET

WASHER



VFW310SSRWW - FFS# 9912513

DRYER



VFD31EDSRWW - FFS# 9912509
VFD31ESSRWW - FFS# 9912510
VFD31GDSRWW (GAS) - FFS# 9912511
VFD31GSSRWW (GAS) - FFS# 9912512

*Applies to select models | ⏰ May require additional delivery lead time. Call for details.

Seamless Support for Your Business so you can set shiny new goals.

With the SmarthHQ™ Management Portal, you can manage your machines, your money and your maintenance, all on the go with a remote tool.



WiFi Machines Mean Less Time Counting Coins so you can spend more time counting wins.

Scanning a QR code on the machine with a smartphone allows users to track and pay for laundry from their phone.* It also allows your earnings to populate securely through the SmarthHQ™ portal.

*Payment processing fees apply.



Scan here to
learn more.



Commercial Laundry



GE® Commercial Top Load Washer

- 4.2 cu ft • Built-in, coinless payment system • Laundryday™ user app • SmartHQ™ management • Protected with Microban® • Service priority • Commercial-grade components and materials • 5-year limited parts warranty • White • 27" W x 44" H x 27" D • Mfg# VTW525ASRWB

Item#
9568542



GE® Commercial Electric Dryer

- 7.4 cu ft • Built-in, coinless payment system • Laundryday™ user app • SmartHQ™ management • Protected with Microban® • Aluminized alloy drum • Up to 120' venting • Commercial-grade components • 5-year limited parts warranty • White • 27" W x 44" H x 30-1/2" D • Mfg# VTD52EASRWB

Item#
9568585



Whirlpool® Commercial Non Coin On-Premise Laundry Front Load Washer

- 3.1 cu ft • Commercial grade cabinet • Microprocessor controls • Robust hinge • White • 27" W x 37-3/4" H x 28-13/16" D • Mfg# CHW9160GW

Item#
7503641



Whirlpool® Commercial Non Coin On-Premise Laundry Front Load Electric Dryer

- 6.7 cu ft • Commercial grade cabinet • Microprocessor controls • Front access panel • Simple programming • White • 27" W x 37-3/4" H x 29" D • Mfg# CED9160GW

Item#
7503672



Whirlpool® Commercial Coin Operated Top Load Washer

- 3.27 cu ft • 3 cycles • Factory coin slide and coin box equipped, \$2.00 factory preset • 1/2 HP motor • Traditional flex-vane agitator • Deep-water wash system • White • 27" W x 44-1/2" H x 26" D • Mfg# CAE2745FQ

Item#
7312245



Whirlpool® Commercial Coin Operated Dryer

- 7.4 cu ft • 3 cycles • Factory coin slide and coin box equipped, \$1.50 factory preset • 180° wide-opening reversible side-swing door • White • 27" W x 43" H x 29-1/4" D

Item#	Mfg#	Power Source
7312244	CEM2745FQ	Electric
7312243	CGM2745FQ	Gas



Whirlpool® Commercial Non Coin On-Premise Laundry Top Load Washer

- 3.27 cu ft • 5 cycles • Traditional flex-vane agitator • Deep-water wash system • Extra large lid and tub opening • White • 27" W x 42-1/2" H x 26" D • Mfg# CAE2795FQ

Item#
7314900



Whirlpool® Commercial Non Coin On-Premise Laundry Electric Dryer

- 7.4 cu ft • 3 cycles • Galvanized, heavy-gauge cabinet • Four-roller suspension • 180° wide-opening, side-swing door • White • 27" W x 44-1/4" H x 29" D • Mfg# CEM2795JQ

Item#
7997599

Appliances are non-returnable. Commercial use of residential appliances may void warranty. Please inspect all appliances upon delivery. Claims for damage in transit must be reported within one (1) day following delivery. For concealed damage returns, original packaging must be returned with the damaged appliance. Model numbers and product image are subject to change and may vary from image shown. Freight charges may apply in some areas.





ProSelect® GE Drip Bowl 6/Pk
• Black porcelain

Item#	Mfg#	Size	Replaces
7222966	PS3040203	6"	Mfg# WB31M20, WB32X5070 & WB31T10014
7222964	PS3040208	8"	Mfg# WB31M19, WB32X5069 & WB31T10015



ProSelect® GE/Roper Drip Bowl 6/Pk
• Chrome plated

Item#	Mfg#	Size	Replaces
7223093	PS3026203	6"	Mfg #WB31K5024
7222953	PS3028203	8"	Mfg #WB31K5025



ProSelect® Universal Drip Bowl 6/Pk
• Chrome plated

Item#	Mfg#	Size	Fits
7223092	PS3026204	6"	Whirlpool, Frigidaire #316048414, Tappan, Modern Maid and Magic Chef
7222952	PS3028204	8"	Whirlpool, Frigidaire #316048413, Tappan, Modern Maid and Magic Chef



ProSelect® Universal Drip Bowl 6/Pk
• Black porcelain

Item#	Mfg#	Size	Fits
7222968	PS3040205	6"	Whirlpool, Frigidaire #318067041, 5303305653, 5304430149, Tappan and Magic Chef
7222983	PS3040210	8"	Whirlpool, Frigidaire #318067051, 5303305651, 5304430150, Tappan and Magic Chef

Appliances



Replacement GE Surface Range Safety Element

Item#	Mfg#	Size	Replaces	W/V
7952275	3090-163F	6"	Mfg# WB30X31058	1,250W/240V
7952279	3090-164F	8"	Mfg# WB30X31057	2,400W/240V



Replacement Frigidaire Surface Range Safety Element

Item#	Mfg#	Size	Replaces	W/V
7952278	3090-165F	6"	Mfg# 5304516160 and W11396792	1,500W/240V
7952274	3090-166F	8"	Mfg# 5304516159 and W11396790	2,400W/240V



Universal Surface Range Element

Item#	Mfg#	Size	Turns	W/V
7223088	3090-033F	6"	3	1,250W/240V
7223076	3090-035F	8"	4	2,100W/240V



Universal Surface Range Element

Item#	Mfg#	Size	Turns	W/V
7223078	3090-034F	6"	4	1,500W/240V
7223083	3090-036F	8"	5	2,100W/240V





Appliances - Range Parts



Replacement Whirlpool Receptacle

• Replaces Whirlpool® 330031 • Includes horizontal mounting clip, block and hardware • Mfg# RR110

Item#
4416368



Universal Receptacle

• Includes horizontal and vertical bracket, block and hardware • Mfg# RR117

Item#
4353315



Universal Receptacle

• Includes terminal block, mounting clips, assembly and wire nuts • Mfg# 3130-293

Item#
7223046



Whirlpool® Infinite Switch

• Replaces 310180, 311846, 311858, 311859, 314140, 3148954, 3149400, 99989662 and W10295573
• Mfg# WP3149400

Item#
7180394



Replacement GE Infinite Switch

• For 6" burner elements • Replaces GE® WB24T10029
• Mfg# 3130-217

Item#
7223098



Frigidaire® Infinite Switch

• For 8" burner elements • Mfg# 316436001

Item#
5152544

Appliances



GE® Anti-Tip Kit

• Replaces WB02K10020 • Mfg# WB02K10254


Item#
7256048



Range Cord

Item#	Mfg#	Prongs	Length	Amps	Volts
10346028	RAP34005	3	4'	40	125
10346030	RAP34007	3	4'	50	125/250
10346031	RAP34008	3	6'	50	125/250
10346029	RAP34006	4	4'	40	125
10346032	RAP34009	4	4'	50	125/250





Vent Hood Motor

• C frame design • Exact replacement for NuTone® range hood ventilators and others • Includes SFB460 fan blade
 • Replaces NuTone® C65878 and 65878000 • 9" leads w/120 VAC plug • 3,000 rpm • Mfg# SM550

Item#

4416391



Replacement Broan Range Hood Fan Assembly

• Non-vented range hood fan assembly • 2-speed • 120V, .62A • Mfg# 3080-209

Item#

7223103




Range Hood Power Cord

• Replaces Broan HCK44D • Mfg# 3080-214

Item#

7255316



A



B



C



Range Back Splash Guard

• Protects the exposed wall behind the range • 30" W x 24" H

Item#	Mfg#	Color
A 7223142	3160-030F	White/Almond
B 7223143	3160-032F	Black/Bisque
C 7223160	3160-029F	Faux Stainless



D-E



F



G-H



Range Hood Filters

Item#	Mfg#	Height	Width	Depth	Material	USA	Fits
D 7221332	96948957	8-3/4"	10-1/2"	3/32"	Aluminum	✓	Broan, Caloric, Nautilus, Roper and Sears
E 7221333	97048958	8-3/4"	10-1/2"	3/8"	Aluminum	✓	Broan
F 7221328	97048956	8-3/4"	10-1/2"	3/8"	Carbon	✓	Broan, Caloric, Nautilus, Roper, Sears and Tappan
G 7221329	96948963	5-1/6"	7-5/8"	3/32"	Aluminum	✓	Whirlpool OTR Microwave
H 5152622	W10208631A	12-15/16"	5-3/4"	1/16"	Aluminum	-	Whirlpool® OTR Microwave

Appliances





Appliances - Refrigerator Parts

Whirlpool



Whirlpool® Ice Maker Kit
• Mfg# W11729596
Item#
10846334

NEW

GE APPLIANCES



GE® Ice Maker Kit
• Mfg# IM4D
Item#
4895299

FRIGIDAIRE



Frigidaire® Ice Maker Kit
• Mfg# IM117000
Item#
7970844

Appliances



Economy Ice Cube Tray 5/Pk
• Blue plastic • Mfg# Z-10513
Item#
758589



Premium Ice Cube Tray 2/Pk
• White polypropylene • Mfg# Z-10863
Item#
7218821

Whirlpool



Whirlpool® Ice & Refrigerator Water Filter 1
• Replaces W10295370A • Filters up to 200 gallons of water • NSF certified • Mfg#EDR1RXD1
Item#
7000392

Whirlpool



Whirlpool® Ice & Refrigerator Water Filter 4
• Filters up to 200 gallons of water • NSF certified • Mfg# EDR4RXD1
Item#
5147387

GE APPLIANCES



GE® Smartwater Refrigerator Water Filter
• Reduces 99% of lead from your drinking water • Reduces pharmaceuticals, chlorine taste and odor • NSF certified • Mfg# MWFP
Item#
4717390

GE APPLIANCES



GE® Refrigerator Water Filter
• 6 month filter life • 170 gallon filter capacity • NSF certified • Mfg# XWFE
Item#
8742554





Refrigerator Coil Brush
 • 12" brush length • 1-1/2" and 3/4" bristle length • 27-1/2" L
 • Mfg# RCB1
Item#
7218692



Whirlpool® Bimetal Defrost Thermostat
 • Clip-on • Mfg# WP4387490
Item#
7180409



Refrigerator Thermometer
 • -20°F to 80°F (-29°C to 27°C) • Stainless steel construction • Hangs or stands • Unbreakable lens
 • Mfg# ST03
Item#
4479611



GE® Evaporator Fan Motor
 • Replaces GE® WR60X10285 • Mfg# WR60X21886
Item#
7256058



GE® Refrigerator Door Gasket
 • 26-3/32" W x 38-1/2" H • Mfg# WR24X10231
Item#
5152577



GE® Water Valve
 • Replaces WR57X90, WR57X93, WR57X10015, WR57X10034, WR57X10049, WR57X10063, WR57X10075, WR57X102, WR57X110, WR57X90, WR57X93, WR57X95 and WR57X96 • With guard • Mfg# WR57X10033
Item#
5152601



ProFlo® 25' Poly Ice Maker Installation Kit
 • Self-tapping brass valve • Kit includes: tubing, needle valve, saddle clamp, nuts, bolts, washers and inserts
 • Connects from water line to appliance • 3/8" OD to 1" OD x 1/4" OD comp • Mfg# PFXIMK25PA
Item#
5118610



10' Vinyl Ice Maker Hose
 • 1/4" OD female compression x 1/4" OD female compression
 • Includes self piercing saddle valve • PVC/nylon braid/PVC
 • 125 psi max operating pressure • 160°F max working temperature • Mfg# 91310N
Item#
4345255



ProFlo® 5' Ice Maker Line
 • 1/4" compression x 1/4" compression • 60" • Stainless steel
 • 125 psi max operating pressure • 40°F - 160°F operating temperature • Exclusive double reinforced construction consists of a high strength stainless steel braid and reinforced thermoplastic inner core • Mfg# PFX146205
Item#
2405287

Appliances





Appliances - Dishwasher Parts

Whirlpool

Supco

Supco



Whirlpool® Under Counter Mounting Bracket Kit
• Universal • For 24" dishwasher space • Mfg# W10426979

Item#
7237791

Replacement GE Dishwasher Baffle

Item#	Mfg#	Side	Replaces
4416357	DW156	Right-hand	GE® WD8X227

Replacement GE Dishwasher Baffle

Item#	Mfg#	Side	Replaces
4416359	DW157	Left-hand	GE® WD8X228

GE APPLIANCES

JONES STEPHENS



GE® Dishwasher Drain Solenoid Kit
• Replaces WD21X10057 and WD21X10064 • Includes armature and linkage
• Mfg# WD21X10060

Item#
5152652

Dishwasher Compression Elbow
• 3/4" FGHT x 3/8" OD Comp • 75 psi maximum pressure • 180°F maximum temperature
• Mfg# G20086LF

Item#
4810266

PROFLO

PROFLO



ProFlo® Dishwasher Connector
• 3/8" compression x 3/8" compression • Includes dishwasher connector and 2 elbows; PFMCECC and PFXDEN • Exclusive double reinforced construction consists of a high strength stainless steel braid and reinforced thermoplastic inner core • 150 psi max operating pressure • Heavy duty sealing washers • 33°F - 180°F operating temperature

Item#	Mfg#	Length
4320705	PFXSD6C60ET	60"

ProFlo® Dishwasher Connector
• 3/8" compression x 3/8" compression • Exclusive double reinforced construction consists of a high strength stainless steel braid and reinforced thermoplastic inner core • 125 psi max operating pressure • 40°F - 160°F operating temperature • Includes 3/8" MIP x 3/8" compression elbow

Item#	Mfg#	Length
2405279	PFX146350	48"
2405280	PFX146352	60"
2405281	PFX146354	72"






Replacement GE Tub Dampening Strap
 • Replaces GE® WH1X2727 • Mfg# ERWH1X2727
Item#
7629100



Replacement Whirlpool Washer Drive Coupling
 • Replaces Whirlpool® 285753 • Mfg# ER285753
Item#
7629099



Whirlpool® Agitator Dogs 4/Pk
 • Replaces 285612, 285770, 3366877, 387091, 80040VP and 99989668 • Mfg# 80040
Item#
5152604



Whirlpool® Lid Switch
 • Replaces 3355806 and WP3355806VP • Mfg# WP3355806
Item#
7180396



Replacement Whirlpool Lid Switch
 • Replaces Whirlpool® 3949237, 3949239, 3949240 and 3949247 • 24" wire leads with 14" plastic sleeves • Mfg# ES247
Item#
4479548



Whirlpool® Water Pump Assembly
 • Replaces 3348015, 3352492, 3363394, 62516, 63347, 64076, 8235 and WP3363394VP
 • Mfg# WP3363394
Item#
7180404



ProFlo® Washing Machine Connector 2/Pk
 • 60" • 3/4" FHT x 3/4" FHT • Rubber with straight ends • Mfg# PFWMH5PR
Item#
3994910



ProFlo® Washing Machine Connector
 • 3/4" FHT x 3/4" FHT • Exclusive double reinforced construction consists of a high strength stainless steel braid and reinforced thermoplastic inner core • Heavy duty sealing washers snap into place • 125 psi max operating pressure • 40°F - 160°F operating temperature

Item#	Mfg#	Length
2405282	PF146814	48"
2405283	PF146815	60"





Linteater® Dryer Vent Cleaning System

- 9 piece kit includes: (1) self-feeding 4" auger brush, (4) 36" flexible rods, (1) large 2.5 dia. lint brush, (1) vacuum adapter, (1) dryer adapter • Removes lint build-up
- Mfg# RLE202

Item#
7218697



Deflecto® Aluminum Pipe

- 4" dia x 24" round aluminum pipe • Snaplock seam
- Mfg# DP244/12

Item#
831481



Deflecto® Supurr-Flex® Dryer Aluminum Duct

- 4" dia x 8' • Fire resistant • Flexible • Easy to install
- Mfg# F0408B

Item#
7011283



Deflecto® 4" Aluminum Dryer Vent Hood

- Includes pipe and collar • White plastic hood • Assembled
- Durable and weather-resistant • Mfg# DAVHA4/12

Item#
1254139



Deflecto® 4" Aluminum Dryer Vent With Wide Mouth Hood

- Includes pipe and collar • Detachable bird guard
- Assembled • Durable and weather-resistant

Item#	Mfg#	Color
519800	RVHAW4	White
519802	RVHAB4	Brown



Deflecto® 4" Wide Mouth Hood

- Detachable bird guard • Plastic hood • Durable and weather-resistant

Item#	Mfg#	Color
765784	HR4W	White



Deflecto® Universal Bird Guard

- Easily installs over most any type 3" or 4" dryer or bathroom exhaust vent

Item#	Mfg#	Color
1082583	UBGWB	White
3326342	UBGBB	Brown



Whirlpool® Dryer Lint Screen And Cover

- Replaces 348399, 348400, 685273, 8531964, 8531967, W10812395 and W10828351VP • Mfg# W10828351

Item#
7225853



Dryer Cord

- 125/250 volts • Three 10 gauge wires

Item#	Mfg#	Prongs	Length	Amps
10346024	RAP34001	3	4'	30
10346025	RAP34002	3	6'	30
10346026	RAP34003	4	4'	30
10346027	RAP34004	4	6'	30





Cordless Vinyl Mini Blinds

LOTUS
WINDOWARE
INCORPORATED



Cordless Vinyl Mini Blind

• 1" wide static resistant, fade resistant PVC slats • PVC headrail • White

Item#	Mfg#	Window Width	Blind Width	Lead Time	Maximum Cut (Width)
48" Length					
7643026	MLX3548WH	35"	34.5"	-	6"
7643041	MLX4648WH	46"	45.5"	-	6"
60" Length					
7643103	MLX3160WH	31"	30.5"	-	6"
7643147	MLX3460WH	34"	33.5"	-	6"
7643073	MLX3560WH	35"	34.5"	-	6"
7643179	MLX3960WH	39"	38.5"	-	6"
7643086	MLX4760WH	47"	46.5"	-	6"
7643029	MLX5960WH	59"	58.5"	-	6"
7643059	MLX7160WH	71"	70.5"	-	6"
64" Length					
7642971	MLX2764WH	27"	26.5"	-	6"
7642988	MLX3164WH	31"	30.5"	-	6"
7643093	MLX3364WH	33"	32.5"	-	6"
7643021	MLX3464WH	34"	33.5"	-	6"
7642950	MLX3564WH	35"	34.5"	-	6"
7643130	MLX3664WH	36"	35.5"	-	6"
7642963	MLX3964WH	39"	38.5"	-	6"
7642958	MLX4364WH	43"	42.5"	-	6"
7642959	MLX4764WH	47"	46.5"	-	6"
7643133	MLX7064WH	70"	69.5"	-	6"
72" Length					
7643083	MLX2372WH	23"	22.5"	-	6"
7643135	MLX2472WH	24"	23.5"	-	6"
7642947	MLX2572WH	25"	24.5"	-	6"
7643120	MLX2772WH	27"	26.5"	-	6"
7643116	MLX3172WH	31"	30.5"	-	6"
7643129	MLX3472WH	34"	33.5"	-	6"
7643096	MLX3572WH	35"	34.5"	-	6"
7643023	MLX3672WH	36"	35.5"	-	6"
7643191	MLX3972WH	39"	38.5"	-	6"
7643038	MLX4772WH	47"	46.5"	-	6"
7643025	MLX7072WH	70"	69.5"	-	6"

Need custom cut blinds? Send us an email your measurements using the form on page 141 and we'll take care of the rest!





Cordless Vinyl Plus Mini Blinds



Cordless Vinyl Plus Mini Blind

• 1" wide premium room darkening, warp resistant PVC slats • Steel head and bottom rails • White

Item#	Mfg#	Window Width	Blind Width	Lead Time	Maximum Cut (Width)
36" Length					
7643149	RLX2336WH	23"	22.5"	-	6"
48" Length					
7642946	RLX3548WH	35"	34.5"	-	6"
7643063	RLX4748WH	47"	46.5"	-	6"
60" Length					
7643092	RLX2360WH	23"	22.5"	-	6"
7643188	RLX3160WH	31"	30.5"	-	6"
7643163	RLX3560WH	35"	34.5"	-	6"
7643172	RLX3660WH	36"	35.5"	-	6"
7643158	RLX4760WH	47"	46.5"	-	6"
7643022	RLX5960WH	59"	58.5"	-	6"
7643024	RLX7160WH	71"	70.5"	-	6"
64" Length					
7643061	RLX3164WH	31"	30.5"	-	6"
7643159	RLX3464WH	34"	33.5"	-	6"
7642981	RLX3564WH	35"	34.5"	-	6"
7643047	RLX3664WH	36"	35.5"	-	6"
7643003	RLX3964WH	39"	38.5"	-	6"
7642964	RLX4664WH	46"	45.5"	-	6"
7643032	RLX4764WH	47"	46.5"	-	6"
7642972	RLX7064WH	70"	69.5"	-	6"
72" Length					
7642564	RLX2372WH	23"	22.5"	-	6"
7643165	RLX2472WH	24"	23.5"	-	6"
7643170	RLX2572WH	25"	24.5"	-	6"
7643128	RLX2972WH	29"	28.5"	-	6"
7643148	RLX3072WH	30"	29.5"	-	6"
7643176	RLX3172WH	31"	30.5"	-	6"
7643143	RLX3572WH	35"	34.5"	-	6"
7642970	RLX3672WH	36"	35.5"	-	6"
7643141	RLX3972WH	39"	38.5"	-	6"
7643137	RLX4772WH	47"	46.5"	-	6"
7643194	RLX6372WH	63"	62.5"	-	6"
7643184	RLX9572WH	95"	94.5"	-	6"

Need custom cut blinds? Send us an email your measurements using the form on page 141 and we'll take care of the rest!





Cordless Aluminum Mini Blinds

LOTUS
WINDOWARE
INCORPORATED



Decor

Cordless Aluminum Mini Blind

• 1" wide 6-gauge crease resistant, static resistant aluminum slats • Steel head and bottom rails • Custom cut service not available on Aluminum blinds • White

Item#	Mfg#	Window Width	Blind Width	Maximum Cut (Width)
36" Length				
7643020	AMX3536WH	35"	34.5"	NA
48" Length				
7643016	AMX46548WH	46.5"	46"	NA
7643144	AMX58548WH	58.5"	58"	NA
7643089	AMX7048WH	70"	69.5"	NA
60" Length				
7643110	AMX3560WH	35"	34.5"	NA
7643070	AMX4760WH	47"	46.5"	NA
7643094	AMX5960WH	59"	58.5"	NA
7643122	AMX7160WH	71"	70.5"	NA
72" Length				
7643169	AMX2372WH	23"	22.5"	NA
7643112	AMX2472WH	24"	23.5"	NA
7643054	AMX2572WH	25"	24.5"	NA
7643095	AMX3572WH	35"	34.5"	NA
7643085	AMX4772WH	47"	46.5"	NA
7643076	AMX7172WH	71"	70.5"	NA
7643166	AMX8372WH	83"	82.5"	NA
7643035	AMX9572WH	95"	94.5"	NA

Need custom cut blinds? Send us an email your measurements using the form on page 141 and we'll take care of the rest!





Cordless Faux Wood Blinds



Cordless Faux Wood Blind

• 2" wide static resistant slats for designer look • 3-1/4" crown valance • Wand control • Smooth texture • Off-White

Item#	Mfg#	Window Width	Blind Width	Lead Time	Maximum Cut (Width)
36" Length					
7643145	FCX3536WH	35"	34.5"	-	6"
7643045	FCX4736WH	47"	46.5"	-	6"
7642944	FCX5936WH	59"	58.5"	-	6"
7642979	FCX7136WH	71"	70.5"	-	6"
48" Length					
7643138	FCX2348WH	23"	22.5"	-	6"
7643121	FCX2948WH	29"	28.5"	-	1"
7642985	FCX3548WH	35"	34.5"	-	6"
7643060	FCX4748WH	47"	46.5"	-	6"
7643000	FCX5948WH	59"	58.5"	-	6"
7642993	FCX7148WH	71"	70.5"	-	6"
7643139	FCX7248WH	72"	71.5"	-	6"
60" Length					
7643090	FCX2360WH	23"	22.5"	-	6"
7642961	FCX2960WH	29"	28.5"	-	1"
7643186	FCX3160WH	31"	30.5"	-	4"
7643008	FCX3460WH	34"	33.5"	-	6"
7643098	FCX3560WH	35"	34.5"	-	6"
7643124	FCX3960WH	39"	38.5"	-	6"
7643067	FCX4360WH	43"	42.5"	-	6"
7642955	FCX46560WH	46.5"	46"	-	6"
7643108	FCX4760WH	47"	46.5"	-	6"
7643014	FCX5960WH	59"	58.5"	-	6"
7643175	FCX6360WH	63"	62.5"	-	6"
7643161	FCX7060WH	70"	69.5"	-	6"
7643013	FCX70560WH	70.5"	70"	-	6"
7643088	FCX7160WH	71"	70.5"	-	6"
7643050	FCX7260WH	72"	71.5"	-	6"

Item#	Mfg#	Window Width	Blind Width	Lead Time	Maximum Cut (Width)
72" Length					
7642953	FCX1772WH	17"	16.5"	-	2"
7643072	FCX2372WH	23"	22.5"	-	6"
7643053	FCX2772WH	27"	26.5"	-	1"
7643167	FCX2972WH	29"	28.5"	-	1"
7643074	FCX3172WH	31"	30.5"	-	4"
7643117	FCX3472WH	34"	33.5"	-	6"
7643181	FCX3572WH	35"	34.5"	-	6"
7642989	FCX3672WH	36"	35.5"	-	6"
7643111	FCX3972WH	39"	38.5"	-	6"
7643082	FCX4372WH	43"	42.5"	-	6"
7643118	FCX4772WH	47"	46.5"	-	6"
7643065	FCX5972WH	59"	58.5"	-	6"
7643193	FCX6372WH	63"	62.5"	-	6"
7643113	FCX7072WH	70"	69.5"	-	6"
7643040	FCX7172WH	71"	70.5"	-	6"
7642978	FCX7272WH	72"	71.5"	-	6"
84" Length					
7643042	FCX2784WH	27"	26.5"	-	1"
7643002	FCX3684WH	36"	35.5"	-	6"

Decor

Need custom cut blinds? Send us an email your measurements using the form on page 141 and we'll take care of the rest!





Cordless Faux Wood Blinds

LOTUS
WINDOWARE
INCORPORATED



Cordless Faux Wood Blind

• 2" wide static resistant slats for designer look • 3-1/4" crown valance • Wand control • Smooth texture • Bright White

Item#	Mfg#	Window Width	Blind Width	Lead Time	Maximum Cut (Width)	Item#	Mfg#	Window Width	Blind Width	Lead Time	Maximum Cut (Width)
36" Length						60" Length					
10065871	FLX3536BWH	35"	34.5"	-	6"	10066044	FLX70560BWH	70.5"	70"	-	6"
10065970	FLX4736BWH	47"	46.5"	-	6"	10066057	FLX7160BWH	71"	70.5"	-	6"
10066018	FLX5936BWH	59"	58.5"	-	6"	10066062	FLX7260BWH	72"	71.5"	-	6"
10066053	FLX7136BWH	71"	70.5"	-	6"	72" Length					
48" Length						10065684	FLX1772BWH	17"	16.5"	-	2"
10065715	FLX2348BWH	23"	22.5"	-	6"	10061860	FLX2372BWH	23"	22.5"	-	6"
10065779	FLX2948BWH	29"	28.5"	-	1"	10065762	FLX2772BWH	27"	26.5"	-	1"
10065873	FLX3548BWH	35"	34.5"	-	6"	10065786	FLX2972BWH	29"	28.5"	-	1"
10065972	FLX4748BWH	47"	46.5"	-	6"	10065815	FLX3172BWH	31"	30.5"	-	4"
10066020	FLX5948BWH	59"	58.5"	-	6"	10065864	FLX3472BWH	34"	33.5"	-	6"
10066055	FLX7148BWH	71"	70.5"	-	6"	10065885	FLX3572BWH	35"	34.5"	-	6"
60" Length						10065901	FLX3672BWH	36"	35.5"	-	6"
10065718	FLX2360BWH	23"	22.5"	-	6"	10065922	FLX3972BWH	39"	38.5"	-	6"
10065784	FLX2960BWH	29"	28.5"	-	1"	10065946	FLX4372BWH	43"	42.5"	-	6"
10065811	FLX3160BWH	31"	30.5"	-	4"	10065977	FLX4772BWH	47"	46.5"	-	6"
10065860	FLX3460BWH	34"	33.5"	-	6"	10066024	FLX5972BWH	59"	58.5"	-	6"
10065881	FLX3560BWH	35"	34.5"	-	6"	10066035	FLX6372BWH	63"	62.5"	-	6"
10065919	FLX3960BWH	39"	38.5"	-	6"	10066050	FLX7072BWH	70"	69.5"	-	6"
10065944	FLX4360BWH	43"	42.5"	-	6"	10061862	FLX7172BWH	71"	70.5"	-	6"
10065963	FLX46560BWH	46.5"	46"	-	6"	10066064	FLX7272BWH	72"	71.5"	-	6"
10065974	FLX4760BWH	47"	46.5"	-	6"	84" Length					
10066022	FLX5960BWH	59"	58.5"	-	6"	10065764	FLX2784BWH	27"	26.5"	-	1"
10066033	FLX6360BWH	63"	62.5"	-	6"	10065904	FLX3684BWH	36"	35.5"	-	6"
10066048	FLX7060BWH	70"	69.5"	-	6"						

Decor

Need custom cut blinds? Send us an email your measurements using the form on page 141 and we'll take care of the rest!





Vertical Blinds



Decor

Standard Vertical Blind

• 3-1/2" wide vanes • Stack left or right • Heavy-duty roll formed steel headrail • Complete with matching valance • Child safe wand control • White

Item#	Mfg#	Width	Lead Time	Maximum Cut (Width)
48" Length				
5149302	VS3548SCWH	35"	-	No Max
5149065	VS4748SCWH	47"	-	No Max
5148829	VS5948SCWH	59"	-	No Max
5148983	VS6348SCWH	63"	-	No Max
5149289	VS7148SCWH	71"	-	No Max
5148798	VS7248SCWH	72"	-	No Max
60" Length				
5148933	VS2360SCWH	23"	-	No Max
4737814	VS3560SCWH	35"	-	No Max
5149139	VS4760SCWH	47"	-	No Max
5148915	VS5960SCWH	59"	-	No Max
4542464	VS6360SCWH	63"	-	No Max
5149371	VS7160SCWH	71"	-	No Max
4737812	VS7260SCWH	72"	-	No Max
5148764	VS7860SCWH	78"	-	No Max

Item#	Mfg#	Width	Lead Time	Maximum Cut (Width)
72" Length				
5149226	VS4772SCWH	47"	-	No Max
5148989	VS5972SCWH	59"	-	No Max
7642995	VS6372SCWH	63"	-	No Max
5148754	VS7172SCWH	71"	-	No Max
5148973	VS7272SCWH	72"	-	No Max
5148859	VS7872SCWH	78"	-	No Max
7642968	VS10272SCWH	102"	-	No Max
84" Length				
5149073	VS5984SCWH	59"	-	No Max
4808324	VS6684SCWH	66"	-	No Max
4503701	VS7284SCWH	72"	-	No Max
4420424	VS7884SCWH	78"	-	No Max
4420446	VS10284SCWH	102"	-	No Max
4808838	VS10484SCWH	104"	-	No Max
4808552	VS11084SCWH	110"	-	No Max
5149232	VS11684SCWH	116"	-	No Max
96" Length				
5149007	VS7896SCWH	78"	-	No Max
5149123	VS10296SCWH	102"	-	No Max
7643174	VS10496SCWH	104"	-	No Max
7643168	VS11096SCWH	110"	-	No Max

Need custom cut blinds? Send us an email your measurements using the form on page 141 and we'll take care of the rest!



CUSTOM BLINDS ORDER FORM

All custom orders require up to 48 hours to complete, provided the material is available in stock. Lead time and price will vary for Vinyl, Vinyl Plus mini blinds and Faux Wood blinds requiring custom height. Large quantities may require a longer lead time. There will be a \$5.00 charge per custom blind.

Email completed form to facilities.supply@ferguson.com

Account Name/Number	Ship To
Requestor Name	
Order Date	City/ST/Zip
PO Number	Phone Number


PLEASE SEND ORDER CONFIRMATION TO: _____

Customer Name/Email/Fax


Qty	Blinds	Size Type	Width	Length	Color	Mount	Special Instructions
	<input type="checkbox"/> 1" Vinyl Mini Blind (MLX) <input type="checkbox"/> 1" Vinyl Plus Mini Blind (RLX) <input type="checkbox"/> 2" Faux Wood (FCX) <input type="checkbox"/> 2" Faux Wood (FLX) <input type="checkbox"/> 3-1/2" Standard Vertical (VS)	<input type="checkbox"/> Window Opening <input type="checkbox"/> Blind Size	_____ inches	_____ inches		<input type="checkbox"/> Inside <input type="checkbox"/> Outside	
	<input type="checkbox"/> 1" Vinyl Mini Blind (MLX) <input type="checkbox"/> 1" Vinyl Plus Mini Blind (RLX) <input type="checkbox"/> 2" Faux Wood (FCX) <input type="checkbox"/> 2" Faux Wood (FLX) <input type="checkbox"/> 3-1/2" Standard Vertical (VS)	<input type="checkbox"/> Window Opening <input type="checkbox"/> Blind Size	_____ inches	_____ inches		<input type="checkbox"/> Inside <input type="checkbox"/> Outside	
	<input type="checkbox"/> 1" Vinyl Mini Blind (MLX) <input type="checkbox"/> 1" Vinyl Plus Mini Blind (RLX) <input type="checkbox"/> 2" Faux Wood (FCX) <input type="checkbox"/> 2" Faux Wood (FLX) <input type="checkbox"/> 3-1/2" Standard Vertical (VS)	<input type="checkbox"/> Window Opening <input type="checkbox"/> Blind Size	_____ inches	_____ inches		<input type="checkbox"/> Inside <input type="checkbox"/> Outside	
	<input type="checkbox"/> 1" Vinyl Mini Blind (MLX) <input type="checkbox"/> 1" Vinyl Plus Mini Blind (RLX) <input type="checkbox"/> 2" Faux Wood (FCX) <input type="checkbox"/> 2" Faux Wood (FLX) <input type="checkbox"/> 3-1/2" Standard Vertical (VS)	<input type="checkbox"/> Window Opening <input type="checkbox"/> Blind Size	_____ inches	_____ inches		<input type="checkbox"/> Inside <input type="checkbox"/> Outside	

ADDITIONAL INFORMATION:

1. For inside mount measurements, measure width from the bottom, middle, and top of the window, and provide the smallest measurement.
2. Inside mount horizontal blinds will include a 1/2" inch deduction in width from the size provided. Inside mount vertical blinds will include a 1/2" inch deduction in both width and length from the size provided.
3. For replacement of existing blinds, provide the measurements of the product and not sizes listed on previous packaging.
4. For outside mount measurements, provide the total size of the blinds needed.



For Inside Mount:
Measure width and height inside of the window frame.



For Outside Mount:
Measure overall area to be covered outside of the window frame.

CUSTOM WINDOW COVERING ORDER TERMS

Orders for custom blinds may not be canceled and blinds are not returnable. By signing below, you agree to the terms stated above.

Name: _____ Date: _____



Pre-Assembled Combos



White Raised Panel Vanity and Top Combo

- Durable White thermofoil finish • Raised panel door style • Full overlay • Full-access vanity bases - no center stile • Frameless cabinet construction • Engineered wood construction
- Open back for easy plumbing access • Natural maple laminated interiors • Finished notched toe kick • Fully assembled - ready to install • Solid White, oval bowl cultured marble vanity top included • Limited lifetime warranty

Item#	Mfg#	Dimensions	Configuration
10839898	80-8101-0-1195	24" W x 36" H x 18-3/4" D	2-Doors
10839899	80-8101-0-1196	30" W x 36" H x 18-3/4" D	2-Doors

Decor



White Shaker Vanity and Top Combo

- Durable White thermofoil finish • Shaker door style • Full overlay • Full-access vanity bases - no center stile • Frameless cabinet construction • Engineered wood construction • Open back for easy plumbing access • Concealed and adjustable self-closing hinges • Natural maple laminated interiors • Finished notched toe kick • Fully assembled - ready to install • Solid White, rectangular wave bowl cultured marble vanity top included

Item#	Mfg#	Dimensions	Configuration
10839900	80-8104-0-1159	24" W x 33-1/2" H x 18-3/4" D	2-Doors
10839901	80-8104-0-1196	30" W x 33-1/2" H x 18-3/4" D	2-Doors





Pre-Assembled



A



B



C

White Raised Panel Vanity Base Cabinets

- Durable White thermofoil finish • Raised panel door style • Full overlay • Full-access vanity bases - no center stile • Frameless cabinet construction • Engineered wood construction
- Open back for easy plumbing access • Concealed and adjustable self-closing hinges • Four-sided hardwood drawer box • Soft closing undermount drawer glides
- Natural maple laminate finished interiors • Finished notched toe kick • Limited lifetime warranty • Fully assembled - ready to install

Item#	Mfg#	Dimensions	Configuration
A 10106962	80-8204-0-1615	24" W x 34-1/2" H x 21" D	2-Doors
B 10106963	80-8204-0-1617	30" W x 34-1/2" H x 21" D	2-Doors
C 10106964	80-8204-0-1619	36" W x 34-1/2" H x 21" D	2-Doors



D



E



F

White Shaker Vanity Base Cabinets

- Durable White thermofoil finish • Shaker door style • Full overlay • Full-access vanity bases - no center stile • Frameless cabinet construction • Engineered wood construction • Open back for easy plumbing access • Concealed and adjustable self-closing hinges • Four-sided hardwood drawer box • Soft closing undermount drawer glides • Natural maple laminate finished interiors • Finished notched toe kick • Limited lifetime warranty • Fully assembled - ready to install

Item#	Mfg#	Dimensions	Configuration
D 10106954	80-8201-0-1615	24" W x 34-1/2" H x 21" D	2 Doors
E 10106955	80-8201-0-1617	30" W x 34-1/2" H x 21" D	2 Doors
F 10106956	80-8201-0-1619	36" W x 34-1/2" H x 21" D	2 Doors

Cultured Marble Tops



Camilla Vanity Top

- Solid White

Item#	Mfg#	Dimensions
10085438	623918	25" W x 22" D
10085439	623926	31" W x 22" D
10085440	623934	37" W x 22" D



OUR EASY CABINET MAKEOVERS ATTRACT RENTERS!

Save time and money. Our fast, affordable process renews your existing boxes.

BEFORE



AFTER



SHOCKINGLY EASY


Complete kits, anyone can install.

SURPRISINGLY AFFORDABLE

1/3 the cost of installing new cabinets.

SUPERIOR PRODUCT

Better looking than thermofoil. More durable. Never delaminates.



We provide only high-quality parts and accessories to finish the job.

Now offering Slab doors!

Qwikkit
CABINET MAKEOVER KITS

Call your local Ferguson rep or 888-334-0004 for a quote today!



Frameless Mirrors



A, B, C, D



E, F, G, H

Frameless Mirror

Item#	Mfg#	Dimensions	Mirror Edge
A 7253123	WM2436PEBP5	24" W x 36" H	Polished edge
B 7253119	WM3036PEBP3	30" W x 36" H	Polished edge
C 7253117	WM3636PEBP3	36" W x 36" H	Polished edge
D 7253118	WM3642PEBP3	36" W x 42" H	Polished edge
E 7253124	WM2436BVBP5	24" W x 36" H	Beveled edge
F 7253122	WM3036BVBP3	30" W x 36" H	Beveled edge
G 7253121	WM3636BVBP3	36" W x 36" H	Beveled edge
H 7253116	WM3642BVBP3	36" W x 42" H	Beveled edge



Mirror J-Mold 5/Pk

• 60" • Scratch free finish pre-punched 4" on center • 1/4" wide • Smooth, clean finish, blemish and scratch free

Item#

8928963



E-Z Mount Mirror Clip

• Includes: (2) upper clips, (2) lower clips and (4) screws • Mfg# XWM607234

Item#

7253120

Mirror Frame Kits and Framed Mirrors



White Mirror Frame Kit

• 4 precut wrapped MDF pieces • Hides mirror clips and blemishes • Easy assembly with included bow tie connectors and double-sided adhesive • Includes low-profile mirror clips and glue • Polyurethane adhesive recommended for permanent installation (not included) • Mirror sold separately

Item#	Mfg#	Size Dimensions
7628587	OK2436N271	24" x 36"
7628585	OK3036N271	30" x 36"
7628597	OK3636N271	36" x 36"
7628582	OK4236N271	42" x 36"
7628570	OK4836N271	48" x 36"
7628590	OK6036N271	60" x 36"



Silver Mirror Frame Kit

• 4 precut wrapped MDF pieces • Hides mirror clips and blemishes • Easy assembly with included bow tie connectors and double-sided adhesive • Includes low-profile mirror clips and glue • Polyurethane adhesive recommended for permanent installation (not included) • Mirror sold separately

Item#	Mfg#	Size Dimensions
7628588	OK2436N272	24" x 36"
7628591	OK3036N272	30" x 36"
7628598	OK3636N272	36" x 36"
7628419	OK4236N272	42" x 36"
7628571	OK4836N272	48" x 36"
7628592	OK6036N272	60" x 36"





Medicine Cabinets



A



B



C



D



E



F



G

Jensen® Medicine Cabinet

Item#	Mfg#	Model	Dimensions	Mount Type	Mirror Edge	Body
A 1892705	401ADJ	Styleline	16" W x 20" H	Recessed	Stainless Steel	Injection-Molded Polystyrene
B 4087175	781021	Builder Series	16" W x 22" H	Recessed	Stainless Steel	Injection-Molded Polystyrene
C 4087112	781037	Builder Series	16" W x 22" H	Recessed	Beveled	Injection-Molded Polystyrene
D 4087122	781045	Builder Series	16" W x 26" H	Recessed	Stainless Steel	Injection-Molded Polystyrene
E 4087127	781053	Builder Series	16" W x 26" H	Recessed	Polished	Injection-Molded Polystyrene
F 1892801	1438	Focus	16" W x 26" H	Recessed	Polished	Steel
G 1892833	1459	Horizon	16" W x 26" H	Recessed	Beveled	Steel

Tri-View Medicine Cabinets



Beveled Frameless Tri-View Medicine Cabinet

• 1/2" beveled mirror • Surface mount • Some assembly required

Item#	Mfg#	Size Dimensions	Fixed Shelves	Adjustable Shelves	Weight
4434958	M30	30" x 26"	1	2	41 lbs





Primers



Zinsser® Bulls Eye 1-2-3® Oil-Based Aerosol Primer
 • Great hide and adhesion without sanding • Superior stain blocking • Resists peeling and blistering • Mold and mildew resistant • Fast 1-hour dry • Interior/exterior

Item#	Size	Color
7234138	13 oz	White



Kilz® Original Oil-Based Aerosol Primer, Sealer and Stain Blocker
 • Blocks smoke and nicotine stains • Seals in water, ink and graffiti stains • Interior

Item#	Size	Color
655143	13 oz	White



Zinsser® Odorless Oil-Based Stain Blocking Primer
 • Seals stains from water, fire and smoke damage • Non-yellowing, dries flat, sands easily • Use with all topcoats • 350 VOC

Item#	Size	Color
9945076	13 oz	White

Direct To Metal Coatings




Rust-Oleum® High Performance V7400 System 340 VOC DTM Alkyd Enamel

• High gloss finish • One coat coverage • Resists chipping, fading and weathering • Two-year rust-proof guarantee • Dries tack-free in 2-4 hours

Item#	Size	Color
6385854	1 gal	High Gloss White
4930080	1 gal	High Gloss Black
4930530	1 gal	Aluminum
4930353	1 gal	Safety Red
6380408	1 gal	Safety Yellow
4930339	1 gal	Safety Blue

Epoxy Floor Coating



SEAL-KRETE® Epoxy-Seal Concrete & Garage Floor Paint

• Ready-to-use, acrylic-epoxy blend • Resists hot tire pick-up, water, oil, grease and gasoline stains • Dries to a durable, UV-resistant, satin finish • Resists scuffing, peeling, blistering and fading • Satin finish • Low VOC • Interior/exterior

Item#	Size	Color
9977301	1 gal	Armor Gray
8486622	1 gal	Slate Gray

Masonry Waterproof



SEAL-KRETE® DAMPLOCK® Masonry Waterproofing Paint

• Water-based • Used to waterproof basement walls and masonry • 15-year warranty • Stops up to 15 psi • Resists mold & mildew • Low odor, low VOC

Item#	Size
7234143	1 gal

Anti-Slip Floor Coatings



Rust-Oleum® Concrete Saver® AS5600 System Anti-Slip Floor and Deck Coating

• Single-component acrylic • Use on concrete, metal floors, walkways, decks and patios • Accepts heavy traffic in 24-hours • Interior/exterior

Item#	Size	Color
5148094	1 gal	Safety Yellow
5148096	1 gal	Navy Gray
5148095	1 gal	Black

Paint Hardeners



Xsorb® Rock Solid™ Paint Hardener Pail

• 4 gal • Solidifies paint for proper disposal • Non-toxic & eco-friendly • Use on water or oil-based paint, stain & solvents • Simple to use: just add to the can and stir • Solidifies in minutes

Item#	Size
7937019	4 gal

Rust Removers



Permatex® Rust Dissolver Gel

• Dissolves rust from all iron and steel surfaces • Simply brush or spray on, wash off rust with cloth • Replaces tough sanding and scraping • Easy clean-up with water

Item#	Size
11454889	8 oz



Loctite® Extend Rust Neutralizer Spray

• Seals rust and creates a neutral surface that is ready for priming and painting • Dries to produce a tough polymer surface • Sets in 20 minutes per coat

Item#	Size
7953207	10.25 oz





High Performance Enamel Spray Paint



Rust-Oleum® High Performance V2100 System Enamel Spray Paint

• Modified alkyd • Superior resistance to chipping, cracking and peeling • High-output tip covers 50% faster • Withstands heat to 200°F • Dries in 20 minutes

Item#	Size	Color
1814948	15 oz	Gray Primer
1814847	15 oz	Flat White
1814827	15 oz	Gloss White
1815010	15 oz	Flat Black
1283505	15 oz	Black
1815367	15 oz	Gloss Black
1815092	15 oz	Almond
1815461	15 oz	Tan
831577	15 oz	Silver Aluminum
1815321	15 oz	Gray
1815162	15 oz	Bright Red
6000768	15 oz	Safety Yellow
1814793	15 oz	Safety Red
1814884	15 oz	Safety Blue

Multi-Purpose Enamel Spray Paint



Rust-Oleum® Industrial Choice® 1600 System Multi-Purpose Enamel Spray Paint

• Modified alkyd • Resists chipping, fading and peeling • Withstands heat to 200° F • Dries in 12-minutes

Item#	Size	Color
9808232	12 oz	Gloss White
9808389	12 oz	Flat White
9808266	12 oz	Ultra-Flat Black
1815119	12 oz	Semi-Flat Black
9808388	12 oz	Gloss Black
1815188	12 oz	Almond

Appliance Touch-Up



Rust-Oleum® Specialty Appliance Epoxy

• Ultra-hard, moisture resistant enamel • Provides a smooth, washable surface • Spray on 2-3 light coats a few minutes apart; no primer needed • Interior

Item#	Size	Color
4668931	12 oz	White
4668932	12 oz	Biscuit
4668926	12 oz	Black

Fixture Touch-Up



Rust-Oleum® Tub & Tile Aerosol

• Bonds to porcelain and ceramic providing outstanding adhesion, durability and color retention in high moisture areas • Epoxy acrylic formula • Withstands extreme hot temperatures • Leaves a smooth, glossy, waterproof finish

Item#	Size	Color
8035384	12 oz	White





Purdy Brushes



Purdy® XL™ 3-Brush Multi Pack

- For use with all paints and stains • Blend of DuPont® solid, round and tapered Tynex® and Orel® filaments
- Includes (1) 1" XL™ Dale™, (1) 1-1/2" XL™ Glide™ and (1) 2" XL™ Sprig™ brush

Item#
9190829

Purdy Roller Applicators



Purdy® 9" Wood Handle 5-Wire Roller Frame

- 5-Wire frame • Wood handle • High quality

Item#
9190806



Purdy® White Dove™ Roller Cover

- For use with all paints and exterior stains • Provides a smooth, lint free finish • Woven Dralon® high density fabric • Polypropylene core

Item#	Size	Nap
9190822	9"	1/4"
9190872	9"	3/8"
9190876	9"	1/2"

Wooster Brushes



Wooster® Silver Tip® Polyester Angle Sash Brush Pack

- White & Silver CT™ polyester filaments • Stainless steel ferrule • Hardwood handle • Variety 3 Pack: 1" Thin Angle, 1-1/2" Angle, 2" Varnish

Item#	Size
7206908	1, 1-1/2 & 2"

Wooster Roller Frames



Wooster® Magikage® Ninety Roller Frame

- 9" sturdy 5-wire cage • Nylon end caps • 5/16" chrome-plated shank, 90° angle • Sherlock GT™ compatible

Item#
6222764



Wooster® American Contractor™ Roller Cover

- Knit fibers • Excellent paint pick-up and release • Green double thick polypropylene core

Item#	Size	Nap
4870145	9"	3/8"
4870150	9"	1/2"
4870154	9"	3/4"
4870152	18"	1/2"

Wooster Roller Frames



Acme Heavy Duty Roller Frame

- Sturdy 5-wire cage with plastic end caps • Chrome plated 5/16" shank • Plastic threaded grip for extension poles

Item#	Size
4870186	4"



Wooster® 4" Mini-Koter® Frame

- 4" • Plastic threaded grip • Galvanized steel shank use with 4" mini roller covers

Item#
5170046



Wooster® Jumbo-Koter® Roller Frame

- Accepts 4-1/2" & 6-1/2" jumbo-Koter® roller covers • Solvent resistant cage • Extra smooth rolling • Chrome-plated 1/4" shank • Sherlock GT™ compatible

Item#
6156512





Wooster Mini Roller Covers

WOOSTER



Wooster® Mini-Koter® Roller Cover
• Shed-resistant • High capacity

Item#	Size	Nap	Qty
10231644	6"	3/8"	Pack of 10

NEW

WOOSTER



Wooster® Mini-Koter® Yarn Roller Cover
• Mop-like white fabric • High capacity • Closed end

Item#	Size	Qty
7727500	4"	Pack of 2

WOOSTER



Wooster® Jumbo-Koter® Pro/Doo-Z® Roller Cover
• 6-1/2" • Woven fibers • Shed resistant • Use with Jumbo-Koter® roller frames • Extra strength core

Item#	Nap	Qty
6158939	3/8"	Pack of 2
5169949	1/2"	Pack of 2
7928907	3/8"	Pack of 10

Wooster Trays & Liners

WOOSTER



Wooster® Deluxe Plastic Tray
• 11" • Rust-proof, solvent resistant • Ribbed roll-off area

Item#
5169906

WOOSTER



Wooster® Hefty Deep-Well™ Tray
• 13" • Heavy gauge steel • Rust-resistant • Ribbed roll-off area

Item#
4870139

WOOSTER



Wooster® Hefty Deep-Well™ Tray Liner
• 13" • Form fitting • Resists cracking • Solvent resistant PET • Recycled plastic

Item#
4870164

Paint Buckets & Containers

WOOSTER



Mix 'N Measure 1 qt Container
• Measurements in 4 oz increments • Lid not included

Item#
7219152



Wooster® Pelican® 1 qt Hand-Held Pail
• 5-1/2" • 1 qt capacity • Built in roll-off area • Brush magnet • Expanding security strap • Solvent resistant

Item#
4870162



5 gal Plastic Pail
• Gray • Calibrated in liters, quarts and gallon markings • Made of clear heavy-duty plastic • Metal handle with foam comfort grip

Item#
7109896





Painters Tapes



Frogtape® Multi-Surface Painter's Tape

- Medium adhesion • 21-day release, 7-days in direct sunlight • Multiple surface • Rubber-based adhesive • Paint block technology • Produces sharp lines • Interior/exterior

Item#	Size
7201470	0.94" x 60 yds
7201471	1.41" x 60 yds
7201480	1.88" x 60 yds



Shurtape® CP 27® Premium Grade Blue Painter's Tape

- Medium adhesion • 14-day release • Multiple surface • Rubber-based adhesive • Interior/exterior

Item#	Size
7201468	0.94" x 60 yds
7201473	1.41" x 60 yds
3569820	1.88" x 60 yds
7201481	2.83" x 60 yds



Shurtape® CP 66® Contractor Grade Beige Painter's Tape

- High adhesion • Temperature range of 50 - 150° • Conforms to irregular shapes • Rubber-based adhesive

Item#	Size
7201478	0.94" x 60 yds
7201469	1.41" x 60 yds
7201477	1.88" x 60 yds
259882	2.83" x 60 yds

Paper Masking



Trimaco® General Purpose Masking Paper

- Brown general purpose paper • Formulated for water-based materials

Item#	Size
7222387	9" x 180'
7222383	12" x 180'



Trimaco® SuperTuff® Plastic Drop Cloth

- Economical and leak resistant • Embossed for easy opening

Item#	Mil	Size
7222392	1.0 mil	10 x 20'
7222393	4.0 mil	10 x 20'



Trimaco® SuperTuff® Plastic Drop Cloth

- Super heavy weight • Economical and leak proof • Embossed for easy opening

Item#	Mil	Size
7222390	4.0 mil	10 x 100'

Plastic Sheeting



Trimaco® Easy Mask® Protective Carpet Film

- Reverse wound adhesive film • Provides a tight bond on soft surfaces • Easy to remove • 400 sq ft


Item#	Size
7222384	24" x 200'



Trimaco® SuperTuff™ Canvas Drop Cloth

- Full panel drop cloth • Full piece design, no remnants • Washable and re-useable

Item#	Size	Weight
7222394	4 x 15'	6 oz
7222398	9 x 12'	6 oz



Trimaco® SuperTuff™ Canvas Drop Cloth

- Full panel drop cloth • Full piece design, no remnants • Washable and re-useable

Item#	Size	Weight
7222397	4 x 15'	8 oz
7222400	9 x 12'	8 oz





Kitchen & Bath Acrylic Caulk



ProFlo® Tub & Tile Latex Caulk

• Durable, fast curing • Mildew resistant • Low VOC

Item#	Size	Color
543772	5.5 oz	White
655336	10.1 oz	White



ProFlo® Kitchen & Bath Adhesive Sealant

• Mildew resistant • Easy water clean-up • Low VOC

Item#	Size	Color
2125706	5.5 oz	White
2125707	5.5 oz	Clear



DAP® Kwik Seal Kitchen & Bath Adhesive Caulk

• Bonds like glue, seals like caulk • Durable, watertight seal • Excellent adhesion and flexibility • Mold & mildew resistant • Paintable

Item#	Size	Color
100783	5.5 oz	White
103972	5.5 oz	Almond
461949	5.5 oz	Clear
1591521	10.1 oz	White

Premium Kitchen & Bath Acrylic Caulk



DAP® Kwik Seal Plus® Premium Kitchen & Bath Adhesive Sealant

• Contains Microban® antimicrobial • Crack-proof guarantee • Siliconized latex • Maximum adhesion and flexibility • Watertight seal

Item#	Size	Color
764787	5.5 oz	White
2997132	5.5 oz	Biscuit
1203811	5.5 oz	Clear
4124296	10.1 oz	White
5154199	10.1 oz	Clear

All-Purpose Acrylic Caulk



ProFlo® Acrylic Latex Caulk

• 15-Year life expectancy • Mildew resistant • Paintable • Interior/exterior

Item#	Size	Color
655111	10.1 oz	White





All-Purpose Acrylic Caulk



ProFlo® All-Purpose Siliconized Acrylic Latex Caulk

• 35-year durability • Paintable • Easy water clean-up • Interior/exterior

Item#	Size	Color
655291	10.1 oz	White



DAP® Alex Plus® All-Purpose Siliconized Acrylic Caulk

• 4-year durability • Highly flexible and durable • Waterproof seal • Excellent adhesion
• Mold and mildew resistant

Item#	Size	Color
2477201	5.5 oz	White
1344885	10.1 oz	White
1580422	10.1 oz	Clear



Elastomeric Caulk



DAP® Dynaflex 230® Premium Elastomeric Sealant

• "Silicone Tough" latex formulation • Flexible and crack proof • Endures expansion and contraction • Mold and mildew resistant • Paintable

Item#	Size	Color
1245023	10.1 oz	White
2337869	10.1 oz	Almond
2337870	10.1 oz	Black



Kitchen & Bath Silicone Caulk



GE® Advanced Silicone II Kitchen & Bath Sealant

• 100% silicone • 100% waterproof • 30-minute shower ready • 10-year mold free product protection • Won't crack, chip, peel or dry out • Permanent waterproof seal • Low VOC
• Non-paintable • Lifetime guarantee

Item#	Size	Color
7209916	2.8 oz	White
7209911	2.8 oz	Almond
7209918	2.8 oz	Clear
7209923	10.1 oz	White
7209917	10.1 oz	Almond
7209919	10.1 oz	Clear



Window & Door Silicone Caulk



GE® Advanced Silicone II Window & Door Sealant

• 100% silicone • 100% weatherproof • 10-year mold-free product protection • 30-minute rain ready • Shrink & crack proof • Resists UV degradation • Non-paintable
• Lifetime guarantee

Item#	Size	Color
7209909	2.8 oz	White
7209912	10.1 oz	White
7209914	10.1 oz	Clear





Paint - Adhesives & Removers

Glues

LOCTITE



Loctite® Super Glue Ultra Gel Control

• Formulated to resist impact, shock, vibration and temperature extremes • Ideal for bonds subject to daily use and harsh conditions

Item#	Size
4888692	4 g

LOCTITE



Loctite® Professional Super Glue

• Super strength formula; ideal for heavy-duty projects and repairs • Works well on porous and non-porous surfaces and close-fitting repairs

Item#	Size
7222911	20 g

LOCTITE



Loctite® Super Glue Gel Control

• Formulated to eliminate dripping and running • Pinpoint accurate dispensing tip • Bonds leather, rubber, wood, metal & plastic

Item#	Size
7222918	4 g

Spray Adhesives

3M



3M™ Spray Adhesive

• Clear • Bonds a wide range of lightweight materials • Fast, aggressive tack

Item#	Size	Type
4411459	24 oz	Super 77™
4411460	24 oz	Hi-Strength 90



Goof Off® Pro Strength Remover

• Removes adhesives, glues, crayon, pen, marker, gum, scuff marks, stickers, decals, asphalt, tar, latex paint, duct tape, caulk, sap and wax • Ideal for all kinds of hard surfaces

Item#	Size
4664354	16 oz



Goof Off® Heavy-Duty Remover

• Trigger spray • Removes adhesives, glues, crayon, pen, marker, gum, scuff marks, stickers, decals, asphalt, tar, latex paint, duct tape, caulk, sap and wax • Ideal for all kinds of hard surfaces

Item#	Size
4664355	22 oz

Caulk & Paint Removers



Krud Kutter® Adhesive Remover

• Water-based, biodegradable formula • Removes most glues and adhesives, carpet seam sealer, and mastic • Not recommended for varnished surfaces

Item#	Size
9945136	32 oz



Krud Kutter® Latex Paint Remover

• Formulated specially for latex paint removal • Clean up fresh or fully cured paint spills and splatters • Safe for indoor or outdoor application

Item#	Size
9945074	24 oz



Krud Kutter® Caulk Remover

• Removes nearly all types of caulks and sealants • Thick, gel formula clings to the sealant and stays wet longer • Use indoors or outdoors

Item#	Size
9945075	24 oz





Appliance Touch-Up



Rust-Oleum® Specialty Appliance Touch-Up

- Repairs scratches and chips on refrigerators, washers, dryers, dishwashers and other non-heated surfaces
- Quick-dry acrylic lacquer formula

Item#	Size	Color
4668929	0.6 oz	White
4668930	0.6 oz	Biscuit
4668928	0.6 oz	Black

Fixture Touch-Up



Homax® Tough As Tile® White Tub, Sink And Tile One-Part Epoxy Finish

- Brush-on • Restores tubs and sinks to like-new condition
- Glossy finish • Works on fiberglass, porcelain, glazed ceramic tile and acrylic laminate • Covers one standard tub or two bathroom sinks

Item#	Size
7785573	26 oz

Wood Repair



Minwax® Wood Finish™ Stain Marker

- Quick and easy touch-ups of nicks and scratches on wood furniture, moldings, cabinets, doors and other wood surfaces

Item#	Size	Color
7958735	1/3 oz	Golden Oak
7958734	1/3 oz	Red Oak
7958737	1/3 oz	Cherry
7958738	1/3 oz	Dark Walnut
7958736	1/3 oz	Ebony
7958733	1/3 oz	Red Mahogany

Drywall Muds & Spackles



USG® Sheetrock® Ready-Mix All Purpose Joint Compound

- Use for taping, topping and hand applied texturing • Ideal for repairing plaster

Item#	Size
5078112	12 lb.
5150404	61.7 lb.



USG® Sheetrock® Easy Sand 5 Lightweight Setting Type Patching Compound

- For quick drywall and plaster repairs • 5-minute working time • Easy mix, strong bond

Item#	Size
7232013	18 lb



USG® Sheetrock® Ready-Mix Plus 3 Lightweight All Purpose Compound

- For all drywall joint finishing steps • Up to 25% less weight • Less shrinkage

Item#	Size
7232014	4.5 gal

Drywall Patches



Homax® Wall Patch

- For permanent drywall and plaster repair • Galvanized steel and reinforced fiberglass mesh • Self-adhesive

Item#	Size
7219186	4 x 4"
7219187	6 x 6"
7219175	8 x 8"

Drywall Tools



Warner Tool® Plastic Putty Knives

- Includes 6" flex broad knife, 1-1/2" flex putty knife and 3" flex putty knife • Chiseled edge • Made of tough polystyrene
- Pack of 3

Item#
7230273

Sanding



Gator® Multi-Surface Wedge Sanding Sponge

- For use on wood, metal, drywall, fiberglass and painted surfaces • Soft edge design • Excellent for corners and edges • Can be used wet or dry

Item#	Size	Grit
9945092	5"L x 2-1/2"W x 1"H	Fine
9945091	5"L x 2-1/2"W x 1"H	Medium





Paint - Interior Surface Repair

Drywall Textures



DAP® 2in1 Wall & Ceiling Oil-Based Orange Peel Spray Texture

- Excellent match to textured surfaces • Wide coverage with even spray application • 5 minute paint ready time
- No priming needed before painting • Mineral spirits clean-up • Interior/exterior

Item#	Size
10275402	25 oz

DAP® 2in1 Wall & Ceiling Water-Based Orange Peel Spray Texture

- Excellent match to textured surfaces • Wide coverage with even spray application • 30 minute paint ready time
- No priming needed before painting • Soap and water clean-up • Interior/exterior

Item#	Size
10275396	25 oz

DAP® 2in1 Wall & Ceiling Water-Based Knockdown Spray Texture

- Excellent match to textured surfaces • Wide coverage with even spray application • 30 minute paint ready time
- No priming needed before painting • Easy water clean-up • Interior/exterior

Item#	Size
10275406	25 oz



Homax® Oil-Based Orange Peel Wall Texture

- Adjusts to spray fine to heavy texture • Dries in 5-minutes
- Covers up to 110 sq ft

Item#	Size
5060394	20 oz



Homax® Water-Based Orange Peel Wall Texture

- Adjusts to spray fine to heavy texture • Low odor, easy clean-up • Covers up to 110 sq ft

Item#	Size
7187989	20 oz



Homax® Water-Based Knockdown Wall Texture

- Adjusts to spray medium to heavy texture • Low odor, easy clean-up • Covers up to 60 sq ft

Item#	Size
4929398	20 oz



Homax® Pro Grade Popcorn Ceiling Texture

- Replicates polystyrene, perlite or other popcorn ceiling aggregates • 4x faster than traditional guns and hoppers
- 4x the coverage of traditional aerosols • Integrated safety lock for storage and reuse


Item#	Size
7219158	14 oz



Homax® Easy Patch Water-Based Popcorn Ceiling Texture

- Vertical spray tip provides precision control • Low odor, easy clean-up • Covers up to 4 sq ft

Item#	Size
7219185	14 oz



DAP® Plaster Of Paris

- 4 lb tub • White • For general wall and sealing repair
- Sets in 2-3 minutes without shrinking • Interior

Item#	Size
1917264	4 lb



Homax® Pre-Mixed Wall Texture

- Ready-to-use • Apply as orange peel or knockdown texture • Requires spray texture gun
- Paintable and sandable • Covers up to 350 sq ft

Item#	Size
7219179	74 oz



Homax® Pre-Mixed Popcorn Ceiling Texture

- Ready-to-use • Requires spray texture gun • Paintable and sandable
- Covers up to 50 sq ft

Item#	Size
7219155	62.4 oz





Concrete Patch & Repair



DAP® Concrete Waterproof Filler & Sealant
 • Latex-based sealant • Repairs cracks and holes in concrete, mortar and masonry • Silicone additives for improved adhesion and water resistance • Forms durable, flexible, watertight seal • Paintable

Item#	Size
504533	10.1 oz

Stucco Patch & Repair



DAP® All-Purpose Stucco Patch
 • Ready-mix formula • Used to repair stucco and textured surfaces • Durable and permanent • Interior/exterior

Item#	Size	Color
4669935	1 qt	White
4669981	1 gal	White

Graffiti Remover



Krud Kutter® Graffiti Remover
 • Ultimate spray paint graffiti remover • Proven best in independent tests • Effective on most hard, soft, and porous surfaces • Safe on clear coat automotive finishes

Item#	Size
9945139	32 oz

Asphalt Marking Paints



Rust-Oleum® Industrial Choice® S1600 System Inverted Striping Paint
 • Solvent-based • Creates bright, sharp, well defined lines • Dries in less than 10-minutes • Guaranteed not to clog • Interior/exterior

Item#	Size	Color
9815270	18 oz	White
9977300	18 oz	Yellow
1814911	18 oz	Red
7234146	18 oz	Dark Blue



Flat



Rust-Oleum® High Performance 2300 System Traffic Zone Striping Paint
 • Flat finish • Weather resistant • Dries in 30-minutes • Use with bulk spray machine, brush or roller • 450 linear foot per gal with 4" stripe

Item#	Size	Color
1815420	1 gal	White
1814777	1 gal	Yellow
7234141	1 gal	Red
7234142	1 gal	Black



Semi-Gloss



Rust-Oleum® High Performance 2300 System Traffic Zone Striping Paint
 • Semi-gloss finish • Weather resistant • Dries in 30-minutes • Use with bulk spray machine, brush or roller • 450 linear foot per gal with 4" stripe

Item#	Size	Color
7234151	1 gal	White
7234150	1 gal	Yellow
7234137	1 gal	Red
7234136	1 gal	Blue
7234147	1 gal	Green

Asphalt Patch & Repair




Gardner® Crack Stopper™ Rubberized Blacktop Crack And Joint Filler
 • Long lasting rubberized repair • Expands and contracts with the driveway surface • Fills cracks up to 3/4" wide

Item#	Size	Color
7211361	1 gal	Black



Perma-Patch® Permanent Pavement Repair
 • Instant permanent repairs • Applies easily in temperatures from 0°F to 100°F plus • Can be applied as thin as 1/4" • Can be used in water filled holes • Use in all seasons and weather conditions

Item#	Size
9393669	50 lb



Perma-Patch® Permanent Pavement Repair
 • Instant permanent repairs • Applies easily in temperatures from 0°F to 100°F plus • Can be applied as thin as 1/4" • Can be used in water filled holes • Use in all seasons and weather conditions

Item#	Size
2347915	60 lb





Razor Knives

WARNER®



Warner Tool® 18-Point Economy Snap-Off Blade Knife
• Retractable • Locking thumb advance mechanism

Item#	Length	Size
7252701	8"	9mm
7252703	8-1/4"	18mm

STANLEY



Stanley® 6" Classic 99® Retractable Utility Knife

• Interlocking nose to hold blade securely • Three-position retractable blade • Blade storage in handle • Multi-position blade slide • Includes (3) heavy-duty utility blades

Item#
245972

Folding Razor Knives

RAPTOR®



Raptor® Folding Utility Knife

• Patent pending locking/folding mechanism
• Quick change blade design

Item#
4330840

Razor Blade Refills

WARNER®



Warner Tool Snap-Off Replacement Blades

• Pack of 5

Item#	Point	Style
7252702	13 pt	9mm
7252705	8 pt	18mm

WARNER®



Warner Tool® Heavy-Duty Utility Blades

• For general purpose cutting • Precision toned edge • Fits most standard utility knives

Item#	Qty	Mfg#
9537750	5	360
9537749	100	10808

WARNER®



Warner Tool® Single Edge .009" Razor Blades

Item#	Qty
9860219	10
7252707	100

Screwdrivers

KLEIN TOOLS®



Klein® 4-in-1 Multi-Bit Electronics Pocket Screwdriver

• 4 tips in one tool • Includes #0 and #00 Phillips® plus 1/8" and 3/32" slotted tips • Rotating cap for precision control • Cushioned grip • Mfg# 32614

Item#
8120800

KLEIN TOOLS®



Klein® Cushion-Grip Screwdriver

• Tip-Ident® marking system • Cushion-Grip for more torque

Item#	Mfg#	Style
35491	600-4	1/4" Slotted
45890	603-4	#2 Phillips®

KLEIN TOOLS®



Klein® 11-in-1 Cushioned Grip Screwdriver/Nut Driver

• Holds 8 tips and converts to 3 nut driver sizes
• Includes #1 and #2 Phillips®, T10 and T15 Torx®, 1/4" and 3/16" slotted, #1 and #2 square and 3/8", 5/16" and 1/4" nut drivers • Mfg# 32500

Item#
3511764






Nut Drivers



Raptor® Stubby Magnetic Nut Driver

- Comfortable, color coded rubber vinyl grips marked with individual size
- Magnetic tip secures nut for easy threading

Item#	Size
3812089	1/4"
3812091	5/16"



Raptor® 3 Piece Magnetic Nut Driver Set

- Comfortable, rubber vinyl grip
- Grip marked with hex symbol and individual size for quick identification
- Includes 1/4, 5/16 and 3/8" nut drivers

Item#
3812085



Raptor® 7-Piece Hollow-Shaft Vinyl Grip Nut Driver Set

- Includes 3/16", 1/4", 5/16", 11/32", 3/8", 7/16" and 1/2"
- Size markings on each grip

Item#
3383116

Hex & Torx Key Sets



Raptor® 9-Piece SAE Hexagon Folding Key Set

- Includes 3/16", 1/8", 7/32", 7/64", 1/4", 3/32", 5/32", 5/64" and 9/64"
- Ideal for tight spaces

Item#
3383147



Raptor® 12-Piece Hex Key Set

- SAE • Includes 1/16", 5/64", 5/32", 3/16", 3/32", 7/32", 7/64", 1/4", 1/8", 5/16", 9/64" and 3/8"
- Snap set holder for secure storage
- Ideal for tight spaces

Item#
3383146



Raptor® 9-Piece Hex Key Set

- Metric • Includes 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm and 10mm
- Snap set holder for secure storage
- Ideal for tight spaces

Item#
3383148

Tape Measures



Raptor® Professional Standard/Metric Tape Measure

- 8' stand out
- Standard and metric readout
- 1" wide blade
- High impact rubber palm grip

Item#	Length
3383139	25'



Hammers



Raptor® 16 oz Claw Hammer

- Fiberglass handle
- High density, shock absorption handle with hollow core
- Slip resistant grip

Item#
3383113

Wrench Sets

STANLEY



Stanley® 13-Piece Professional Grade™ Combination Wrench Set

- Includes 8,9,10,11,12,13,14,15,16,17,18,19,20 mm
- Max-Drive system for 15% more torque
- Meets or exceeds ANSI specifications

Item#	Mfg#	Type
2860740	87-245	Metric
2861404	87-244	SAE





Wrench & Socket Sets



DeWalt® 168-Piece Mechanics Tool Set

- Knurled control ring • Polished chrome vanadium finish
- DirectTorque™ Technology • Mfg# DWMT73803

Item#
5025878

Adjustable Wrenches



Raptor® Pro Adjustable Wrench

- Unique jaw design avoids rounding fasteners • Weighs 10% less than competitor models • Non-protruding, moveable jaw

Item#	Size	Jaw Capacity
3383067	4"	5/8"
3383066	6"	1"
3383073	10"	1-1/4"
3383071	12"	1-1/2"
3383069	15"	1-7/8"

Tongue & Groove Pliers



Raptor® Pro Tongue & Groove Pliers

- Right angle teeth grip • Long, cushioned handles for extra leverage

Item#	Size
3383060	10"
3383061	12"
3383062	16"

Pliers



Irwin® Vise-Grip® 3-Piece GrooveLock Pliers Set

- Press and slide button quickly adjusts lower jaw
- ProTouch™ grips • Ratcheting action allows adjustment from the open position up to the work piece
- Mfg # 2078711

Item#
2880787



Klein® Spring Assisted Wire Stripper & Cutter

- Compact and light weight • Cuts, strips and loops 12-26 AWG solid and stranded wire • Adjustable side stop with set screw • Mfg# 1004

Item#
156500



Raptor® Steel Wire Stripper and Crimper

- Cuts, crimps, strips and measures • Cuts both stranded and solid copper wire • Wire stripper capacity 10-22 AWG
- Cuts bolts and screws

Item#
4293304



Staple Gun



Stanley® SharpShooter® Heavy-Duty Staple Gun

- Easy-squeeze handle • Hi/Lo power lever
- Anti-jam mechanism • Uses TRA700 series or T-50® heavy duty staples

Item#
2864344

Staples



Stanley®

SharpShooter® Heavy-Duty Staples

- For heavy-duty stapling jobs • Fits TR100, TR200, TRE500 series, PHT150, PHT250 and Arrow T-50® • Box of 1000

Item#	Size
2862199	1/4"
2862430	5/16"
2862672	3/8"
2863125	1/2"

Hot Glue Gun & Glue



Stanley® 8-1/2" Heavy-Duty Hot Melt Glue Gun

- Trigger-feed mechanism • Bonds within 60 seconds • Uses Standard .45" Size Glue Sticks: GS15DT, GS20DT, GS25DT, GS230DT, GS260A, GS264BK, GS500, GS500BK glue sticks • Fold-out stand

Item#
2863188



Stanley® DualMelt™ Dual Temperature Glue Sticks

- 7/16 x 4" • Excellent for bonding heat-sensitive materials • Used by GR20, GR25-2 and GR100 Glue Guns • Oval glue sticks
- Qty: 6

Item#
7789421





Cordless Drivers



DeWalt® 20V MAX XR® Brushless Cordless 1/2" 3-Speed Hammer Drill Kit with XR POWERPACK™
 • 3-Speed High-Performance Transmission • 3-position, push-button LED featuring a 20-minute work light setting
 • Make up to 275 holes per charge • Mfg# DCD1007WW1

Item#
9897746



Milwaukee® M18 FUEL™ 1/2" Hammer Drill/Driver Kit
 • Most powerful compact hammer drill in its class • 6.9" in length for access into tight spaces and reduced fatigue
 • Delivers the most powerful drilling and driving under load
 • Mfg# 2904-22

Item#
9897739



Milwaukee® M18 FUEL™ 1/2" Hex Impact Driver Kit
 • POWERSTATE™ Brushless motor delivers unmatched power • Increase productivity with the fastest impact driver speed • Trigger control provides smooth acceleration for small fasteners • Mfg# 2953-22

Item#
9897749

Cordless Recip Saw



Milwaukee® M18 Fuel™ Sawzall® Reciprocating Saw Kit
 • Powerstate™ Brushless Motor • 0-3,000 spm
 • XC 5.0 battery pack • Quik-Lok® universal blade clamp
 • LED light • Includes reciprocating saw, XC 5.0 battery, M18™ & M12™ charger, blade and case • Mfg# 2720-21

Item#
9046935

Corded Grinder



DeWalt® 4-1/2" Corded Small Angle Grinder
 • 11 amp AC/DC motor • 11,000 rpm • One-Touch™ Guard allows for 360 degree rotation • Top mounted spindle lock
 • Paddle switch with safety lock-off • Dust Ejection System™ • Quick-Change™ Wheel Release • Mfg# DWE402

Item#
5053755

Heat Gun



Porter Cable® 1500 Watt Heat Gun
 • 2 speed selector for high and low fan • Variable temperature dial • 6 ft high grade cord • Mfg# PC1500HG

Item#
4624657

Corded Sanders



Porter Cable® 1/4" Sheet Sander
 • 2.0 amp • 0-13,500 rpm • Dual plane, counter-balanced low-vibration design • Dust-sealed switch • Sealed 100% ball-bearing construction • Mfg# 380

Item#
5059918



Porter Cable® 5" Random Orbital Sander
 • 1.9 amp • 0-12,000 opm • Controllable pad speed with less gouging at startup • Dual-plane counter-balanced fan
 • Dust-sealed switch • Sealed 100% ball-bearing construction • Accepts 5 in. 8-hole hook and loop paper
 • Mfg# 382

Item#
4710287

Oscillating Tools



Milwaukee® M12™ Lithium Ion Multi-Tool Kit
 • Variable-speed 12 setting dial to match speed to application • 5,000 to 20,000 opm • Includes (2) batteries, charger, (5) assorted sanding sheets, sanding pad, wood cutting blade and bag • Mfg# 2426-22

Item#
4114753





Power Tool Bits & Accy Kits



NEW



NEW



NEW



Diablo® 2" Assorted Phillips Drive Bits

• Assorted pack includes three Phillips drive bits: #1, #2 and #3 • Extreme durability and impact resistance for up to 50X longer life versus standard bits • Rust protection coating • Laser engraved bit type and size for easy identification

Item#
8456427



Diablo® 2" Torx Drive Bits

• Assorted pack includes six Torx drive bits: #10, #15, #20, #25, #30 and #40 • Extreme durability and impact resistance for up to 50X longer life versus standard bits • Rust protection coating • Laser engraved bit type and size for easy identification

Item#
8456556



Diablo® 2-9/16" Magnetic Nut Driver Assorted Pack

• Assorted pack includes five magnetic nut setters: 1/4", 5/16", 3/8", 7/16", and 1/2" • Extreme durability and impact resistance for up to 50X longer life versus standard bits • Rust protection coating • Laser engraved bit type and size for easy identification

Item#
8456881



NEW



NEW



NEW



Diablo® 7-Piece 1" Hex Drive Bit Set

• Includes 9/64", 5/64", 3/32", 1/8", 5/32", 3/16" and 7/64" • Impact Strong™ • Rust protection coating • Laser engraved bit type and size

Item#
9102933



Diablo® 1/4" Hex Socket Adapter

• Extreme durability and impact resistance • Easily convert impact drivers and standard drill drivers into socket wrenches • Compatible with standard and deep well sockets • Rust protection coating

Item#	Size
9009315	1/4"
9009313	3/8"
9009311	1/2"



Diablo® 3 Piece Impact Step Drill Bit Set

• Includes (1) 1/2" 6-steps impact step bit, (1) 7/8" 2-steps impact step bit, and (1) 1-1/8" 17-steps impact step bit • Compact, durable case does not shatter or break when dropped

Item#
9359546



NEW



NEW



Diablo® Hard Tile & Stone Carbide Tipped Drill Bit Set

• Includes (1) 1/8", (1) 3/16", (2) 1/4", and (1) 5/16" • Ideal for hammer and rotary drills • Multi-Ground carbide Grip Point tip • Up to 10X longer life versus standard glass and tile drill bits

Item#
10351143



Diablo® 24 Piece Screwdriving Set

• Optimized heat treatment process strengthens the bit for impact resistance and stability • Laser engraved for easy identification • Rust protection coating • Extreme durability and impact resistance

Item#
8456157



Milwaukee® 95-Piece Drill & Drive Set

• Premium grade S2 tool steel • Extreme durability/Corrosion resistant • Mfg# 48-89-1561

Item#
7033900





Drill Bit Sets



DeWalt® 21-Piece Titanium Pilot Point® Drill Bit Set
 • Titanium coating withstands greater drill bit temperatures
 • 2x longer life than black oxide • Includes sizes 1/16" thru 1/2" and drill index • Mfg# DW1361

Item#
4375337

Masonry Drill Bits



DeWalt® 7-Piece Rock Carbide® Hammer Drill Bit Set
 • Power through masonry, concrete, rock, and more • Rock carbide tips for extended bit life • 4-flute design that cleans debris while you work • Three flats on shank eliminate bit slipping • Includes sizes 3/16 thru 1/2" • Mfg# DW5207

Item#
863287

Bi-Metal Hole Saws



Diablo® 13 Piece Carbide Teeth Hole Saw Set for Plumbers

• Includes (1) 1-1/8" carbide hole saw, (1) 1-3/8" carbide hole saw, (1) 1-1/2" carbide hole saw, (1) 2" carbide hole saw, (1) 2-1/8" carbide hole saw, (1) 2-9/16" carbide hole saw, (1) 2-5/8" carbide hole saw, (1) 3" carbide hole saw, (1) Snap-Lock Plus™ Mandrel System, (1) carbide pilot bit, (1) cobalt pilot bit, (1) 5/8" threaded adaptor (fits diameters 1-1/4" to 6") and (1) 1/2" threaded adaptor (fits diameters 9/16" to 3-1/16")

Item#
7749074

Heavy-Metal Cutting Blades



Diablo® 14/18 TPI Bi-Metal Reciprocating Saw Blades for Medium Metal

• Full Contact Arched Design provides more working teeth within the material for faster cuts in fewer passes resulting in less heat build-up to deliver 5X longer cutting performance • Dual Tooth design features a double tooth configuration with small gullets for faster material removal and extra durability • Perma-SHIELD® coating protects the blade from heat, gumming, and corrosion • 1" Demolition body for straighter cuts with less vibration

Item#	Size	Qty
7171976	9"	5

Cutting, Grinding & Sanding Accessories



Gator® 4-1/2" Cut & Grind™ Type 27 Metal Cut-Off Wheel

• Cutting and light grinding work in one step • For use with 4-1/2" right angle grinders

Item#	Thickness	Arbor Size
9945134	.078"	7/8"



Gator® 4-1/2" Extreme Duty Flap Disc

Item#	Grit	Arbor Size
9945127	36	7/8"
9945128	60	7/8"



Gator® ProSelect™ Aluminex™ Sanding Sheet Pack

• Anticlog coated • All-purpose • Extra flexible • Multi-surface; paint, wood, drywall, metal & fiberglass

Item#	Size	Grit
9945115	9"W x 11"L	220
9945116	9"W x 11"L	180
9945114	9"W x 11"L	120
9945117	9"W x 11"L	100
9945113	9"W x 11"L	80



Diablo® 7-1/4" x 24 Tooth Framing Saw Blade

• Tracking Point™ tooth design • 5x longer cutting life vs other blades • Newly enhanced anti-vibration design • Mfg# D0724A

Item#
7236633



Diablo® 10 Piece Jig Saw Blade Set for Wood & Metal

• Includes (1) 4" 10TPI High Carbon Steel Blade for wood, (1) 4" 10TPI High Carbon Steel Blade for wood, (2) 3-1/4" 20TPI High Carbon Steel Blade for wood, (1) 4" 6TPI High Carbon Steel Blade for wood, (1) 5-1/4" 5/10TPI Bi-Metal Blade for general purpose cuts, (1) 3-5/8" 21TPI Bi-Metal Blade for medium metal (1/16"-1/8"), and (1) 3-5/8" 12TPI Bi-Metal Blade for thick metal (1/8"-1/4")

Item#
8457290





Vises



Irwin® 6" Heavy-Duty Workshop Vise

• 3" throat depth, 6" jaw width and 5" jaw capacity • Swivel base • Anvil and pipe jaws incorporated • Mfg# 226306ZR

Item#

4216623

Bench Grinders



DeWalt® 8" Bench Grinder

• 3/4 hp • 3,600 rpm • 5/8" spindle diameter • Cast iron base with precision-machined aluminum tool rest • Includes 36-grit wheel, 60-grit wheel, eye shields, spark deflectors, tool rests and adjustable wrench • Mfg# DW758

Item#

863574

Wet/Dry Vacuums



Rigid® 16 gal NXT Wet/Dry Vac With Detachable Blower

• 6.5 Peak HP • 2-1/2" x 8' hose • Qwik Lock® filter fastening system • Includes vacuum, (2) extension wands, hose, locking blowing wand, utility nozzle, wet nozzle, car nozzle and standard filter • Mfg# 62723

Item#

7910205

Air Compressors & Accessories



Bostitch® 3-Tool Compressor Combo Kit

• 2.6 CFM @ 90 psi • 120V direct drive motor with oil-free pump • 150 psi max • Includes 6-gal pancake compressor, 18ga 2" brad nailer, 2-1/2" 16ga straight finish nailer, heavy-duty 3/8" crown stapler, 25' air hose, and sample fasteners • Mfg# BTFP3KIT

Item#

7055961

Air Compressors & Accessories



DeWalt® 15 gal 200 psi Workshop Compressor

• 5.0 SCFM @ 90 psi • 120V oil free, maintenance free pump • 78 dBA operational noise • Wide track, semi-pneumatic tires • High flow air regulator • Mfg# D55168

Item#

3169517

Torch Kit



Victor® G150-J-CPT Portable Oxy-Acetylene Torch Kit

• Designed for light duty cutting, brazing and heating • Includes tanks and all accessories needed for light duty jobs • Mfg# 0384-0948

Item#

7107402





Step Ladders



Louisville Ladder® Fiberglass Cross Step Ladder

• Type IA • 300 lb load capacity • Converts from a step ladder into a shelf ladder for a 2 in 1 combination • Mfg# FXS1504

Item#	Size
7173025	4'



Louisville Ladder® Fiberglass Standard Step Ladder

• Type IA duty rating • 300 lb load capacity • Non-conductive • Raptor top with magnet and multiple tool slots • Raptor boots with non-marring bonded tread • Secure slip-resistant footing • Meets or exceeds ANSI safety standards

Item#	Size
245796	4'
102995	6'
97950	8'
393192	10'

Twin Step Ladders



Louisville Ladder® Fiberglass Twin Front Ladder

• Type IA duty rating • 300 lb load capacity • Heavy-gauge steel hinges • DaBoot with non-marring bonded tread • Secure slip-resistant footing • Meets or exceeds ANSI safety standards

Item#	Size
1841001	6'
1841002	8'

Extension Ladders



Louisville Ladder® Fiberglass Extension Ladder


• Type IA duty rating • 300 lb load capacity • Patented Quicklatch Runglock System • Mar-resistant rail end caps • D-shaped rungs • Meets or exceeds ANSI safety standards

Item#	Size
245797	20'
245798	24'





Racks



Gladiator® Heavy Duty Mega Rack

- Four adjustable shelves • Tool-free snap and lock assembly • Four adjustable shelves each hold up to 2,000 lbs

Item#	Size
8455837	90" x 90" x 24"

Gladiator® Heavy Duty Rack

- Four adjustable shelves • Tool-free snap and lock assembly • Holds Up To 2,000 lbs per shelf

Item#	Size
7160222	77" x 72" x 24"

Gladiator® Heavy Duty Rack

- Four adjustable shelves • Tool-free snap and lock assembly • Holds Up To 2,000 lbs per shelf

Item#	Size
7178858	60" x 72" x 18"
7178982	48" x 72" x 18"

Racks



Gladiator® EZ Connect Rack

- Five full-width laminate shelves each hold up to 1,000 lbs
- Innovative click-and-lock system for easy assembly

Item#	Size
7333622	48" x 72" x 24"

Gladiator® EZ Connect Rack

- Five full-width laminate shelves each hold up to 1,000 lbs
- Innovative click-and-lock system for easy assembly

Item#	Size
7333610	36" x 72" x 18"
7333638	48" x 72" x 18"

Gladiator® 6' Adjustable Height Hardwood Workbench

- Adjusts to meet ADA height requirements • 3,000-lb max distributed weight capacity

Item#	Size
7593236	72" x 27.5" to 40.8" x 25"





Pressure Washers



Mi-T-M® 1,400 Cold Water Electric Pressure Washer
 • 1.5 gpm • 120V, 13.5 amp industrial-duty motor • Direct drive triplex ceramic piston pump
 • High-pressure spray gun with adjustable spray nozzle 0-60° • 25' high-pressure hose
 • 35' power cord with GFCI protection • Mfg# CM-1400-1MEH

Item#
7234352



Mi-T-M® 3,000 psi Cold Water Gasoline Pressure Washer
 • 2.4 gpm • 212cc Mi-T-M® OHV engine • Mi-T-M® axial pump • 25' x 3/8" steel braided hose
 • 2-piece 36" lance with trigger gun • 10" flat free tires • Three quick connect nozzles (15°, 25° & detergent) • Mfg# CM-3000-OMMB

Item#
9932396



Mi-T-M® 3,200 psi Cold Water Gasoline Pressure Washer
 • 2.4 gpm • 212cc Mi-T-M OHV engine • Mi-T-M pressure relief start pump with thermal relief valve • Inline water strainer with built in low pressure detergent injector • Powder-Coated, welded steel frame with 10" puncture-proof tires • Includes three spray nozzles and 25' hose • Mfg# CM-3200-OMMB

Item#
9407329



Mi-T-M® 4,200 psi Cold Water Gasoline Pressure Washer
 • 3.4 gpm • 420cc Mi-T-M OHV engine • Mi-T-M pressure relief start pump with thermal relief valve • Inline water strainer with built in low pressure detergent injector • Powder-Coated, welded steel frame with 10" puncture-proof tires • Includes three spray nozzles and 50' hose • Mfg# CM-4200-OMMB

Item#
9407330

Pressure Washer Accessories



Krud Kutter® 1 gal Concrete & Driveway Pressure Washer Concentrate
 • Penetrates and dissolves tough stains on concrete, brick, masonry and asphalt • Contains oil grabber • Safe for surrounding plants and shrubbery • Coverage up to 5,800 sq ft • Mfg# 385466

Item#
10271969



Krud Kutter® 1 gal House and Siding Pressure Washer Concentrate
 • Removes tough stains from mildew, mold, algae, fungus and moss • Safely and easily dissolves stains from dirt, oil, grease, bird droppings, tree sap, and acid rain • Cleans up to 3,200 sq ft • Mfg# HS014

Item#
9945140



Krud Kutter® 1 gal Multi-Purpose Pressure Washer Concentrate
 • Commercial strength formula • Removes tough stains from dirt, oil, grease, bird droppings, tree sap, mold and mildew • No scrubbing, apply to surface, leave for 3-5 minutes, and wash off • Coverage up to 5,800 sq ft • Mfg# 385462

Item#
10271968



Tools





Hand Trucks



Milwaukee 72 x 80" Moving Pad
• Quilted pattern • Double lock stitching
• Reinforced edges
Item#
7237112



Milwaukee 18 x 30" Professional Furniture/Appliance Dolly
• Carpeted hardwood • 3" hard rubber wheels • 1000 lb load capacity
Item#
5053517



Milwaukee Flow Back Utility Hand Truck
• 10" solid puncture proof semi-pneumatic wheels • 8 x 14" toe plate • 800 lb load capacity
Item#
7237114



Milwaukee Pail Hand Truck With Pin Handle
• 10 x 4" pneumatic wheels • 11 x 14" toe plate • 800 lb load capacity
Item#
7237101



Milwaukee D-Handle Commercial Utility Hand Truck
• 10 x 4" pneumatic wheels • 8 x 18" toe plate
• Oversized wheel guards • 800 lb load capacity
Item#
7237107



Milwaukee Heavy-Duty Dual Handle Hand Truck
• 10" solid puncture proof wheels • 8 x 18" toe plate
• Tubular stair climbers and wheel guards • 1000 lb load capacity
Item#
7237103



Milwaukee Deluxe Convertible Hand Truck
• Quickly changes from a 2-wheel hand truck to a 4-wheel platform cart • 10 x 4" pneumatic wheels and 4" swivel casters • 7.5 x 14" toe plate • 800 lb load capacity
Item#
7237116



Milwaukee Deluxe Appliance Hand Truck
• Stair guides to assist in moving loads up and down stairways and curbs • 6 x 2" rubber wheels • Protective plastic strips on frame rails • 2" nylon strap with ratcheting system • 4.5 x 24" toe plate • 800 lb load capacity
Item#
7237100



Milwaukee Convertible Aluminum Hand Truck
• Quickly changes from a 2-wheel hand truck to a 4-wheel platform cart in one folding motion • 10 x 4" pneumatic wheels and 5" swivel casters • 8 x 18" toe plate • Rust and corrosion resistant finish • 800 lb load capacity
Item#
7237110



Milwaukee Deluxe Kickout 4-Wheel Appliance Hand Truck
• Stair guides to assist in moving loads up and down stairways and curbs • 8" solid puncture proof wheels and 3 x 1-1/2" poly kickout wheels • Protective plastic strips on frame rails • 2" nylon strap with ratcheting system • 4.5 x 24" toe plate • 600 lb load capacity
Item#
7237118





First Aid Kits

Medique®



Medique® Class A 2-Shelf First Aid Cabinet
 • 2-shelf • 15-1/4 x 10-1/4 x 4-3/4" • Contains a large assortment of first aid and medical supplies • Wall mountable steel cabinet • Meets ANSI standard Z308.1-2021 and OSHA standard 1910.151.b

Item#
9927267

Medique®



Medique® Industrial First Cabinet
 • 3-shelf • 15-3/4 x 16-3/4 x 5-5/8" • Contains a large assortment of first aid and medical supplies • Wall mountable steel cabinet • Meets ANSI standard Z308.1-2021 and OSHA standard 1910.151.b

Item#
9927266

Medique®



Medique® Industrial First Cabinet
 • 4-shelf • 21-1/8 x 15-1/8 x 5-1/8" • Contains a large assortment of first aid and medical supplies • Wall mountable steel cabinet • Meets ANSI standard Z308.1-2021 and OSHA standard 1910.151.b

Item#
9927265

First Aid Kits



Certified Safety® Class A First Aid Kit
 • Designed for common workplace injuries • Weatherproof plastic box • Easy To Maintain And Refill With Back-Plate Labeling • Wall Mountable • Meets ANSI standard Z308.1-2021 and OSHA standard 1910.151.b

Item#
10015106



Certified Safety® Class B First Aid Kit
 • Designed for high risk work areas • Weatherproof metal box • Easy To Maintain And Refill With Back-Plate Labeling • Wall Mountable • Meets ANSI standard Z308.1-2021 and OSHA standard 1910.151.b

Item#
10015115



Certified Safety® Bloodborne Pathogen Kit
 • Provides the appropriate protection for bloodborne and bodily fluid cleanups • Includes 1 biohazard bag, 1 ziplock bag, 1 scoop bag with handle scraper, 1 absorbent powder bag, 1 pair of nitrile gloves, 1 antiseptic towelette, 1 certisoap cleanser towelette, alcohol gel, 1 nose and mouth mask, 2 paper towels, 1 eye shield and 1 gown • Complies with OSHA Bloodborne Pathogen Rule 29 CFR 1910.1030

Item#
7740518

Safety Glasses



Armateck Economy Safety Glasses
 • Clear wraparound polycarbonate lens provides 99.9% UVA/UVB protection • Lightweight design • Meets ANSI Z87.1

Item#
9206173



Armateck Bayonet Full Frame Safety Glasses
 • Polycarbonate clear lenses provide 99.9% UVA/UVB protection • Sleek, lightweight design • Dual molded non-slip grips on temples • Meets ANSI Z87.1

Item#
9206260



Armateck Half Frame Safety Glasses
 • Polycarbonate smoke lenses provide 99.9% UVA/UVB/UVC protection • Soft rubber nosepiece and temples • Neck cord included • Meets ANSI Z87.1

Item#
9206336





Disposable Gloves



Westcraft Clear Powder Free Disposable Vinyl Gloves

• 4 mil • Multi-Purpose • Food service approved • Qty: 100

Item#	Size
7964437	Small
7964440	Medium
7964442	Large
7964435	X-Large



SAS Safety® Value-Touch™ Powder-Free Latex Disposable Gloves

• Powder-free • 5 mil • Lightly textured • Excellent touch sensitivity • Qty: 100

Item#	Size
7258636	Small
7258638	Medium
7258641	Large
7258643	X-Large



Westcraft™ Nitrile Disposable Gloves

• Powder Free • General purpose • 4 mil • Pack of 100

Item#	Size
7964454	Small
7964453	Medium
7964449	Large
7964447	X-Large



Armateck Nitrile Disposable Gloves

• Exam grade • 6 mil • Box of 100

Item#	Size
9211740	Small
9211738	Medium
9211739	Large
9211743	X-large



SAS Safety® Raven™ Extra Strength Nitrile Disposable Gloves

• Powder-free • Exam grade • 6 mil • Black nitrile • Fully textured • Excellent chemical resistance • Qty: 100

Item#	Size
7240538	Small
7240514	Medium
7240512	Large
7240504	X-Large



SAS Safety® Derma-Max™ Extended Length Nitrile Disposable Gloves

• Powder-free • Exam grade • 8 mil • 12" length • Blue nitrile • Textured fingers • Excellent sensitivity • Qty: 50

Item#	Size
7240503	Small
7240535	Medium
7240501	Large
7240530	X-Large

Chemical Resistant Gloves



SAS Safety® Flock Lined Nitrile Gloves

• 15 mil • 13" length • Puncture and abrasion resistant • Textured for superior grip • Tough against chemicals, solvents, hazardous liquids, PVC cements and standing water • 1 pair

Item#	Size
7958745	Medium
7958743	Large
7958744	X-Large



Armateck Coated Gloves

• Micro-Foam nitrile palm coating • 15 gauge nylon liner • Good grip in all conditions • Nylon and latex elastic cuff • Abrasion level 5 • Puncture level 2

Item#	Size
9206345	Medium
9206344	Large
9206258	X-large



Armateck Cut Resistant Gloves

• Polyuretahnne palm coating • 13 gauge HPPE liner • Touch sensitivity • Ansi Cut level 3 • Abrasion level 5 • Puncture level 4

Item#	Size
9206236	Small
9206239	Medium
9206247	Large
9206184	X-large





Disposable Mask



Armateck Disposable Dust Mask

- Relief from non-harmful sanding, grinding, sawing and insulating particles • Comfortable single fixed strap
- Adjustable nose clip • One size fits most • Box of 50

Item#

9206263



Armateck N95 Particulate Respirator

- NIOSH approved • Provides protection against oil free particulate aerosols • Comfortable straps • Soft interior liner • Adjustable nose clip • One size fits most • Box of 20

Item#

9206377



Armateck N95 Particulate Valved Respirator

- NIOSH approved • Relief from non-harmful particles
- Valved for easier breathing and reduced heat
- Comfortable straps • Soft interior liner • Adjustable nose clip • One size fits most • Box of 10

Item#

9206312

Ear Plugs



Armateck Disposable Uncorded Foam Earplugs

- PVC free • Bullet shape • NRR 32 • Meets ANSIS3.19-1974
- 50 pairs

Item#

9206313



Armateck Disposable Corded Foam Earplugs

- Lowpressure seal • Bullet shape • NRR 32 • Meets ANSIS3.19-1975 • 100 Pairs

Item#

9206264



Armateck Hi-Visibility Padded Earmuff

- Adjustable headband • High visibility ear cups for improved safety • Foam filled cushion on earcups • NRR 28
- Meets ANSIS3.19-1975

Item#

9206371

Coveralls



Armateck Disposable coveralls

- Tear resistant • Lightweight • Elastic wrist and ankle cuffs

Item#

9211727

Size

Large

9211763

X-large

9211744

2X-large



SAS Safety® Gen-Nex™ Professional Grade Hooded Coveralls

- Full pullover hood • For painting and general maintenance tasks • Passes ASTM F903 penetration test for isocyanate based paints • Cloth-like fiber • Full zipper front • Elastic wrist and ankle cuffs

Item#

9934568

Size

Medium

9934569

Large

9934570

X-Large



Armateck 3 Piece Economy Rainsuit

- .35MM PVC/Polyester • Detachable hood • Fold down collar • Snap front closure • Vented cape back • Snap adjustments on sleeve and leg cuffs • Bib style overall with fly front

Item#

9206368

Size

MD

9206367

LG

9206235

XL





Shoe Covers



Armateck Disposable shoe covers

- Non-skid soles • 100% Polypropylene • One size fits most
- 50 pairs/Box

Item#
9591141



Buffalo® XL Shoe and Boot Covers

- Lightweight, durable spun fiber material offers a reliable protective covering for shoes and boots • Fits up to size 18 work boot • Elastic top and bottom • Box of 50

Item#
5057731



Buffalo® XL Waterproof Shoe and Boot Covers

- Provides a heavy-duty, professional water barrier in flooded situations • Fits up to size 18 work boot • Elastic top and bottom • Box of 40

Item#
5057733

Hi-Viz Safety Apparel



Armateck High Visibility Two-Tone Surveyor Safety Vest

- Hi-vis green/orange • Type R, Class 2 • 2" silver reflective tape • 8 pockets • 2 shoulder mic tabs • Zipper closure
- 100% polyester

Item#	Size
9206383	MD
9206381	LG
9206311	XL
9206248	2X



Armateck Ratchet Full Brim Hard Hat

- White • Type 1 • High density polyethylene materials
- Suspensions adjust from 6-1/2 to 8 head size • Easily adjustable ratchet suspension

Item#
9606394



Armateck Deluxe Knee Pads

- Durable Hard cap • One size fits most • Adjustable

Item#
9267914

Safety Apparel & Accessories



SAS Safety® Blue Cooling Towel

- UPF-50 protection from the sun • Lightweight blue PVA material • Reusable and machine washable • 12.20 x 33"

Item#
7240542



Safety Products for LIFE.



Economy Back Support

- Adjustable hook and loop closure • Adjustable elastic side panels for extra support

Item#	Size
4420878	Small
4420883	Medium
4420888	Large
9536897	X-Large



Armateck Rain/Mud Boots

- 100% Waterproof

Item#	Size
9267915	9
9267906	10
9267907	11
9267908	12





Absorbents



Xsorb® Biofresh Super Absorbent With Disinfectant

• Cleans up biohazard accidents such as vomit, blood and other body fluids while treating the spill with a powerful disinfecting agent

Item#	Qty
7948287	9



Spill Hero™ Edge All-Purpose Absorbent

• 30lb Bag • Cuts through liquids, lifting them from surface so you can easily scrub away synthetic oils, petroleum, hydraulic fluids and fuel spills • Dark gray color, leaves no visible white residue • Non-toxic

Item#	Qty
7948296	

Absorbents



Spill Hero™ Universal Spill Clean-up

• 14lb Bag • Absorbs liquid on contact making it easy to sweep away • FDA approved around food • Leaves floors completely dry and non-slippery • Non-toxic

Item#	Qty
7948291	

Spill Kits



Spill Hero™ Xpress Outdoor All-Purpose Spill Kit

• Portable spill response kit for trucks and vehicles • Includes XSORB™ Super encapsulating absorbent

Item#	Qty
7948292	

Spill Kits



Spill Hero™ 6.5 Gallon All-Purpose Spill Kit

• Includes (1) 6 quart bottle of all-purpose absorbent, (2) 3" x 4' Fiberlink universal absorbent socks, (10) Fiberlink heavyweight universal absorbent pads, (2) temporary disposal bags, (2) hazmat labels, (1) pair nitrile gloves, (1) splash goggles and (1) dust mask • Meets OSHA Regulation 29 CFR 1910.120

Item#	Qty
7948283	

Absorbent Sock



Xsorb® Fiberlink 4' All-Purpose Absorbent Sock

• Quickly absorbs and retains oils, coolants, solvents, and water • Polypropylene skin is chemical and tear resistant • 3" x 4'

Item#	Qty
7948286	4

Safety





Portable Eyewash Stations



SAS Safety® First Aid Eye Rinse

• Twist-off cap with protective seal • Sterile solution • For flushing, washing and irrigating the eyes and skin

Item#	Size
10839742	16 oz



SAS Safety® Personal Emergency Eyewash Station

• Dual 16 oz bottles • Durable plastic station • Sterile solution • For flushing, washing and irrigating the eyes and skin

Item#
10833062

SPEAKMAN®



Speakman® GravityFlo™ SE-4400 9 gal Portable Eyewash

• Gravity operated portable eyewash • Intuitive pull-down activation • 100% ANSI/ISEA Z358.1 Certified • 3 year limited warranty

Item#
4848185

SPEAKMAN®



Speakman® GravityFlo™ SE-4300 20 gal Portable Eyewash

• Gravity operated eyewash • Includes drench hose for body flushing • Pull-strap activator • Shelf or wall mounted design • ANSI/ISEA Z358.1 Certified • 3 year limited warranty

Item#
4148096

Stationary Eyewash Stations

SPEAKMAN®



Speakman® Traditional Series SE-582 Wall Mounted Eyewash with Stainless Steel Bowl

• Dual aerated spray heads with flip top caps • Integral flow controls • Features a push handle activation • 3.18 gpm at 30 psi • ANSI/ISEA Z358.1 Certified • 3 year limited warranty

Item#
3627702

SPEAKMAN®



Speakman® Traditional Series SE-697 Combination Emergency Station with Plastic Bowl Eyewash

• High performance emergency showerhead • Features an aerated eyewash • High visibility pull-rod activated shower • Push-handle activated eyewash • ANSI/ISEA Z358.1 Certified • 3 year limited warranty

Item#
3627681





Hazard Communication



SAS Safety® Hazard Communication Program Kit
 • Includes necessary forms and procedures to meet OSHA requirements • Meets HCS 2015 standard

Item#
7240546



SAS Safety® Compliance Binder
 • High-visibility • Instant point of reference • Meets HCS 2015 standard

Item#
7240516



SAS Safety® SDS Compliance Center
 • High-visibility • Instant point of reference • Meets HCS 2015 standard

Item#
7240522

Flammable Storage



Eagle® Flammable Liquid Safety Storage Cabinet
 • 12 gal • Yellow • Single door, manual close with 1 adjustable shelf • Constructed of double-walled 18-gauge steel • 3-point lock • Leak proof door sill • 350 lb load capacity • Meets NFPA Code 30 and OSHA requirements

Item#
6325989



Eagle® Flammable Liquid Safety Storage Cabinet
 • 30 gal • Yellow • 2 door, manual close with 1 adjustable shelf • Constructed of double-walled 18-gauge steel • 3-point lock • Leak proof door sill • 350 lb load capacity • Meets NFPA Code 30 and OSHA requirements

Item#
288286



Eagle® Flammable Liquid Safety Storage Cabinet
 • 45 gal • Yellow • 2 door, manual close with 1 adjustable shelf • Constructed of double-walled 18-gauge steel • 3-point lock • Leak proof door sill • 350 lb load capacity • Meets NFPA Code 30 and OSHA requirements

Item#
288288

Lockout/Tagout Kits



Ideal® Lockout/Tagout Kit
 • Includes: (3) hinged single-pole breaker lockouts, (2) universal 277V breaker/single pole lockouts, 480/600V breaker lockout, wall switch lockout, 110V small plug lockout, ball valve lockout, (2) 1" safety lockout hasps, red labeled lockout, 220/550V plug lockout, (10) striped lockout tags - do not operate, fuse blockout, gate valve lockout, cleat for 277V and 480/600V breaker lockout, red lockout padlocks 4 44-916, (2) universal multi-pole breaker lockouts, tool box* (12" x 6" x 6")

Item#
7287280

Mfg#
 44-974



Ideal® Lockout/Tagout Kit
 • Includes: (2) circuit breaker lockouts (tall and wide toggles), (3) circuit breaker lockouts (standard single and double toggles), circuit breaker lockout padlock, (3) red lockout padlocks, 1" safety lockout hasp, red labeled lockout, universal wall switch lockout, (12) lockout tags - do not operate (striped), tool box (12" x 6" x 6")

Item#
7287291

Mfg#
 44-979





NEW



NEW



Crown Touch™ Towel Collection

• 100% Cotton • Classic dobby border design • White • Superior absorbency and durability

Item#	Type	Dimensions	Weight/Dozen	Case Qty
11529394	Bath Towel	27" x 50"	14	48
11529383	Bath Towel	27" x 54"	15	48
11529402	Bath Towel	27" x 54"	17	36
11529391	Bath Sheet	30" x 60"	20	24
11529413	Hand Towel	16" x 30"	4.5	120
11529544	Hemmed Wash Cloth	13" x 13"	1.5	300
11529553	Wash Cloth	13" x 13"	1.5	300
11529424	Bath Mat	21" x 32"	9	48



Rapture Towel Collection

• 100% Cotton • Classic dobby border design • White

Item#	Type	Dimensions	Weight/Dozen	Case Qty
11529396	Bath Towel	27 x 50"	14	48
11529397	Bath Towel	27 x 54"	17	36
11529398	Bath Towel	30 x 60"	20	24
11529414	Hand Towel	16 x 30"	4.5	120
11529415	Hand Towel	16 x 30"	5.75	96
11529551	Hemmed Wash Cloth	13 x 13"	1.5	300
11529421	Bath Mat	21 x 36"	11.2	24



NEW



NEW



Cabana Stripe Fibertone Pool Towel

• 86% Cotton/14% Polyester

Item#	Type	Dimensions	Color	Weight/Dozen	Case Qty
11529531	Pool Towel	30 x 60"	Porcelain Blue	13	48
11529533	Pool Towel	30 x 60"	Seafoam	13	48



Fibertone Pool Towel

• 86% Cotton/14% Polyester • Seafoam • Full terry design with plain end eem • Bleach and fade resistant

Item#	Type	Dimensions	Weight/Dozen	Case Qty
11529390	Pool Towel	24 x 48"	8	60
11529387	Pool Towel	24 x 52"	11	60



NEW



NEW



Fitness Towel

• 100% Cotton • White • Intellifresh keeps towel fresh and odor free for the life of the product • Dobby border

Item#	Type	Dimensions	Weight/Dozen	Case Qty
11529407	Fitness Towel	13 x 44"	4	120



Embroidered Make Up Towel

• 100% Ring spun cotton • Black

Item#	Dimensions	Weight/Dozen	Case Qty
11529554	13 x 13"	1.5	144





Oasis® Collection

• 100% ring-spun combed cotton • 300 Thread count • Fabric is mercerized to increase strength and prevent pilling • Fitted sheets have 360 degree shower cap Inish • Anti-wrinkle Inish added for enhanced quality • Color coordinated labels and bottom hem threads for easy size identification

Item#	Type	Size	Dimensions	Case Qty
11529467	Flat Sheet	Twin	72 x 120"	24
11529469	Flat Sheet	Full	87 x 125"	24
11529470	Flat Sheet	Queen	96 x 125"	12
11529462	Flat Sheet	King	120 x 125"	12
11529463	Fitted Sheet	Twin XL	39 x 80"	24
11529464	Fitted Sheet	Full	54 x 75"	24
11529465	Fitted Sheet	Full XL	54 x 80"	24
11529466	Fitted Sheet	Queen	60 x 80"	12
11529468	Fitted Sheet	King	78 x 80"	12
11529566	Pillowcase	Standard	42 x 36"	72
11529567	Pillowcase	Queen	42 x 40"	72
11529568	Pillowcase	King	42 x 46"	72



Beyond Textures Collection

• 100% Polyester • Easy care texture does not require any ironing and will last throughout the life of product • Color coded care labels and hem threads for easy identification

Item#	Type	Size	Dimensions	Case Qty
11529503	Top Sheet	Twin	72 x 120"	12
11529506	Top Sheet	Full	87 x 120"	12
11529509	Top Sheet	Queen	96 x 120"	12
11529499	Top Sheet	King	108 x 120"	12
11529488	Duvet Cover	Twin	70 x 94"	6
11529489	Duvet Cover	Full	85 x 94"	6
11529490	Duvet Cover	Queen	94 x 94"	6
11529487	Duvet Cover	King	106 x 94"	6



Cleanrest® Mattress Encasement

• Zippered encasement • 100% Bed bug entry, escape and bite proof • Waterproof sleep surface • Blocks allergens, dust mites, pet dander, pollen and mold • Machine washable • MicroOne allergen barrier fabric • 100% polyester • 5 year warranty

Item#	Size	Case Qty
11399712	Twin XL	4
11399713	Twin	4
11399738	Full XL	3
11399739	Full	3
11399737	Queen	3
11399734	Hotel King	3
11399735	California King	3
11399736	King	3



Cleanrest® Pro Mattress Encasement

• Zippered encasement • 100% Bed bug entry, escape and bite proof • Waterproof sleep surface • Blocks allergens, dust mites, pet dander, pollen and mold • Machine washable • MicroOne allergen barrier fabric • 100% polyester • 10 year warranty

Item#	Size	Case Qty
11399710	Twin XL	4
11399711	Twin	4
11399732	Full XL	3
11399733	Full	3
11399731	Queen	3
11399728	Hotel King	3
11399729	California King	3
11399730	King	3



Cleanrest® Pro Pillow Encasement

• Zippered encasement • 100% Bed bug entry, escape and bite proof • Blocks allergens, dust mites, pet dander, pollen and mold • Machine washable • MicroOne allergen barrier fabric • 100% polyester • 5 year warranty

Item#	Size	Case Qty
11399709	Standard	4
11399708	Queen	4
11399707	King	4





Personal Care Amenities



Shaving Cream Can Nature Fresh 1 oz

• Qty: 144/case

Item#

7688631



Disposable Razor Wrapped

• Qty: 144/case

Item#

7688636



Shower Caps

• Qty: 500/case

Item#

7688637



Toothbrushes

• Qty: 144/case

Item#

7688618



Make-Up Remover Wipe

• Luxury Size (1 Wipe) • Fresh aloe • Paraben-free
• Individually wrapped sachet • Package Quantity: 500/case

Item#

10865867



Infusé White Tea Coconut Amenity Kit

• Includes: Shampoo 1 oz / 30 ml • Conditioner 1 oz / 30 ml
• Lotion 1 oz / 30 ml • Body wash 1 oz / 30 ml • Cleansing Bar Sachet 20g • Cleansing bar sachet 40g • Make-up remover wipe

Item#

10865846



H2O Therapy® Collection

• This earth conscious collection created with natural ingredients and light botanical fragrance • Made with olive oil and pure aloe vera

Item#	Description	Case
10865879	Shampoo - 1 oz/30 ml Tube Flip Cap	300
10865880	Conditioner - 1 oz/30 ml Tube Flip Cap	300
10865881	Lotion - 1 oz/30 ml Tube Flip Cap	300
10865882	Body Wash - 1 oz/30 ml Tube Flip Cap	300
10865883	Shampoo - .85 oz/25 ml Tube Twist Cap	300
10865884	Conditioner - .85 oz/25 ml Tube Twist Cap	300
10865885	Lotion - .85 oz/25 ml Tube Twist Cap	300
10865886	Body Wash - .85 oz/25 ml Tube Twist Cap	300
10865887	Conditioning Shampoo .85 oz/25 ml Tube Twist Cap	300
10865892	Conditioning Shampoo Sachet Packet - .30 oz/10 ml	500
10865893	Lotion Sachet Packet - .30 oz/10 ml	500
10865888	Massage Bar - 1.1 oz/30 g /#150 Sachet	400
10865889	Cleansing Bar - .5 oz/14 g /#75 Sachet	1000
10865890	Cleansing Bar - 1 oz/28 g /#100 Sachet	500
10865891	Massage Bar - 1.5 oz/42 g Sachet	200





Magnified Mirrors

JERDON.



Jerdon Wall Mounted Lighted Mirror
 • 8" diameter • Regular & 5X magnification • Extends 14" from wall • Chrome finish • Must order in multiples of 4

Item#
7682589

JERDON.



Jerdon Wall Mounted Mirror
 • 8" diameter • Regular & 5X magnification • Extends 14" from wall • Chrome finish • Must order in multiples of 6

Item#
7682551

JERDON.



Jerdon Rectangular Wall Mounted Mirror
 • 6.5" x 8.75" • 5X magnification • Double heavy arms extend up to 14" from the wall • Chrome finish • Must order in multiples of 4

Item#
7682549

Hair Dryers

JERDON.



Jerdon® Wall Mount Hair Dryer 1600W
 • 2 speeds • 2 heat settings • LED night light • Plug in

Item#	Mfg#	Color
7682486	JWM8C	White
7682463	JWM8CB	Black

CONAIR® Cuisinart
 HOSPITALITY



Conair 1875 Watt Hairdryer
 • 2 speed • 2 heat settings • Concentrator attachment • Cool shot button • Built in ALCI

Item#	Mfg#	Color
7644656	247W	White
7644660	247BW	Black

JERDON.



Jerdon® Hand Held Hair Dryer 1600W
 • 2 Speeds • 2 Heat Settings • White

Item#	Mfg#
10094697	JHD8W

Hair Dryers



Hair Dryer Bag
 • Black with red stich • 12" W x 12" L

Item#
7682263

Irons

JERDON.



Jerdon® Iron with Retractable Power Cord
 • Dual automatic shut-off • 30 seconds in horizontal position 15 minutes in vertical position • Steam/spray self-clean • 7' retractable cord • White

Item#	Mfg#	Color
7682581	J913W	White
7682585	J913B	Black

CONAIR® Cuisinart
 HOSPITALITY



Conair Full Feature Iron
 • 8' retractable cord • Anti-drip feature • Auto Shut-off: 30 seconds horizontal; 8 minutes vertical • Vertical steam • Spray and burst of steam • Self-cleaning • Nonstick soleplate

Item#	Mfg#	Color
7644659	WCI306RBK	Black
7644664	WCI306R	White

Ironing Boards



Classic Ironing Board
 • 54" x 14" table • Positive leg locking adjustment system • Welded T-leg for strength

Item#	Qty	Tube Size	Color/Finish
7682279	4	1-1/4"	Blue



Bungee Cover
 • 54" x 14" • Universal replacement • Scorch resistant • Bungee binding for the tightest fit

Item#	Qty	Color/Finish
7682268	12	Blue



EasyFit Drawstring Cover
 • 54" x 14" • Basic replacement cover • Scorch resistant • Drawstring with stop lock closure for a tight fit and easy removal

Item#	Qty	Color/Finish
7682272	12	Blue

Ironing Board Covers





Coffee Brewers



Hamilton Beach® K-Cup® Coffeemaker

- Auto off • Compatible with K-Cup® packs • Easy-view water window • Permanent operating instructions on top

Item#	Mfg#	Color/Finish
7688282	HDC 311	Black



Mr Coffee® Single Serve Coffeemaker

- Auto off • 3.5 minute brew time • Permanent instructions printed on lid • Covered water reservoir • Dishwasher-safe permanent brew basket • Fits 8 or 12 oz cup or mug

Item#	Mfg#	Color/Finish
7678172	CM2003-005	Black
7678152	CM2004-005	Black with Metallic Trim



Hamilton Beach® 4-Cup Coffeemaker

- 30 minute auto shutoff • Auto pause & serve • Illuminated power button • Swing-out brew basket • Permanent operating instructions on top • Water level indicator • Dishwasher safe carafe and brew basket

Item#	Mfg#	Color/Finish
7688278	HDC500C	Black
7688285	HDC500CS	Black with Stainless Steel Carafe

Compact Refrigerators and Microwave



Danby® Compact Refrigerator

- 1.6 cu ft • Mechanical thermostat • Crystal clear glass front • Commercial rated beverage and food storage • Reversible door hinge • Black and Stainless look trim • 17-11/16" W x 20-1/4" H x 19-11/16" D • Mfg# DAG016A2BDB

Item#
10421949



Danby® Compact Refrigerator

- Semi-automatic defrost • 1.6 cu ft • 1-1/2 width removable wire shelf • Reversible door hinge • Black • 17-17/25" W x 19-18/25" H x 18-1/2" D • Mfg# DCR016A3BDB

Item#
9678753



Danby® Compact Microwave

- .7 cu ft • 700 watts • 10 power levels • Auto defrost option: Defrost by time or weight • Express cook options • Cord length: 59" • Stainless Steel • 17-14/25" W x 9-47/50" H x 12-14/25" D • Mfg# DBMW0720ASD

Item#
10101353

Food & Beverage Supplies



Foam Cup 8 oz

- Maintain beverages at their optimal temperature
- Qty: 25 cups/bag; 40 bags/case; 1000 cups/case

Item#
4623045



Lid for Foam Cup

- Qty: 1000 lids/case

Item#
4623005



Clear Poly Cup 9 oz Individually Wrapped

- Qty: 50 cups/bag; 20 bags/case; 1000 cups/case

Item#
7316728



Medium Weight Polypropylene Utensils

- Qty: 1000/case

Item#	Type
7316729	Fork
7316730	Spoon
7316725	Knife



Wrapped Polypropylene Utensils

- Qty: 1000/case

Item#	Type
7378696	Fork
7378698	Spoon
7378697	Knife





Dish Detergent



Palmolive® 3 oz. Dishwashing Liquid in Green
 • Removes dried and cooked-on foods • Cuts through stubborn grease • Qty: 72 bottles/case

Item#
4483750

Ice Buckets & Liners



Ice Bucket Liner
 • 13" x 12" • Qty: 2000/case

Item#
7688641

Laundry Bags



Laundry Bags 18" x 19" Draw Tape
 • Qty: 1000/case

Item#
7688634

Key Cards



Magnetic Strip Key Card Generic
 • Welcome Enjoy your stay! • Qty: 500/case

Item#
7638344



Generic 1K RFID Key Card
 • Compatible with Onity, Saflok, DormaKaba, Ilco, Miwa, and Securelox RFID lock systems • Cards will not work with any other RFID Locking Systems • Case of 200

Item#
10490646



Generic Enjoy Your Stay ULC RFID Key Cards
 • Compatible with Saflok, DormaKaba, Onity ULC Security Upgraded RFID lock systems • Cards will not work with any other RFID Locking Systems • Case of 200

Item#
10490647

Telephones



Telematrix Single-Line Telephone
 • Basic model • Message waiting light • No speakerphone • Data port

Item#	Color/Finish	Mfg#
4716450	Black	310391



E Series Basic Phone
 • Single-line speakerphone • No guest service keys • OneTouch voice mail • Message-waiting light • Data port • Full-length customizable faceplate • Desk or wall-mounted

Item#	Color/Finish	Mfg#
7679270	Black	EA011000S00T



Aegis P-08 Single Line Basic
 • Single-line • No guest service keys • Message-waiting light • Data port • Full-length customizable faceplate • Desk or wall-mounted

Item#	Color/Finish	Mfg#
7165115	Black	80002

Remote Controls



Clean Remote® Universal Remote Control
 • Works with LG, Samsung, *RCA and *Philips TVs (*healthcare and hospitality TVs) • No setup required for TVs • Replaces remote controls for many Hospitality and Healthcare streaming /casting services including Sonifi, Enseo, Worldvue, Guesttek, Bonvoy And AEP • White back-light for keypad make the remote easy to operate in low light conditions • Uses 2 AA batteries • Black

Item#	Mfg#
10382772	SCR10



Clean Remote® Universal Remote Control
 • Instantly works with Samsung and LG TVs with no set-up needed • Hidden battery compartment and attached door to help prevent batteries from being taken • Uses 2 AAA batteries

Item#	Mfg#	Color
11659283	CR4B2	Black
11659282	CR42	White



Universal Guest TV Remote Control
 • Works the following TV brands right out of the box: Philips, LG, Samsung, RCA, Hisense, Panasonic, Vizio, Zenith • Can also be easily reprogrammed for 250 other TV brands • Requires two AAA batteries (not included)

Item#
7302613





Luggage Racks



Flat Top Luggage Rack

• Size: 20" L x 26" W x 16-1/2" D • Flat top • Black straps

Item#	Color/Finish
4711176	Zinc

Coat Racks



Traditional Coat Rack

• 1" hanging rod • Color/Finish: Zinc

Item#	Width
4869290	24"
4711178	30"
4869292	36"
4869293	48"
4869297	60"

In Room Safes



Global FIT Safe

• Fully motorized with two 3/4" steel locking bolts • ADA compliant illuminated keypad • Emergency openings via CEU electronic override unit and manual hard key • 500 event audit trail capable • Electro static powder coat finish • Standard color black • Off white and custom colors available • Pre-drilled installation holes • 7 year manufacturer warranty

Item#	Mfg#	Dimensions
7688566	824 Black 99	7-1/2H x 15W x 15"D
7688582	824 Black 20	8H x 19-1/2W x 15-3/4"D

Bellman Carts



Economy Bellman Cart

• Gray carpet • 6" gray poly casters • Black bumper • Color/Finish: Silver

Item#
4711182



Trident Style Deluxe Bellman Cart

• Gray carpet • 8" black pneumatic casters • Black bumper • Heavy duty 2" tube • Color/Finish: Stainless Steel

Item#
4869295





Housekeeping Carts



Partially Assembled Premium Housekeeping Cart

- Spring-loaded, Impact absorbing bumpers to reduce costly wall damage • Low bottom roller hits base board • Long-handle tool storage on all sides • One standard bag for collecting laundry or refuse • Secure side zipper allows easy removal of contents • 24"W x 62.13"L x 49.75"H

Item#	Color
10306579	Black
10306580	Platinum

High Security Cleaning Cart Black

- Large 7.25 cu ft of locking cabinet area • 5 cu ft of storage space • JCAHO compliant: locking cabinet doors, locking security hood, and waste cover • Lock 'n go bucket attachment • Includes two removable 10 qt isinfecting caddies

Item#	Mfg#
3441759	FG9T7500BLA

Laundry Carts



Permanent Liner Basket Truck, Wood Base

- Versatile, durable material handling cart • Ideal for all applications from laundry, recycling, sports equipment and more • Carts maneuver easily on standard 3" non-marking polyurethane casters mounted to a kiln-dried hardwood base • Carts ship fully assembled and nest together for shipping and storage • Available in 14 vinyl colors and white canvas

Item#	Capacity	Color/Finish	Casters	Size
7677315	8 Bushel	Black	4 Swivel	34" L x 22" W x 27" H
7677246	12 Bushel	Black	4 Swivel	36" L x 26" W x 34" H
7677363	16 Bushel	Black	4 Swivel	40" L x 28" W x 36.5" H



Recycle Cart

- Designed for heavy-duty material handling • Ideal for scrap metal, construction debris, trash, and more • Durable polyethylene tub includes a double-wall top rim for additional strength • 4" hard rubber casters • Carts ship fully assembled and nest together for shipping and storage

Item#	Capacity	Color/Finish	Casters	Size
7677316	23 cu ft	Blue	4 Swivel	43.5" L x 29" W x 37" H



Poly Truck, Metal Base

- Versatile, durable material handling cart • Ideal for all applications from laundry, recycling, sports equipment and more • Molded polyethylene body bolted to a galvanized steel base • 4" non-marking polyurethane casters • Containers ship fully assembled and nest together for shipping and storage

Item#	Capacity	Color/Finish	Casters	Size
7677323	12 Bushel	Blue	4 Swivel	40" L x 30" W x 34" H
7677361	16 Bushel	Blue	4 Swivel	44" L x 32" W x 36.5" H





Two Handle Kitchen Faucets



CFG® Cornerstone High Arc Kitchen Faucet

- Color/Finish: Chrome • Flow Rate: 1.5 gpm
- Metal handles • Ceramic cartridge • Without side spray

Item#	Mfg#
5078606	40617



Pfister® Pfirst Series™ Two-Handle Kitchen Faucet

- Flow Rate 1.75 gpm • Metal handles • Ceramic cartridge

Item#	Finish	Side Spray	Mfg#
4342603	Polished Chrome	No	G1362000
4342611	Polished Chrome	Yes	G1365000
4342608	Stainless Steel	No	G136200S

Single-Handle Kitchen Faucets



PROFLO® Cliffmont Single-Handle Tomahawk Kitchen Faucet

- Color/Finish: Polished Chrome • Flow Rate: 1.8 gpm
- Washerless cartridge

Item#	Side Spray
9832956	No
9832949	Yes

Single-Handle Kitchen Faucets



PROFLO® Heathcote Single-Handle Euroloop Kitchen Faucet

- Color/Finish: Polished Chrome • Flow Rate: 1.8 gpm
- Washerless cartridge

Item#	Side Spray
9832948	No
9832951	Yes



PROFLO® Heathcote Single-Handle Kitchen Faucet

- Color/Finish: Polished Chrome • Flow Rate: 1.5 gpm
- Ceramic cartridge • Without side spray

Item#
9808017



PROFLO® Single-Handle Kitchen Faucet

- Flow Rate: 1.5 gpm • Ceramic cartridge

Item#	Finish	Side Spray
9808060	Polished Chrome	No
9808031	Polished Chrome	Yes
9808068	Brushed Nickel	No
9808016	Brushed Nickel	Yes



CFG® Cornerstone® Single-Handle Kitchen Faucet

- Color/Finish: Polished Chrome • Flow Rate: 1.5 gpm
- Ceramic cartridge • Without side spray

Item#	Supply Lines	Mfg#
4565695	No	CA40511
4630071	Yes	CA40512



see what Delta can do



Delta® Classic Single-Handle Kitchen Faucet

- Color/Finish: Polished Chrome • Flow Rate: 1.8 gpm
- Ceramic Diamond™ cartridge • Without side spray
- 32" Supply lines included

Item#	Mfg#
3815875	100-DST



see what Delta can do



Delta® Classic Single-Handle Kitchen Faucet

- Color/Finish: Polished Chrome • Flow Rate: 1.8 gpm
- Ceramic Diamond™ cartridge • With side spray • 32" Supply lines included

Item#	Mfg#
3815930	400-DST





Single-Handle Kitchen Faucets

KOHLER

NEW

KOHLER

NEW

MOEN



Kohler® Jolt™ Single-Handle Kitchen Faucet

- Color/Finish: Polished Chrome • Flow Rate: 1.5 gpm
- Ceramic cartridge • Without side spray

Item#	Mfg#
9866343	30613-CP



Kohler® Rival™ Single-Handle Kitchen Faucet

- Color/Finish: Polished Chrome • Flow Rate: 1.5 gpm
- Ceramic cartridge • Without side spray • High-arch swing spout with 120° rotation

Item#	Mfg#
9978339	30470-CP



Moen® Chateau™ Single-Handle Kitchen Faucet

- Color/Finish: Polished Chrome • Flow Rate: 1.5 gpm
- Ceramic cartridge

Item#	Side Spray	Qty	Mfg#
498131	No	1	7425
498136	No	6	67425
498139	Yes	1	7430
498143	Yes	6	67430

Single-Handle Kitchen Faucets

Pfister



Pfister® Pfirst Series™ Single-Handle Kitchen Faucet

- Color/Finish: Polished Chrome • Flow Rate: 1.75 gpm
- Washerless cartridge • Without side spray

Item#	Mfg#
3865866	G1341444

Pull-Out Kitchen Faucets



PROFLO® Edgebrook Euroloop Pull-Out Kitchen Faucet

- Flow Rate: 1.8 gpm • Ceramic cartridge
- 1 or 3 hole installation, deck plate included

Item#	Finish
9832968	Polished Chrome
9832922	Brushed Nickel



PROFLO® Pull-Out Kitchen Faucet

- Flow Rate: 1.5 gpm • Ceramic cartridge
- 1 or 3 hole installation, deck plate included

Item#	Finish
9832942	Polished Chrome
9832965	Brushed Nickel

Pull-Out Kitchen Faucets



PROFLO® Tecopa Pull-Down Kitchen Faucet

- Ceramic cartridge • 1 or 3 hole installation, deck plate included

Item#	Finish	GPM
5133441	Polished Chrome	1.8
5133440	Brushed Nickel	1.8
8111493	Brushed Nickel	1.0
10176162	Matte Black	1.8



PROFLO® Loftus Pull-Down Kitchen Faucet

- Flow Rate: 1.8 gpm • Ceramic cartridge • 1 or 3 hole installation, deck plate included • 3 Function Sprayer: Stream, full spray & pause with 360° swivel

Item#	Finish
10098765	Polished Chrome
10098767	Brushed Nickel
10098766	Matte Black



PROFLO® Orvis Pull-Down Kitchen Faucet

- Flow Rate: 1.8 gpm • Ceramic cartridge • 1 or 3 hole installation, deck plate included • 3 Function Sprayer: Stream, full spray & pause with 360° swivel

Item#	Finish
9832962	Polished Chrome
9832929	Brushed Nickel





Pull-Out Kitchen Faucets



PROFLO® Basque® Spring Pull-Down Kitchen Faucet
• Flow Rate: 1.8 gpm • Ceramic cartridge • 1 or 3 hole installation, deck plate included

Item#	Finish
9832931	Polished Chrome
9832963	Brushed Nickel



CFG® Baystone® Pull-Down Kitchen Faucet
• Flow Rate: 1.5 gpm • Ceramic cartridge • 1 or 3 hole installation, deck plate included

Item#	Finish	Mfg#
4565696	Polished Chrome	CA42519
4565698	Stainless Steel	CA42519CSL



Delta® Essa® Pull-Down Kitchen Faucet
• Flow Rate: 1.8 gpm • Ceramic cartridge • 1 or 3 hole installation, deck plate not included • Supply lines included

Item#	Finish	Mfg#
5150467	Chrome	9113DST
5152693	Arctic Stainless	9113ARDST



Kohler® Rival™ Pull-Out Kitchen Faucet
Color/Finish: Polished Chrome • Flow Rate: 1.5 gpm
Ceramic cartridge • 1 or 3 hole installation, deck plate included • With supply lines • Rotating spout

Item#	Mfg#
9978333	30468-CP



Kohler® Jolt™ Pull-Out Kitchen Faucet
Color/Finish: Polished Chrome • Flow Rate: 1.5 gpm
Ceramic cartridge • 1 or 3 hole installation, deck plate included • With supply lines • Rotating spout

Item#	Mfg#
9820480	30612-CP



Kohler® Simplice® Pull-Down Kitchen Faucet
• Flow Rate: 1.5 gpm • Ceramic cartridge • With supply lines • 1 or 3 hole installation, deck plate included

Item#	Finish	Mfg#
3631560	Polished Chrome	596-CP
3631559	Vibrant Stainless	596-VS



Moen® Integra™ Pull-Out Kitchen Faucet
• Flow Rate: 1.5 gpm • Ceramic cartridge • 1 or 3 hole installation, deck plate included

Item#	Finish	Mfg#
1284048	Chrome	67315C
4715792	Stainless Steel	67315SRS



Moen® Arbor™ Pull-Down Kitchen Faucet
• Flow Rate: 1.5 gpm • Ceramic cartridge • 1 or 3 hole installation, deck plate included

Item#	Finish	Mfg#
3978174	Chrome	7594C
4381419	Stainless Steel	7594SRS



Pfister® Pfirst Series™ Pull-Out Kitchen Faucet
• Flow Rate: 1.75 gpm • Ceramic cartridge • 1 or 3 hole installation, deck plate included

Item#	Finish	Mfg#
3865891	Polished Chrome	G13310CC
3865852	Stainless Steel	G13310SS





Two Handle Bath Faucets



PROFLO® Two-Handle Bath Faucet
 • Flow Rate: 1.2 gpm • Ceramic cartridge

Item#	Finish	Pop-Up Type
10081299	Polished Chrome	Drilled For
10081297	Polished Chrome	50/50
10081300	Brushed Nickel	Drilled For
10081298	Brushed Nickel	50/50



PROFLO® Willett Two-Handle Bath Faucet
 • Metal handles • Flow Rate: 1.2 gpm • Ceramic cartridge
 • With brass pop-up

Item#	Finish
9808043	Polished Chrome
9808039	Brushed Nickel



CFG® Cornerstone® Two-Handle Bath Faucet
 • Color/Finish: Chrome • Metal handles • Flow Rate: 1.2 gpm • Ceramic cartridge

Item#	Pop-Up Type	Mfg#
4631422	Drilled For	40224
4631423	50/50	40225

Two Handle Bath Faucets



Delta® Foundations® Core-B Two-Handle Bath Faucet
 • Color/Finish: Polished Chrome • Metal handles • Flow Rate: 1.2 gpm • Washerless cartridge • With metal pop-up

Item#	Mfg#
3863370	B2510LF



Moen® Eva® Two-Handle Bath Faucet
 • Metal handles • Flow Rate: 1.2 gpm • Ceramic cartridge
 • With metal pop-up

Item#	Finish	Mfg#
2846275	Polished Chrome	6410
2846446	Brushed Nickel	6410BN



PROFLO® Single-Handle Bath Faucet
 • Metal handle • Ceramic cartridge

Item#	Finish	GPM	Pop-Up Type
9832950	Polished Chrome	1.2	None
9832935	Polished Chrome	1.2	50/50
9832919	Brushed Nickel	1.2	50/50
9832945	Polished Chrome	0.5	None

Single Handle Bath Faucets



PROFLO® Single-Handle Bath Faucet
 • Color/Finish: Polished Chrome • Metal handle • Flow Rate: 1.2 gpm • Ceramic cartridge

Item#	Pop-Up Type
9832947	None
9832966	Metal



PROFLO® Alvord Single-Handle Bath Faucet
 • Metal handle • Flow Rate: 1.2 gpm • Ceramic cartridge
 • With brass pop-up • Deck plate included

Item#	Finish
9808075	Polished Chrome
9807992	Brushed Nickel



PROFLO® Orrs Single-Handle Bath Faucet
 • Metal handle • Flow Rate: 1.2 gpm • Ceramic cartridge
 • With brass pop-up • Deck plate not included

Item#	Finish
9731436	Polished Chrome
9731430	Brushed Nickel
9731433	Matte Black





Single Handle Bath Faucets



PROFLO® Nason Modern Single-Handle Bath Faucet
 • Metal handle • Flow Rate: 1.2 gpm • Ceramic cartridge
 • With brass pop-up • Deck plate included

Item#	Finish
9808030	Polished Chrome
9808029	Brushed Nickel



PROFLO® Kelper Single-Handle Bath Faucet
 • Color/Finish: Matte Black • Metal handle • Flow Rate: 1.2 gpm • Ceramic cartridge • With brass pop-up • Deck plate included

Item#
9808007



CFG® Cornerstone® Single-Handle Bath Faucet
 • Metal handle • Flow Rate: 1.2 gpm • Ceramic cartridge

Item#	Finish	Pop-Up Type	Supply Lines	Mfg#
4630068	Chrome	Drilled For	No	CA40717
4599364	Chrome	50/50	No	CA40711
4220698	Chrome	Metal	No	CA40710
4630067	Chrome	50/50	Yes	CA40712
4565686	Brushed Nickel	50/50	No	CA40711BN



see what Delta can do



Delta® Classic Single-Handle Bath Faucet
 • Color/Finish: Polished Chrome • Metal handle • Ceramic Diamond™ cartridge • Includes 32" supply lines

Item#	GPM	Pop-Up Type	Mfg#
3698489	1.2	None	501-DST
3698671	1.2	Metal	520-MPU-DST
4141863	0.5	None	D01LFHGMHDF



Kohler® Elate® Single-Handle Bath Faucet
 • Color/Finish: Polished Chrome • Metal handle • Flow Rate: 1.2 gpm • Ceramic cartridge • With metal clicker drain pop-up • With supply lines

Item#	Mfg#
11650848	35048-4-CP



Kohler® Honestly™ Single-Handle Bath Faucet
 • Color/Finish: Polished Chrome • Metal handle
 • Flow Rate: 1.2 gpm • Ceramic cartridge • With metal clicker drain pop-up

Item#	Mfg#
11656930	37889-4-CP



Kohler® Buckley™ Single-Handle Bath Faucet
 • Color/Finish: Polished Chrome • Metal handle • Flow Rate: 1.2 gpm • Ceramic cartridge • With metal touch activated pop-up

Item#	Mfg#
10361239	35952-4-CP



Moen® Chateau™ Single-Handle Bath Faucet
 • Metal handle • Flow Rate: 1.2 gpm • Ceramic cartridge
 • With metal pop-up

Item#	Finish	Pop-Up Type	Qty	Mfg#
923405	Chrome	None	1	L64601
343940	Chrome	Metal	1	L4621
343944	Chrome	50/50	12	L64621



Moen® Align™ Single-Handle Bath Faucet
 • Metal handle • Flow Rate: 1.2 gpm • Ceramic cartridge
 • With metal pop-up • Spout Length: 4-3/16" from hole center • 1 or 3 hole installation, deck plate included

Item#	Finish	Mfg#
4777709	Polished Chrome	6190
4777726	Brushed Nickel	6190BN
7301704	Matte Black	6190BL






Tub & Shower Trim Kits



PROFLO® Single-Handle Lever Tub & Shower Trim Kit

- Trim only • Flow Rate: 1.75 Gpm • Brass shower arm and flange • Diverter tub spout
- Meets or exceeds ASME/ANSI A112.18.1M
- UPC/IAPMO listed • CSA certified
- **Required accessories:** Pressure balancing valve: PF3001 or PF3001LS

Item#	Finish
4061516	Polished Chrome
9587353	Brushed Nickel



Delta® Monitor® 13 Series Classic Single-Handle Tub & Shower Trim Kit

- Trim only • Flow Rate: 1.75 gpm • 2-5/8" diameter rain shower • Pull-up diverter tub spout • Touch-Clean® showerhead provides full spray pattern • Handle Type: Lever • IPS Connection • **Required accessories:** Rough-in valve R10000-UNBX

Item#	Finish	Mfg#
2465190	Polished Chrome	T13420
4063814	Stainless Steel	T13420-SS



Moен® Chateau™ Posi-Temp® Single-Handle Shower Trim

- Trim only • Color/Finish: Chrome • 2-1/2" Diameter spray head • Install with Posi-Temp® pressure balancing control valve to maintain water temperature control in the shower • **Required accessories:** Rough-in valve

Item#	GPM	Mfg#
343947	2.5	TL182
4038369	1.75	TL182EP



Moен® Chateau™ Posi-Temp® Single-Handle Shower Trim

- Trim only • Color/Finish: Chrome • Posi-Temp® pressure-balancing valve maintains water pressure and controls temperature
- Handle Type: Lever • 5-1/2" Tub spout
- **Required accessories:** Rough-in valve

Item#	GPM	Qty	Mfg#
343949	2.5	1	TL183
4038344	1.75	12	TL183EP

Valve Trim Kits



Moен® Chateau™ Single-Handle Valve Trim

- Color/Finish: Chrome • Install with Posi-Temp pressure balancing control valve to maintain water temperature control in the shower • **Required accessories:** Rough-in valve

Item#	Type	Qty	Mfg#
343930	Valve With Trim	1	L2361
424278	Trim Only	12	TL181



PROFLO® Accufit™ Tub & Shower Pressure Balance Rough-In Valve

- Ceramic cartridge • Back-to-back capability • Temperature limiting device
- Plaster guard included • Finished sleeve cover and cap are packaged with trim
- Integral stops • **Optional accessories:** Air test cap: ACF4001AIR • Plaster guard: ACF4001GRD • Replacement cartridge: ACF4001LSCRT

Item#
7386893



Delta® MultiChoice® Tub & Shower Rough-In Valve Body

- Accepts single or dual function pressure balanced cartridge or dual function thermostatic cartridge
- Cartridge ships with trim
- Trim must be ordered separately

Item#	Connections	Mfg#
2465289	PEX	R10000-PX
4052074	MPT	R10000UNWSH



Delta® MultiChoice® Tub & Shower Rough-In Valve Body

- Connection Type: 1/2" copper, 1/2" iron pipe, PEX or CPVC adapters • Accepts single or dual function pressure balanced cartridge or dual function thermostatic cartridge • Cartridge ships with trim
- Trim must be ordered separately

Item#	Type	Mfg#
2465328	Universal Inlets/Outlets	R10000-UN
2465313	Universal Single Box Model	R10000-UNBX
2465296	Universal With Stops & Diverter	R10000-UNWS

Rough-In Valves



Delta® Tub & Shower Diverter Rough-In Valve

- For use with three or six function diverter
- Connection Type: Sweat or MIP

Item#	Mfg#
4063908	R11000



Kohler® Rite-Temp® Tub & Shower Pressure Balance Rough-In Valve with Stops

- Connection Type: 1/2" Universal NPT and direct sweat connections • Kit includes valve body, pressure-balance cartridge, rough-in guide, and mud guard • Ideal back-to-back installation for unique or high-volume jobs • Adjustable high-temperature limit stop • Pressure-balancing diaphragm technology

Item#	Mfg#
7180338	8304-KS-NA



Moен® Posi-Temp® Pressure Balance Cycle Rough-In Valve

- Pressure balancing, four port, cycle valve
- Adjustable temperature limit stop to control maximum hot water temperature
- Pressure balancing mechanism maintain selected discharge temperature to ± 3°F

Item#	Connection	Mfg#
141690	1/2" CC	62320
1638961	1/2" PEX	62380



Moен® Posi-Temp® Tub & Shower Pressure Balance Rough-In Valve With Test Plug

- 1/4 turn stops • Pressure balancing, four port, cycle valve • Adjustable temperature limit stop • Connection: 1/2" CC

Item#	Mfg#
141691	62370





Showerheads



PROFLO® Full Spray Showerhead

• Color/Finish: Polished Chrome Body • Flow Rate: 1.75 gpm • 1-3/4" Face diameter

Item#

7304969



PROFLO® Multi-Function Showerhead

• Color/Finish: Polished Chrome Body, Black Face
• Material: Brass & ABS Construction • 2-5/16" Face diameter • Three spray functions • Flow Rate: 1.5 gpm

Item#

4473831



PROFLO® Water-Saving Massage Showerhead

• Five spray functions • Neoperl® flow regulator • Brass ball joint • 4" Face diameter • Flow Rate: 1.75 gpm

Item#

10081292

Finish

Polished Chrome

10081293

Brushed Nickel



PROFLO® Rainfall Showerhead

• Material: Brass & ABS Construction • 6" Face diameter
• Flow Rate: 1.75 gpm

Item#

7103433

Finish

Polished Chrome

9587332

Brushed Nickel



Kohler® Awaken® Multi-Function Showerhead

• Color/Finish: Polished Chrome • 4-5/8" face diameter
• Three spray functions • Flow Rate: 1.75 gpm

Item#

7629166

Mfg#

72425-G-CP



Kohler® Purist® Multi-Function Showerhead

• Color/Finish: Polished Chrome • 5-1/2" Face diameter
• Three spray functions

Item#

7729978

Watersense

No

GPM

2.5

Mfg#

22170-CP

7730158

Yes

1.75

22170-G-CP

Showerheads



Moен® Genta Multi-Function Showerhead

• Color/Finish: Polished Chrome • Material: Plastic • Brass ball joint • 4-3/8" Face diameter • Four spray functions

Item#

4576833

Watersense

No

GPM

2.5

Mfg#

3638

4576867

Yes

1.75

3638EP



Niagara Conservation® Earth® Adjustable Showerhead

• Material: Plastic • Metal ball joint • 2-11/16" Face diameter
• Two spray functions

Item#

4292275

Finish

Polished Chrome

GPM

1.25

Mfg#

N2912CH

3571286

Polished Chrome

1.5

N2915CH

3571284

Polished Chrome

1.75

N2917CH

3571278

Polished Chrome

2.0

N2920CH

7165010

Brushed Nickel

1.5

N2915BN



PROFLO® Six-Function Slide Bar Hand Shower Kit

• Adjustable height handshower slides up and down the bar to customize your spray height • 3-3/8" Face diameter
• Six function handshower (outer spray, inner spray, trickle, massage, outer and inner, spray and massage)
• Flow Rate: 1.8 gpm

Item#

7779956

Finish

Chrome

7779957

Brushed Nickel





Shower Hoses

KOHLER.



Kohler® Mastershower® Hand Shower Hose

• With swivel base • Material: Metal

Item#	Finish	Length	Mfg#
241271	Chrome	60"	9514-CP

Shower Arms & Flanges



PROFLO® Shower Arm Flange

• 2-1/2" Diameter • 7/8" ID • Fits Pipe Size: 1/2" IPS • 7/8" ID

Item#	Finish	Qty
272602	Chrome	1
7635549	Chrome	10
7635550	Brushed Nickel	10



PROFLO® 6" Shower Arm

• Brass shower arm with stainless steel flange • Color/Finish: Chrome

Item#	Length
272545	6"
272546	8"

Scald Guards, Shut Offs & Vacuum Breakers



PROFLO® Vacuum Breaker For Showerheads

• 1/2" NPSM connection • Prevents backflow in hand shower systems • Material: Brass

Item#
4473828

Non-Diverter Tub Spouts



PROFLO® Non-Diverter Tub Spout

• Spout Reach: 5-1/4" • Die cast construction • 1/2" FIP front connection • Color/Finish: Chrome

Item#
308354

Diverter Tub Spouts



PROFLO® Diverter Tub Spout

• Spout Reach: 5-1/2" • Die cast zinc construction

Item#	Type	Finish
308355	1/2" FIP	Chrome
7229984	1/2" NPT	Brushed Nickel
308361	Slip Fit	Chrome
7229982	Slip Fit	Brushed Nickel

Diverter Tub Spouts



PROFLO® Diverter Tub Spout

• Spout Reach: 7" • Metal construction • 1/2" CTS Slip-fit connections

Item#	Finish
4473854	Chrome
9587344	Brushed Nickel



see what Delta can do



Delta® Diverter Bath Spout

• Color/Finish: Chrome • Spout Reach: 5-1/2" • Metal construction • Slip-fit 1/2" CWT

Item#	Mfg#
50433	132483



see what Delta can do



Delta® Chrome Pull-Down Diverter Tub Spout

• Color/Finish: Chrome • Non-metallic • For 1/2" pipe thread • Length: 6-1/8"

Item#	Mfg#
158743	RP17453





Plumbing - Commercial Faucets

Single-Handle Commercial Faucets



Delta® Commercial Single-Handle Bath Faucet
 • Color/Finish: Chrome • Spout Height: 1-11/16" • Spout Reach: 5" • Vandal resistant lever handle • 3/8" OD straight • Staggered copper supply tubes with 3/8" fittings and 1/2" adapters • Diamond™ valve

Item#	GPM	Mfg#
4141944	1.5	501LF-HDF
4141863	0.5	501LFHGMHDF

Two-Handle Wall Mount Service Faucet



Chicago Faucet® Two-Handle Wall Mount Service Faucet
 • Brass body • Ceramic disc cartridge • Wall-mounted manual sink faucet with 8" centers • 5-3/4" rigid atmospheric vacuum breaker spout with pail hook • 3/4" male hose thread outlet • Adjustable supply arms • Adjustable female union nut supply arms • Integral stop valves for servicing the product

Item#	Finish	Mfg#
121031	Polished Chrome	897CP
121030	Rough Chrome	897RCF



T&S® Two-Handle Wall Mount Service Faucet
 • Color/Finish: Chrome • 8" centers • Less nozzle • Compression cartridges • Accepts T&S swing nozzles and goosenecks • Handle Type: Lever

Item#	Mfg#
106923	B-0230-LN

Touchless Sensor Faucets



Sloan® Mechanical Mixing Valve
 • Model: MIX-60-A • Below deck mechanical mixing valve for single faucet installation • Rough Brass

Item#	Mfg#
1119531	3326009



Zurn® Aqasense® Sensor Faucet
 • Color/Finish: Polished Chrome • Material: Cast Brass • Spout Height: 5-5/16" • Spout Reach: 3-7/8" • 4 AA Batteries • Vandal resistant aerator • Thirty second time out feature • Includes in-line filter, four batteries and inlet for a 1/2" ball riser and single supply hose • Flow rate: 1.5 gpm

Item#	Mfg#
9560536	Z6915-XL-F

Metering Faucets



Chicago Faucet® Single-Handle Metering Faucet
 • Color/Finish: Polished Chrome • Deck-mounted metering sink faucet, single-hole, single-supply • 3-1/2" c-c rigid integral spout • Vandal Proof 1-3/4" round metering handle with hot and cold index buttons • MVP metering adjustable cycle time closure cartridge • 1/2" NPSM supply inlets and coupling nut for 3/4" or 1/2" flexible riser • Flow Rate: 2.2 gpm pressure compensating Softflo aerator outlet

Item#	Mfg#
3715279	333-665PSHABCP

Pre-Rinse Unit



T&S® Pre-Rinse Spray Unit Wall Mount
 • Color/Finish: Chrome • 8" centers • Flow Rate: 1.15 Gpm • Chrome plated brass body • EasyInstall 18" riser for quick installation • Quarter-turn Eterna compression cartridges • Adjustable centers from 7 3/4" to 8 1/4"

Item#	Type	Mfg#
47018	Unit Only	B-0133
109973	With Bracket	B-0133-B

Pre-Rinse Repair



T&S® Pre-Rinse Low Flow Spray Hose
 • Self closing valve for ware washing • Retrofits any T&S Pre-rinse unit • Shuts off when handle is released • Low flow spray valve • EPAct compliant • 2019 DOE class II compliant

Item#	GPM	Mfg#
4417465	1.07	TB0107J
40231	1.42	680807



T&S® Pre-Rinse Hose
 • Color/Finish: Stainless Steel • Interlock design for added strength • Hose length: 44"

Item#	Mfg#
13838	680806





Stems & Cartridges

CHICAGO FAUCETS
Gibert Group



Chicago Faucet® Cartridge
• Length: 2-1/4" • Ceramic cartridge

Item#	Type	Mfg#
3975304	Hot	1100XKJKABNF
3975407	Cold	1099XKJKABNF

CHICAGO FAUCETS
Gibert Group



Chicago Faucet® Quaturn™ Cartridge
• Length: 2-5/8"

Item#	Type	Mfg#
3973583	Hot	1099XTJKABNF
3973583	Cold	1099XTJKABNF

CHICAGO FAUCETS
Gibert Group



Chicago Faucet® Cartridge
• Length: 2-5/8" • Replaceable components for economical servicing • Corrosion resistant components to prolong life of product • Quarter-turn compression cartridge • Brass

Item#	Type	Mfg#
3975443	Hot	1100XTJKABNF
3973583	Cold	1100XTJKABNF

CHICAGO FAUCETS
Gibert Group



Chicago Faucet® MVP™ ECAST® Brass Metering Faucet Cartridge
• Length: 3-3/4" • Auto-timed shut off

Item#	Mfg#
4534488	667080KJKABNF



Delta® Pressure Balance Tub/Shower Cartridge
• Length: 4" • Cartridge assembly for old Monitor® 1300/1400 Series tub/showers

Item#	Type	Mfg#
258634	Delta	RP19804
9212155	Replacement	



Delta® Single Handle Diamond Valve Cartridge
• Length: 2-7/16" • Diameter: 1-7/8" • For use with single-handle kitchen and lavatory faucets • Diamond seal technology

Item#	Type	Mfg#
3573084	Delta	DRP50587
9212185	Replacement For	

KOHLER



Kohler® Rite-Temp® Pressure Balancing Cartridge
• Length: 1-1/2" • Protects the warranty on Kohler® product • Latest Rite-Temp® technology • Anti-Scald Protection • Replaces GP500520

Item#	Mfg#
7013656	GP800820

KOHLER



Kohler® Rite-Temp® Pressure Balancing Cartridge And Cap Kit
• Length: • Protects the warranty on Kohler® product • Latest Rite-Temp® technology • Anti-scald protection

Item#	Mfg#
7013359	GP876851

KOHLER



Kohler® Single Sequential Tub/Shower Faucet Cartridge
• Length: 4-3/4" • Protects the warranty on Kohler® product • For Kohler® P19310 Pressure Balance Valve

Item#	Mfg#
7181858	GP800881

KOHLER



Kohler® Faucet Cartridge
• Ceramic • For kitchen and bath two handle faucets

Item#	Type	Mfg#
3521695	Hot	GP77005-RP
3521287	Cold	GP77006-RP

MIXET



Mixet® Hot/Cold Shower Cartridge
• Length: 4-1/4" • For valves after 1968 • Complete with CP brass escutcheon tube

Item#	Mfg#
2248284	M5-5AT





Stems & Cartridges

MOEN®



Moen® Tub/Shower 1200 Cartridge

• Length: 4-1/4"

Item#	Type	Qty	Mfg#
22360	Moen®	1	1200B
8584718	Replacement	5	



Replacement for Moen® Hot/Cold Brass Faucet-Shower Cartridge

• Length: 4-1/4" • Lead free compliant brass • Replaces for Mfg# 1200

Item#	Qty
8036841	1
7314216	5

MOEN®



Moen® Posi-Temp® Hot/Cold Tub/Shower Cartridge

• Length: 4-1/8" • Single-handle posi-temp replacement cartridge

Item#	Type	Mfg#
171373	Moen®	132314
8584721	Replacement	

MOEN®



Moen® Hot/Cold Faucet-Shower Cartridge

• Length: 4-3/16" • Includes installation tool and lock-clip

Item#	Type	Qty	Mfg#
19637	Moen®	1	1225
7314215	Replacement	2	

MOEN®



Moen® Posi-Temp® Hot/Cold Cartridge

• Length: 4" • One handle replacement cartridge • Material: Brass

Item#	Mfg#
4217507	1222HD

MOEN®



Moen® Metering Cartridge

• For 8889 Lavatory Faucet • Length: 2-2/5"

Item#	Mfg#
4479772	52100

Pfister



Pfister® Tub/Shower Cartridge

• Length: 4-1/4" • Pipe/Tubing Size: 1-1/2" • Fits VB8 & JV8 valve bodies

Item#	Mfg#
9797799	974-5299

PROFLO



PROFLO® Tub/Shower Cartridge

• Length: 3-3/10" • Ceramic • For PF3001 Pressure Balancing Valve

Item#	Mfg#
7501353	

SYMMONS®
the smart choice®



Symmons TA-10 Temptrol Spindle

• Length: 4-1/4" • Solid brass and bronze with stainless steel piston • Genuine Symmons repair part

Item#	Mfg#
294719	TA-10

T&S



T&S® Eterna® Faucet Spindle Assembly

• Length: 2-7/8" • Cartridge includes spring check • Complete compression cartridge assembly

Item#	Type	Mfg#
244290	Hot	002712-40
244288	Cold	002711-40

Old Style



T&S® Faucet Spindle Assembly

• Length: 3-1/8"

Item#	Type	Mfg#
109983	Hot	00274-40
109982	Cold	002713-40

New Style



T&S® Faucet Spindle Assembly

• Length: 3-1/8"

Item#	Type	Mfg#
7616351	Hot	002712-40NS
7616173	Cold	002711-40NS





Aerators



A



B-D



E

PROFLO® Aerators

• Color/Finish: Chrome

Item#	Thread Type	GPM	Size	Feature	Pressure Compensating	Stream Type	Application	WaterSense (Y/N)	Qty
A 4834036	Dual Thread	2.0	Regular	NA	N	Aerated	Lavatory	N	1
B 7005781	Dual Thread	1.2	Regular	CEC compliant CA Economy Flow	Y	Aerated	Lavatory	Y	6
C 3716026	Dual Thread	1.5	Regular	Economy Flow	N	Aerated	Kitchen/Lavatory	Y	6
D 4114035	Dual Thread	2.2	Regular	Standard Flow	N	Aerated	Kitchen	N	6

Bathroom Sink Drain Repair



PROFLO® 1-1/4" x 4" Pop-Up Unit

• 22 gauge • Dual flow diverter with lever control • Brass construction • Chrome Plated

Item#	Type
4483320	Standard
308357	CSA Certified



PROFLO® 1-1/4" x 6" Grid Strainer Drain

• Color/Finish: Polished chrome • 17 gauge • Material: Chrome plated • Brass construction • Less overflow

Item#
284547



PROFLO® 1-1/4" x 6" Offset Grid Strainer Drain

• Offset design • 1-1/4" Tailpiece • 17 gauge • Includes cast brass elbow • Brass construction • Chrome Plated

Item#
308356

Fit All



Fit All Flat Bibb Washer And Screw Kit

• Refillable case • 169 flat bibb washers • 36 bibb screws • Inside label indicates refill part # • Adjustable compartments

Item#
8036888



Fit All O-Ring Kit

• Refillable case • 216 O-rings • Includes .50 oz silicone grease • Inside label indicates refill part # • Adjustable compartments

Item#
8036839

Kohler



Kohler® Mixer Cap Kit

• Single control valve • Fits most shower valves

Item#	Mfg#
3521282	GP77759

Symmons



Symmons® Temptrol® Temperature Control Cap

• Temptrol® • Genuine Symmons® repair part • For use with Temptrol® shower series valves • 1/2" ID x 1" O.D. • Limit stop and o-ring included

Item#	Mfg#
294711	T-12A





Top-Mount Lavatory Sinks & Under-Mount Lavatory Sinks



A



B

PROFLO® Rockaway Top-Mount Lavatory Sink


• Concealed front overflow drain • Can be mounted for ADA installation

Item#	Collection	Overall Size	Bowl Size	Faucet Installation	Material	Finish
A 1861253	Rockaway	19" x 19"	14-1/2" x 11-3/4" x 6-1/2"	3-Hole, 4" Centers	Vitreous China	White
B 1861700	Rockaway	20-1/2" x 17"	16" x 11" x 7-1/16"	3-Hole, 4" Centers	Vitreous China	White

Under-Mount Lavatory Sinks



C



D

PROFLO® Under-Mount Lavatory Sink

• Concealed front overflow drain • Can be mounted for ADA installation

Item#	Collection	Overall Size	Bowl Size	Material	Finish	Mfg#
C 4479529	Comstock	19-1/2" x 16"	17-3/4" x 14-1/2" x 5-3/4"	Vitreous China	White	PF1714UAWH
D 4884915	Norris	21" x 14-1/2"	18-3/4" x 12-1/4" x 6-5/16"	Vitreous China	White	PF1812UWH



E

Signature Hardware® Under-Mount Lavatory Sinks

Item#	Collection	Overall Size	Bowl Size	Material	Finish	Mfg#
E 7919629	Myers	21-1/16" x 14-9/16" x 8-1/4"	18-1/16" x 12-3/16" x 6-5/16"	Vitreous China	White	SHU1812WH

Under-Mount Lavatory Sinks

KOHLER



F



G



H



I



J

Kohler® Under-Mount Lavatory Sinks

Item#	Collection	Overall Size	Bowl Size	Material	Finish	Mfg#
F 398441	Caxton®	17 x 14 x 7-1/2"	15 x 12 x 4"	Vitreous China	White	2209-0
G 28872	Caxton®	19-1/4 x 16-1/4 x 7-1/2"	17 x 14 x 4"	Vitreous China	White	2210-0
H 7197457	Caxton®	20-5/16 x 15-3/4 x 7-5/16"	19 x 15 x 4"	Vitreous China	White	20000-0
I 3586	Ladena®	20-7/8 x 14-3/8 x 8-1/8"	18-3/8 x 11-5/8 x 4-5/8"	Vitreous China	White	2214-0
J 3797380	Verticyl®	19-13/16 x 15-5/8 x 6-3/4"	17-1/4 x 13 x 3-1/8"	Vitreous China	White	2882-0



K

American Standard® Wall-Mount Lavatory Sink

Item#	Collection	Overall Size	Bowl Size	Faucet Installation	Material	Finish	Mfg#
K 1622696	Lucerne™	20-1/2 x 18-1/4 x 8"	15 x 10 x 6-1/2"	3-Hole, 4" Centers	Vitreous China	White	0355012.020





Top-Mount Single Bowl Kitchen Sinks



PROFLO® Bealeton Top-Mount Single-Bowl Kitchen Sinks

• 304 Stainless steel • Self-rimming • U-channel installation • Undercoated and padded for quiet operation • Center drain • Color/Finish: Stainless Steel

Item#	Brand/Collection	Depth	Length	Width	Gauge	# of Holes	ADA
4481090	Bealeton	6"	25"	22"	22	3	✓
4481091	Bealeton	6"	25"	22"	22	4	✓
7339409	Bealeton	7"	25"	22"	20	3	-
7339411	Bealeton	7"	25"	22"	20	4	-
5130881	Bealeton	8"	25"	22"	20	3	-
5130882	Bealeton	8"	25"	22"	20	4	-

Top-Mount Bar Sinks



PROFLO® Bealeton Top-Mount Single-Bowl Bar Sinks

• 304 Stainless steel • Self-Rimming • U-Channel Installation • Undercoated and padded for quiet operation • Center drain • Color/Finish: Satin Stainless Steel

Item#	Brand/Collection	Depth	Length	Width	Gauge	# of Holes	ADA
5130884	Bealeton	6"	15"	15"	22	2	✓

Top-Mount Double Bowl Kitchen Sinks



PROFLO® Bealeton Top-Mount Double Bowl Kitchen Sink

• 304 Stainless Steel • Self-rimming • U-Channel installation • Undercoated and padded for quiet operation • Center drain • Color/Finish: Satin Stainless Steel

Item#	Brand/Collection	Depth	Length	Width	Gauge	# of Holes	ADA
4481082	Bealeton	6"	33"	22"	22	3	✓
4481083	Bealeton	6"	33"	22"	22	4	✓
7339400	Bealeton	7"	33"	22"	20	3	-
7339413	Bealeton	7"	33"	22"	20	4	-
7339403	Bealeton	8"	33"	22"	20	3	-
7339401	Bealeton	8"	33"	22"	20	4	-





Sink Accessories



PROFLO® Chrome Faucet Hole Cover
• Stem style

Item#	Size
345456	1-3/4"
431561	2"

Air Gaps



PROFLO® Air Gap Assembly

• Prevents backflow from dishwasher into water system • Plastic body construction
• Includes chrome plated plastic cap

Item#	Finish
275119	Polished Chrome
7299894	Brushed Nickel

Air Admittance Valves



PROFLO® Air Admittance Valve

• 20 DFU • With 1-1/2" PVC adapter • Unique technology opens at -0.01 psi and seals at 0 psi and above • Screening on air inlets to guard the seal • Protective rubber sleeve provides grip for installation and keeps valve free from debris • 100% functionally tested at 1/4" H2 O and 30" H2 O ensuring trouble-free performance

Item#
4065412



PROFLO® Air Admittance Valve

• 160 DFU • With 1-1/2" PVC adapter • Unique technology opens at -0.01 psi and seals at 0 psi and above • Screening on air inlets to guard the seal • Protective rubber sleeve provides grip for installation and keeps valve free from debris • 100% functionally tested at 1/4" H2 O and 30" H2 O ensuring trouble-free performance

Item#
4146461

Sink Baskets & Strainers



Basket Strainers

Item#	Type	Fits Opening	Basket Type	Basket Material	Body Material	Nut Material
A 243305	Kitchen-Deep Cup	3-1/2"	Fixed Post	Stainless Steel	Stainless Steel	Die Cast Zinc
B 431485	Kitchen - Easy On Thumb Screw	3-1/2"	Fixed Post (Spring Style), Triangular Threaded Flange with Three Thumbscrews	Stainless Steel	Stainless Steel	Brass
C 243314	Bar Sink - Junior Duo	2-1/2"	Standard Drop in Basket with Fixed Zinc Post	Stainless Steel	Stainless Steel	Die Cast Zinc
D 77084	Kitchen - Basket Only	3-1/2"	Fits All-Drop Post	Stainless Steel	N/A	N/A
E 465676	Kitchen - Basket Only	3-1/2"	Fixed Post	Stainless Steel	N/A	N/A
F 245325	Kitchen	3-1/2"	Fixed Post	Stainless Steel	Stainless Steel	Die Cast Zinc
G 243316	Kitchen- Deep Cup	3-1/2"	Fixed Post	Stainless Steel	Stainless Steel	Die Cast Zinc
H 243315	Kitchen - Twist & Lock	3-1/2"	Twist & Lock	Stainless Steel	Stainless Steel	Die Cast Zinc
I 8554504	Kitchen- Spring Clip & Rubber Stopper, Basket Only	3-1/2"	Spring Clip	Stainless Steel	N/A	N/A





PROFLO® 1/3 HP Garbage Disposal

- Easily installs on most existing 3-bolt assemblies
- Lightweight for easy installation • Compact design frees up space under the sink • Variable speed motor reduces operating noise • 5-year warranty

Item#	Type
11680384	Less Power Cord
11680383	With Factory Installed Power Cord



PROFLO® 1/2 HP Garbage Disposal

- Easily installs on most existing 3-bolt assemblies
- Lightweight for easy installation • Compact design frees up space under the sink • Variable speed motor reduces operating noise • 5-year warranty

Item#	Type
11680382	Less Power Cord
11680381	With Factory Installed Power Cord



PROFLO® 3/4 HP Garbage Disposal With Cord

- Easily installs on most existing 3-bolt assemblies
- Lightweight for easy installation • Compact design frees up space under the sink • Variable speed motor reduces operating noise • 10-year warranty

Item#
11680385



WESTCRAFT® 1/3 HP Apartment Garbage Disposer

- Galvanized steel grinding elements • Plastic grind chamber • Quick Lock sink mount allows for easy installation and replacement of any disposer • Heavy-duty induction motor • 2-year limited warranty

Item#	Type	Mfg#
7507336	Less power cord	BADGER1
7507312	Factory Installed Power Cord	BADGER1WC



WESTCRAFT® 1/2 HP Apartment Garbage Disposer

- Galvanized steel grinding elements • Plastic grind chamber • Quick Lock sink mount allows for easy installation and replacement of any disposer • Heavy-duty induction motor • 5-year limited warranty

Item#	Type	Mfg#
7507306	Less power cord	BADGER5
7507302	Factory Installed Power Cord	BADGER5WC





Plumbing - Garbage Disposers

in sink erator



InSinkErator® 1/3 HP Disposer Badger

• Offers a 1/3 hp Dura-Drive® induction motor • Offers rugged galvanized steel construction for disposer durability • Badger 1's Quick Lock® sink mount allows for easy installation and replacement of any disposer • Space-saving compact design • Two-year We Come to You® In-Home Service Warranty

Item#	Type	Mfg#
2500	Less Cord	79029-ISE
304539	Factory Installed Power Cord	79029A-ISE

in sink erator



InSinkErator® 1/2 HP Disposer Badger

• Offers a 1/2 hp Dura-Drive® induction motor • Badger 5's Quick Lock® sink mount allows for easy installation and replacement of any disposer • Offers rugged galvanized steel construction for disposer durability • Five-year We Come to You® In-Home Service Warranty

Item#	Type	Mfg#
37572	Less Cord	79008-ISE
2016678	Factory Installed Power Cord	79008A-ISE

in sink erator



InSinkErator® Badger® 5XP™ 3/4 HP Disposer

• Quick Lock® mounting • Hardened steel grind ring • Overload switch and reset button • Includes wrenchette • 3-year warranty

Item#	Type	Mfg#
2884344	Less Cord	BADGER5XP
3030263	Factory Installed Power Cord	BADGER5XPWC

in sink erator



InSinkErator® Evolution® Essential XTR 3/4 HP Disposal

• Quick Lock® mounting • Includes SinkTop Switch™ with satin nickel button • SoundSeal® Technology • Two stage 34.6 oz. grind chamber • Continuous feed • Anti-vibration mount • Includes power cord • 6-year warranty

Item#	Mfg#
10240674	EVOLUTION75HP

in sink erator



InSinkErator® Evolution® PRO 3/4 HP Disposal

• SoundSeal® Technology • MultiGrind® Technology • Auto-Reverse Grind System® feature • Anti-Microbial Quiet Collar® Sink Baffle • Stainless steel grind components • 9- year warranty

Item#	Type	Mfg#
4599193	Less Power Cord	PRO750
10102812	With Power Cord	PRO750WCORD

MOEN



Moen® GX Series 1/3 HP Garbage Disposal With Cord

• High speed 1900 RPM VORTEX™ permanent magnet motor • Compact design • Compatible with properly sized septic tanks • 5-year limited warranty

Item#	Type	Features	Mfg#
7094756	Standard		GXP33C
7808692	Fast Track™ Installation	Unjamming wrench	GT33C

MOEN



Moen® GX Series 1/2 HP Garbage Disposal With Cord

• Universal Xpress Mount™ fits Moen and most existing 3-bolt mounting assemblies • High speed 2600 RPM VORTEX™ permanent magnet motor • Compact design • Compatible with properly sized septic tanks • 5 year limited warranty

Item#	Mfg#
7094742	GXP50C





Decorative Collections



A-B



C-D



E-F



G-J

PROFLO® Colliston Decorative Bath Hardware

Item#	Finish	Type
A 7265910	Chrome	Single Robe Hook
B 7265904	Brushed Nickel	Single Robe Hook
C 7265896	Chrome	Toilet Paper Holder
D 7265902	Brushed Nickel	Toilet Paper Holder
E 7265892	Chrome	Towel Ring
F 7265903	Brushed Nickel	Towel Ring
G 7265901	Chrome	18" Towel Bar
H 7265893	Brushed Nickel	18" Towel Bar
I 7265898	Chrome	24" Towel Bar
J 7265894	Brushed Nickel	24" Towel Bar

MOEN



A-B



C-D



E-F



G-H



I-L

Moен® Mason® Decorative Bath Hardware Collection

Item#	Finish	Type	Mfg#
A 2229585	Chrome	Double Robe Hook	YB8003CH
B 2445907	Brushed Nickel	Double Robe Hook	YB8003SN
C 2229623	Chrome	Mounting Post	YB8000CH
D 2445905	Brushed Nickel	Mounting Post	YB8000SN
E 2229587	Chrome	Toilet Tissue Roller	YB8099CH
F 2445908	Brushed Nickel	Toilet Tissue Roller	YB8099SN
G 2229597	Chrome	Towel Ring	YB8086CH
H 2445904	Brushed Nickel	Towel Ring	YB8086SN
I 2229616	Chrome	18" Towel Bar, mounting post not included	YB8098CH
J 2480458	Brushed Nickel	18" Towel Bar, mounting post not included	YB8098SN
K 2229633	Chrome	24" Towel Bar, mounting post not included	YB8094CH
L 2445906	Brushed Nickel	24" Towel Bar, mounting post not included	YB8094SN





Shower Rods & Accessories



Adjustable Tension Shower And Utility Rod

• Spring loaded tension • Twist two full turns for tightest fit

Item#	Extension	Finish
10151574	36 - 63"	White
10198107	36 - 63"	Bone
7216363	42 - 73"	Chrome
7225748	42 - 73"	Brushed Nickel
7225763	51 - 89"	White
7225759	51 - 89"	Chrome



60" Stainless Steel Shower Rod Set

• Zinc mounting brackets included

Item#	Size	Finish
7225745	60"	Satin Nickel



Stainless Steel Shower Rod

• Brackets not included

Item#	Size	Finish	Qty
8927959	60"	Chrome	5
8927958	60"	Satin Nickel	5

Shower Rods



PROFLO® Straight Shower Rods

• Flanges not included

Item#	Length	Material	Finish	Mfg#
2435396	60"	Aluminum Alloy	Chrome	SCR60
2435397	72"	Aluminum Alloy	Chrome	SCR72





Shower Rods



PROFLO® Fixed Curved Shower Rods

• Includes zinc brackets • Lifetime, no rust guarantee

Item#	Length	Bow	Material	Finish
8495820	60"	9"	Stainless Steel	Chrome
8495822	60"	9"	Stainless Steel	Brushed Nickel



PROFLO® Adjustable Curved Shower Rods

• Includes aluminum bracket covers • Lifetime, no rust guarantee

Item#	Length	Bow	Material	Finish
7209896	44-72"	8.5"-10.6"	Aluminum	Chrome
7209898	44-72"	8.5"-10.6"	Aluminum	Brushed Nickel
9957863	44-72"	8.5"-10.6"	Aluminum	Matte Black


MOEN®



A-E



F



G

Moen® Curved Shower Rods

• 1" Decorative covers snap on easily to conceal pivoting flanges and hide holes from previous shower rods

Item#	Length	Bow	Material	Finish	Mfg#
A 3315079	60"	6"	Stainless Steel	Chrome	CSR2165CH
B 3315078	60"	6"	Stainless Steel	Brushed Nickel	CSR2165BN
C 3315077	54-72"	5.2-7.4"	Stainless Steel	Chrome	CSR2160CH
D 3315076	54-72"	5.2-7.4"	Stainless Steel	Brushed Nickel	CSR2160BN
E 7911768	54-72"	5.2-7.4"	Stainless Steel	Matte Black	CSR2160BL
F 4860236	57-60"	5.8"	Stainless Steel	Brushed Nickel	CSR2172BN
G 7923002	59"	6.46"	Stainless Steel	Matte Black	CSR2167BL

Shower Rod Accessories



PROFLO® Shower Rod Bracket

• Adjustable design • Color/Finish: Chrome

Item#	Material
244085	Plastic
244084	Diecast



PROFLO® Exposed Mount Shower Rod Bracket

• Rod sold separately • Color/Finish: Chrome

Item#
2435398

Shower Bases Tub Guards, Shower Seats



WingIts® Portable Tub Bench

• Designed for tubs with an overall height of 13-1/2"-15-1/2" above finished floor • 18/8 stainless steel frame • White phenolic top with slots • Adjustable rubber feet for 16"-17-1/2" height • Swing down legs with quick release pin • Exceeds all building codes and ADA guidelines

Item#	Mfg#
4307333	WHPTB265150PW





Grab Bars



PROFLO® Stainless Steel Concealed Mount Grab Bars

- For commercial applications • Concealed flange
- Bar: 18 gauge 304 stainless steel • Flange: 14 gauge 304 stainless steel

Item#	Diameter	Length	Finish
4578909	1-1/2"	12"	Satin Stainless Steel
4578902	1-1/2"	16"	Peened Stainless Steel
4578908	1-1/2"	16"	Satin Stainless Steel
4578901	1-1/2"	18"	Peened Stainless Steel
4578907	1-1/2"	18"	Satin Stainless Steel
4578915	1-1/2"	24"	Peened Stainless Steel
4578906	1-1/2"	24"	Satin Stainless Steel
4578904	1-1/2"	32"	Satin Stainless Steel
4578911	1-1/2"	36"	Peened Stainless Steel
4578903	1-1/2"	36"	Satin Stainless Steel
4578900	1-1/2"	42"	Satin Stainless Steel
4578914	1-1/2"	48"	Satin Stainless Steel



PROFLO® Stainless Steel Concealed Mount Grab Bars

- 18 Gauge • 304 Stainless steel

Item#	Diameter	Length	Finish
7263473	1-1/4"	18"	Satin Stainless Steel
7259988	1-1/4"	18"	Polished Stainless Steel
7263466	1-1/4"	24"	Satin Stainless Steel
7259991	1-1/4"	24"	Polished Stainless Steel
7263475	1-1/4"	36"	Satin Stainless Steel
7259992	1-1/4"	36"	Polished Stainless Steel
7263472	1-1/4"	42"	Satin Stainless Steel
7259989	1-1/4"	42"	Polished Stainless Steel

MOEN®



MOEN® Home Care Stainless Steel Concealed Grab Bars

- 20 Gauge • Innovative flange design allows for secure installation into a stud at any angle • 500 lb weight capacity exceeds ADA requirements
- 304 Stainless steel • **Optional accessories:** SecureMount™ anchor: SMA1000

Item#	Diameter	Length	Finish	Mfg#
1811306	1-1/4"	24"	Satin Stainless	8724






Shower Enclosures



Sterling® Ensemble™ Medley® 60 x 30 x 73 in. Tub & Shower Wall Set in White

• Caulk-free, tongue-and-groove interlocking joints from a seamless appearance and simply installation • Made from Solid Vikrell® • Innovative Dry-Block™ seal and channeled water containment system form watertight seams • Tongue-and-groove interlocking joints from a seamless appearance and simply installation • Wall set installed with ensemble medley baths 71171110, 71171120, 71171112 or 71171122

Item#	Mfg#
4705870	71374100-0



Swan® Veritek® Three-Piece Tub Wall Surround

• Color/Finish: White Natural Gloss • Glue-up wall kit • Made of Veritek® molded fiberglass that will not crack, chip, mold or mildew • Meets ADA requirements with lower soap dish placement and grab bar installation • Will not mold or mildew • Easily trim to fit • Can be installed over existing tile • Fits standard 5' bathtub or smaller 30"D x 60"W x 58"H

Item#	Mfg#
1686215	GN58000.010



Swan® Veritek® Five-Piece Tub Wall Surround

• Color/Finish: White Softly Textured • Glue-up wall kit • Made of Veritek® molded fiberglass that will not crack, chip, mold or mildew • Four molded shelves • Will not mold or mildew • Easily trim to fit • Can be installed over existing tile • Fits standard 5' bathtub • Fits 28"-30"D x 58"-60"W tub area, 57" H

Item#	Mfg#
100533	TF57000.010



Swan® Veritek 60" x 30" x 76" Tub-Shower

• Color/Finish: Matte White • Direct-to-stud installation with integral structural ribs and pre-leveled base • Secure wedge/lock system • 100% caulk free • Patented water management System • Slip resistant, textured bottom for safety

Item#	Size	Type	Mfg#
9785611	60"L x 30"W x 15"D	Left Hand Drain Soaking Tub	VP6030CTL.010
9785615	60"L x 30"W x 15"D	Right Hand Drain Soaking Tub	VP6030CTR.010
9785619	62"H x 60"W	Back Shower Wall	VP6062CBW.010
9785624	62"H x 24"W	Side Shower Wall Set	VP2462CSW.010



Sterling® Ensemble™ 60 x 30" Soaker Alcove Tub in White

• Color/Finish: White • Made from Solid Vikrell® material for strength, durability and lasting beauty • Designed with an 16" apron • Wainscot of 2" allows tile-down installation above bath deck • Conforms to ANSI Z124.1.2 and CSA B45.1 national consensus standards

Item#	Size	Type	Mfg#
4705857	60 x 30"	Right Hand Drain Soaking Tub	711711200
4705888	60 x 30"	Right Hand Drain Soaking Tub	711711200
2115047	60 x 32"	Left Hand Drain Soaking Tub	71171110-0
2115045	60 x 32"	Left Hand Drain Soaking Tub	711211100





Bathtubs



PROFLO® Enameled Steel Bathtub White

- Above floor rough-in • Foam bottom support pad
- Elastomer backing deadens noise, retains heat and resists impact damage • Full length tile flange with continuous corners • High-gloss, stain resistant porcelain finish • Non-skid bottom surface

Item#	Size	Type
7019930	60 x 30 x 14-1/4"	Left-Hand Drain
7019935	60 x 30 x 14-1/4"	Right-Hand Drain



PROFLO® 60" x 30" x 16-1/4" Bathtub White

- Above floor rough-in • Alcove installation • Foam bottom support pad • Elastomer backing deadens noise, retains heat and resists impact damage • Full length tile flange with continuous corners • High-gloss, stain resistant porcelain finish • Non-skid bottom surface • Material: Enameled Steel

Item#	Size	Type
3925093	60 x 30 x 16-1/4"	Left-Hand Drain
3925082	60 x 30 x 16-1/4"	Right-Hand Drain



American Standard® Princeton® Bathtub

- 60" x 30" x 14" • Acid resistant porcelain finish
- Recessed bath with integral apron and tiling flange • Full slip-resistant coverage • ADA compliant with seat installed at head end • Americast® engineered material
- Color/Finish: White

Item#	Type	Mfg#
107334	Left-Hand Drain	2390202.02
107337	Right-Hand Drain	2391202.02

Bathtubs



Kohler® Villager® Bathtub

- 60" x 30-1/4" x 14" • Designed for one-person bathing
- Integral apron for quick installation • Material: Cast Iron

Item#	Type	Mfg#
34667	Left-Hand Drain	715-0
42647	Right-Hand Drain	716-0



Sterling® Ensemble Left-Handed Drain Bathtub

- Color/Finish: White • 60"L x 30"W • Durable high-gloss finish provides a smooth, shiny surface that is easy to clean
- Gently sloping bath with integral apron • Made from solid Vikrell®

Item#	Mfg#
4705888	71171110-0



PROFLO® Hammond Acrylic Steel Shower Base With Drain

- 1-piece construction • Integral 3-wall tile flange • Slip resistant surface

Item#	Size	Type
8369406	60"L x 30"W	Left-hand drain
8369411	60"L x 30"W	Right-hand drain
8369405	60"L x 32"W	Left-hand drain
8369403	60"L x 32"W	Right-hand drain

Shower Repair



Swan® Collapsible Shower Floor Water Barrier

- Temporarily compresses easily under a wheelchair, allowing the shower to maintain a barrier-free condition • Made of silicone, lasts longer and easier to clean
- Chemical resistant and withstands temperatures above 150° • Easier to install, cut to size adhesive application
- 1H x 1D x 67"W

Item#	Mfg#
7658085	BF60000CT.000



Bathtub Splash Guard 11 x 9", 1/Pr

- Color/Finish: White

Item#	Mfg#
7725112	



Bathtub Splash Guard 9 x 7", 1/Pr

- Color/Finish: White

Item#	Mfg#
7722928	



Shower Splash Guard 11 x 7", 1/Pr

- Color/Finish: White

Item#	Mfg#
7721997	

Shower Bases Tub Guards, Shower Seats





Lift & Turn Drains & Bath Waste



PROFLO® Lift And Turn Bath Waste
 • Full plastic drain including piping • Two hole face plate • 1-1/2" threaded shoe • PVC body with zinc drain spud • Chrome Plated

Item#	Dimensions
4055951	14.96-16.53"H x 7.87-9.25W"
4055903	11.16-15.1"H x 6.3-8.26W"



PROFLO® Brass Lift And Turn Bath Waste
 • Plastic drain and overflow elbows • One hole face plate • 1-1/2" threaded shoe • Half kit that does not include pipe • Drain body material: plastic

Item#	Finish
1637844	Chrome
1826389	Brushed Nickel



PROFLO® Lift/Turn Drain Assembly

Item#	Finish	Type
7310131	Chrome	Fine Thread, 1-5/8" OD x 16 threads per inch
7310132	Chrome	Coarse Thread, 1-7/8" OD x 11-1/2" threads per inch
9438702	Matte Black	Coarse Thread, 1-7/8" OD x 11-1/2" threads per inch



Watco® NuFit® Lift and Turn Bathtub Stopper with Silicone Kit
 • Quickly installs over existing strainer bodies requiring only the provided silicone adhesive • Existing drain does not have to be removed • Flange covers maximum of 2.875" overall diameter
 • Color/Finish: Chrome

Item#	Mfg#
2484208	48300CP

Lift & Turn Drains



Watco® Lift And Turn Drain Assembly
 • Strainer Body Depth: 1-1/4" • Designed for heavy-duty use in hotels, motels and rental property • Replaceable, drip-proof Buna-N Seal • Brass construction

Item#	Type	Finish	Mfg#
527959	Coarse Thread, 1-5/8" OD x 11-1/2" TPI	Chrome	58305CP
7957054	Coarse Thread, 1-5/8" OD x 11-1/2" TPI	Brushed Nickel	58305BN
1079284	Fine Thread, 1-5/8" OD x 16 TPI	Chrome	58301CP

Universal Adapter Push & Pull Drain



PROFLO® Universal Push & Pull Tub Drain Kit
 • 3/8" Threaded pin- includes adapters for all major connection types - fits fine thread out-of-box (1-5/8" x 16 threads per inch)
 • Adapters allow conversion to coarse thread (1-7/8" x 11-1/2 threads per inch) or Kohler style (2-1/8" x 16 threads per inch)
 • Chrome Plated

Item#
7503535



PROFLO® Push Pull Stopper

• Brass construction
 • Comes with both 5/16"-18 and 3/8"-16 pins
 • Color/Finish: Chrome Plated

Item#
4055930



Watco® Push Pull Drain Assembly
 • Depth: 1-1/4" • Flange OD 2-7/8"
 • Designed for heavy-duty use
 • Replaceable rubber stopper seal
 • Brass construction • Color/Finish: Chrome

Item#	Type	Mfg#
664740	Fine Thread, 1-3/8" OD x 16 threads per inch	38301-CP
291164	Coarse Thread, 1-1/2" OD x 11-1/2" threads per inch	38305-CP

Push & Pull Drains




Watco® Universal NuFit® Push and Pull Bathtub Closure with 3/8" -5/16" Pin and Silicone Kit
 • No need to remove existing drain body
 • Includes silicone adhesive and combo 3/8 in. to 5/16 in. pin adapter for those drains that have cross bars with threads
 • Color/Finish: Chrome

Item#	Type	Mfg#
7184745	Without Grid Strainer	48750PPCP47



PROFLO® Universal Tip-Toe Drain Kit
 • Includes adapters for all major connection types • Fits fine thread out-of-box (1-5/8" x 16 threads per inch) • Adapters allow conversion to coarse thread (1-7/8" x 11-1/2 threads per inch) or Kohler style (2-1/8" x 16 threads per inch) • Chrome plated

Item#
7503536



Tip-Toe Drain & Overflow Cover
 • Replacement single hole overflow cover with adapter bracket, flush bushing, chrome shoe, and push-button stopper assembly

Item#
8036806



PROFLO® Quick Seal Tub Drain Stopper
 • Color/Finish: Chrome • Material: Chrome Plated Plastic

Item#	Connection
7310134	3/8"
7503537	5/16"





Plumbing - Bathtub & Shower Drain Repair

Tip - Toe Drains



Watco® Tip-Toe Stopper

• ABS foot-actuated stopper • Color/Finish: Chrome

Item#	Threaded Pin	Mfg#
1079127	3/8"	38412CP
1079173	5/16"	38410CP

Stoppers



Rubber Fit All Stopper 5/Pk

• White rubber stopper with chrome ring
• Fits 1-1/2" to 2" drain openings

Item#
4918258

Overflow Plates



Watco® Innovator Snap-On Bathtub Overflow Plate Kit

• Converts any 1-2 hole overflow faceplate • Material: Plastic • Color/Finish: Chrome

Item#	Mfg#
7629293	18009CP

Overflow Plates



PROFLO® Trip-Lever Overflow Plate

• Trip lever design • Two hole • Includes brass screws
• Color/Finish: Chrome Plated

Item#
308351



PROFLO® Blank Two-Hole Overflow Plate

• Two hole • Includes brass screws • Color/Finish: Chrome Plated

Item#
308352



PROFLO® Blank One-Hole Overflow Plate

• Includes brass screws

Item#	Material	Finish
4055613	Chrome-Plated	Polished Chrome
9508062	Brass	Matte Black

Shower Drains



PROFLO® Brass Shower Drain

• Designed for use on preformed shower bases: fiberglass, acrylic or metal • 2" no caulk connection • 4-1/4" snap-in stainless steel strainer • Fiber and rubber gaskets provide a tight seal to the base • Brass construction • Stainless Steel • **Optional accessories:** Replacement strainer: MB132935 or MB132948 • Replacement gasket: PF140NCGPL, PF140NCGCI or PF140NCGCO

Item#
284531



PROFLO® Shower Drain

• Designed for use on preformed shower bases: fiberglass, acrylic or metal • 4-1/4" snap-in strainer • Fiber and rubber gaskets provide a tight seal to the base

Item#	Type
465668	2" no caulk connection
800977	2" solvent weld connection



Kohler® Devonshire® 2" Shower Drain

• Color/Finish: Chrome • Round, perforated strainer shower drain • Solid brass construction for durability and reliability • For use with acrylic/fiberglass/cast iron/Vikrell® shower bases

Item#	Mfg#
49466	9132-CP



PROFLO® Snap-In Shower Floor Drain Cover

• Fits inside SCH 40 DWV pipe • Snap-in strainer only • Stainless steel construction

Item#	Size
928798	2"
928801	3"





Water Conserving 1.6 GPF



PROFLO® Jerritt 1.6 GPF Toilet Tank & Bowl

- 1400T Low Consumption Series • Vitreous China • Flow Rate: 1.6 gpf • Gravity fed box rim with integral jets • 2" trap way • 8" x 9" water surface • Close coupled tank with cover • Anti-siphon pilot fill valve prevents back siphoning • Quick connect, 2 bolt tank-to-bowl installation

Item#	Type	Rough-In	Bowl Height
4242185	Toilet Tank	10"	
4242184	Toilet Tank	12"	
4601865	Elongated Bowl		15"



American Standard® Cadet® PRO™ 1.6 GPF Toilet Tank & Bowl

- EverClean® Antimicrobial Surface • Fully glazed 2-1/8" Trapway • 9" x 8" Water Surface Area • 12" Rough-In • PowerWash® Rim Scrubs Bowl with each Flush • 5-Year Warranty • Material: Vitreous China

Item#	Type	Bowl Height	Mfg#
4669650	Toilet Tank		4188A004.020
4666907	Round Bowl	15"	3517D101.020
4669597	Elongated Bowl	15"	3517C101.020
4626623	ADA Elongated Bowl	16-1/2"	3517A101.020



Kohler® Highline® 1.6 GPF Toilet Tank & Bowl

- Comfort Height • 3-bolt pre-installed quick-connect installation • Includes chrome trip lever, less seat and supply • Rough-in Size: 12" • Material: Vitreous China

Item#	Type	Bowl Height	Mfg#
4117548	Toilet Tank		4468-0
4099993	Elongated Bowl	16-1/2"	4199-0

High Efficiency 1 to 1.28 GPF



PROFLO® Jerritt 1.28 GPF Toilet Tank & Bowl

- 1400T High-Efficiency Series • Vitreous China • 2" glazed trap way • Gravity fed, double jetted box rim • 8" x 9" water surface • Close coupled tank with cover • Standard color match trip lever

Item#	Type	Rough-In	Bowl Height
4355429	Toilet Tank	10"	
4200507	Toilet Tank	12"	
4355423	Toilet Tank	14"	
4601868	Round Bowl		15"
4601864	ADA Elongated Bowl		17"



PROFLO® Calhoun 1.28 GPF Toilet Tank & Bowl

- 1500 Series • Vitreous China • 2" glazed trap way • Gravity fed, jetted box rim • ADA Height • 8-1/2" x 7" water surface • Close coupled tank with cover • Chrome trip lever • Seat and supply not included

Item#	Type	Rough-In	Bowl Height
4599821	Toilet Tank (LH Lever)	10"	
4384421	Toilet Tank (LH Lever)	12"	
4599825	Toilet Tank (RH Lever)	12"	
4384420	Round Bowl		15-1/2"
4384423	Elongated Bowl		15-1/2"
4384422	ADA Elongated Bowl		17"



1.0 GPM



PROFLO® Gilpin 1.28 GPF Toilet Tank & Bowl

- 1600 Series • 12" Rough-In • Vitreous China • Equipped with Sloan Flushmate IV system • ADA height • Siphon jet technology • 2" fully glazed trap way • 13-1/2" x 11" water surface • Close coupled tank with cover

Item#	Type	Bowl Height
9722057	Toilet Tank	
3924586	Round Bowl	14-1/8"
3624981	Elongated Bowl	14-1/2"
3624976	ADA Elongated Bowl	17"





Plumbing - Two Piece Gravity Fed Toilets

High Efficiency 1 to 1.28 GPF



PROFLO® Reston 1.28 GPF Flush Guard™ Toilet Tank & Bowl

• Vitreous China • Gravity fed jetted box rim • 2" glazed trap way • 9" x 5-1/4" water surface • Front mounted chrome trip lever with brass arm • Sanitary bar on bowl for easy cleaning • Quick connect, two-bolt tank-to-bowl installation • Extra large footprint covers floor marks

Item#	Type	Bowl Height
11460869	Toilet Tank	
11460865	Elongated Bowl	15-1/2"
11460866	ADA Elongated Bowl	17"



American Standard® Cadet® PRO™ 1.28 GPF Toilet Tank & Bowl

• EverClean® Antimicrobial Surface • Fully Glazed 2-1/8" Trapway • EPA WaterSense Rated • 9" x 8" Water Surface Area • 12" Rough-In • PowerWash® Rim Scrubs Bowl with each Flush • 5-year Warranty • Material: Vitreous China

Item#	Type	Rough-In	Bowl Height	Mfg#
4669622	Toilet Tank (LH Lever)	10"		4188B104.020
4626622	Toilet Tank (LH Lever)	12"		4188A104.020
4731516	Toilet Tank (RH Lever)	12"		4188A105.020
4666907	Round Bowl		15"	3517D101.020
4669597	Elongated Bowl		15"	3517C101.020
4626623	ADA Elongated Bowl		16-1/2"	3517A101.020



American Standard® Champion® PRO™ 1.28 GPF Toilet Tank & Bowl

• 12" Rough-In • 4" piston-action Accelerator flush valve • EverClean® surface • EZ-Install kits included

Item#	Type	Bowl Height	Mfg#
4669681	Toilet Tank		4225A104.020
4716810	Elongated Bowl	15"	3195C101.020
4669649	ADA Elongated Bowl	16-1/2"	3195A101.020

High Efficiency 1 to 1.28 GPF



Kohler® Highline® 1.28 GPF Toilet Tank & Bowl

• Comfort Height • Material: Vitreous China • Class Five® flushing technology offers plug- and leak-free performance, extraordinary flushing • 3-bolt pre-installed quick-connect installation • Includes Chrome trip lever, less seat and supply

Item#	Type	Bowl Height	Mfg#
4117514	Toilet Tank		4467-0
4112069	Elongated Bowl	16-1/2"	4373-0
4099993	Elongated Bowl	16-1/2"	4199-0

Ultra High Efficiency 0.8 GPF



PROFLO® Greenlee 0.8 GPF Toilet Tank & Bowl

• 9800 Series • Material: Vitreous China • Gravity fed • Anti-siphon fill valve • 1-3/4" fully glazed trap way • 7" x 5-1/2" water surface • High performance 3" flush valve • Seat and supply not included • Quick connect, 2 bolt tank to bowl installation • Comes standard with a color matching trip lever

Item#	Type	Rough-In	Bowl Height
4668830	Toilet Tank	10"	
4668829	Toilet Tank	12"	
4668831	Round Bowl		16-1/2"
4668832	ADA Elongated Bowl		17"

Dual Flush



PROFLO® Amador Dual Flush 1.1/1.6 GPF Toilet Tank & Bowl

• 1400T Dual Flush Series • Rough-in Size: 12" • Vitreous China • Gravity fed jetted box rim • 2" glazed trap way • 9" x 7" water surface • Color matched trip lever • Seat and supply not included

Item#	Type	Bowl Height	Mfg#
3382540	Toilet Tank		
4601868	Round Bowl	15"	PF1400TWH
4601864	ADA Elongated Bowl	17"	PF1403TWH



Two Piece Pressure Assist Toilets & Complete Toilet Kits - Plumbing



Back Outlet



PROFLO® Gilpin 1.0 GPF Back Outlet Toilet

Tank & Bowl

• 1600 Series • Vitreous China • Equipped with Sloan Flushmate IV system • Siphon jet technology • 2" fully glazed trap way • 12-1/4" x 9-5/8" water surface • Close coupled tank with cover • Seat and supply not included

Item#	Type	Bowl Height
9722057	Toilet Tank	
4330359	Round Bowl	15-1/8"
3924588	Elongated Bowl	15"
4330355	ADA Elongated Bowl	17-1/4"

Water Conserving 1.6 GPF



Kohler® Highline® Classic 1.6 GPF Toilet Tank & Bowl

• Comfort Height • Rough-in Size: 12" • Material: Vitreous China • Left-hand lever • Pressure assisted flushing system • Includes trip lever, less seat and supply

Item#	Type	Bowl Height	Mfg#
2392109	Toilet Tank		K-4468
2392202	Elongated Bowl	17-1/8"	K-4199

Ultra High Efficiency 1.0 GPF



Kohler® Wellworth® Classic 1.0 GPF Toilet Tank & Bowl

• Rough-in Size: 12" • Material: Vitreous • China Left-hand lever • Pressure assisted flushing system • Includes trip lever, less seat and supply

Item#	Type	Bowl Height	Mfg#
2846991	Toilet Tank		4484-0
2395958	Elongated Bowl	15-1/2"	4303-0

Complete Toilets



PROFLO® 1.28 GPF Complete Two-Piece Toilet

• 12" Rough-in • Vitreous China • Left-hand lever • Includes toilet seat, flanged wax ring, and flange bolts • Gravity fed • 2" glazed trap way • 8-7/8" x 7-5/8" water surface • Close coupled tank with cover • Color matched trip lever

Item#	Type	Bowl Height
10422042	Round Bowl	15-3/4"
10422043	Elongated Bowl	15-3/4"
10422044	ADA Elongated Bowl	17"



Kohler® Santa Rosa™ 1.28 gpf Floor Mount One-Piece Toilet

• Elongated Bowl • 12" Rough-in • Material: Vitreous China • Left-hand lever • 360 Technology flushing system • Less supply • 2-1/8" glazed trapway • Includes left-hand polished chrome trip lever, seat, and cover

Item#	Bowl Height	Mfg#
9975013	16-1/2"	30810-0



Kohler® Kingston™ 1.28 gpf Floor Mount Two-Piece Toilet

• 12" Rough-In • Material: Vitreous China • Durable metal left-hand chrome trip lever • Includes bowl, tank, seat, wax ring, and hardware • Quiet-Close elongated seat allows seat to close quietly • 2-1/8" glazed trapway

Item#	Bowl Height	Mfg#
9313506	16-1/2"	26077-0





Plumbing - Commercial Toilets Bowl Only & Elongated Toilet Bowls Only

Water Conserving 1.6 GPF



PROFLO® 1.6 Wall Mounted GPF ADA Elongated Toilet Bowl

- 1700 Series • ADA compliant when installed according to ADA guidelines • Vitreous China • Flow Rate: 1.28/1.6 gpf
- Wall mount installation • Siphon jet flushing • 2" fully glazed trap way • 1-1/2" top inlet spud • Integral rim jets for added bowl cleansing

Item#
3624982

High Efficiency 1.28 GPF



American Standard® Madera™ 1.1-1.6 GPF Floor Mount Elongated Toilet Bowl

- 10" or 12" Rough-in • Vitreous China • Flow Rate: 1.1 - 1.6 gpf • 1-1/2" top spud inlet • 15" rim height • High efficiency, low consumption • Maximum Performance(MaP) Score 1000 grams • Powerful direct-fed siphon jet flush action • Fully glazed 2-1/8" trap way

Item#	Type	Mfg#
4397212	w/ EverClean®	3451001.020
4488450	w/o EverClean®	2234001.020



American Standard® Madera™ 1.1-1.6 GPF Floor Mount Elongated Toilet Bowl

- 10" or 12" Rough-in • Material: Vitreous China • High efficiency, accepts 1.1 to 1.6 gpf flushometers • 1-1/2" top inlet spud • 10" x 12" water surface area • Rim Height: 16-1/2" • Siphon jet flushing • Seat and flushometer not included

Item#	Type	Mfg#
4397218	w/ EverClean®	3461001.020
4415742	w/o EverClean®	3043001.020

High Efficiency 1.28 GPF



American Standard® Afwall® Millennium™ FloWise® Wall Mount Elongated Toilet Bowl

- Material: Vitreous China • Flow Rate: 1.1 - 1.6 gpf • 1-1/2" top spud inlet • 10" x 12" water surface area • Powerful direct-fed siphon jet flush action • Fully glazed 2-1/8" trap way • Condensation channel

Item#	Type	Mfg#
4669606	w/ EverClean®, 1-1/2" Top Spud Inlet	2257101.020
4800798	w/o EverClean®, 1-1/2" Top Spud Inlet	3351101.020

Ultra High Efficiency 1.1 - 1.6 GPF



American Standard® Afwall® Wall Mounted ADA Retrofit Elongated Bowl

- Flow Rate: 1.28 - 1.6 gpf • 1-1/2" top spud inlet • 16-1/8" ADA rim height • High efficiency, low consumption • Elongated bowl only • Replaces standard wall hung bowls and roughs-in • Powerful direct-fed siphon jet flush action • Fully glazed 2-1/8" trap way • Condensation channel

Item#	Mfg#
4320744	2294011EC.020

High Efficiency



Kohler® Kingston™ Ultra 1.0-1.6 GPF Wall Mount ADA Elongated Toilet Bowl

- Material: Vitreous China • 1-1/2" top spud • Siphon jet • Less seat

Item#	Mfg#
7942256	84325-0

Ultra High Efficiency 1.1 - 1.6 GPF



Kohler® Wellcomme™ Ultra Elongated Toilet Bowl

- Material: Vitreous China • Flow Rate: 1.1 - 1.6 gpf • 1-1/2" top spud inlet • 10" x 7" water surface size • 2-1/8" glazed trapway

Item#	Mfg#
7262385	96053-0



Kohler® Highcliff™ Ultra Elongated ADA Toilet Bowl

- Material: Vitreous China • Flow Rate: 1.1 - 1.6 gpf • 1-1/2" top spud inlet • 10" x 7" water surface size • 2-1/8" glazed trapway • Bowl Height: 16-5/8"

Item#	Mfg#
7262485	96057-0



PROFLO® 1.1-1.6 GPF Toilet Bowl

- 1700 Series • 10 or 12" Rough-in • Vitreous China • Flow Rate 1.1-1.6 gpf • Siphon Jet flushing • 2" fully glazed trap way • 1-1/2" top inlet spud • Integral rim jets for added bowl cleansing • Seat and flush valve not included

Item#	Type	Height
3624977	Elongated Bowl	14-3/8"
3624975	ADA Elongated Bowl	17-1/8"





Plastic Toilet Seats



A-B



C-D



E-G

PROFLO® White Plastic Toilet Seat & Cover

- Concealed hinges • Color matched bumpers • Corrosion proof hardware

Item#	Collection	Front Type	Seat Type	Features	Antimicrobial	Easy Clean/Quick Release Hinge	Slow Close
A 4083777	Tizer	Closed	Elongated	Standard	N	N	N
B 4083779	Tizer	Closed	Round	Standard	N	N	N
C 4597298	Camas	Closed	Elongated	Standard	N	Y	N
D 4597296	Camas	Closed	Round	Standard	N	Y	N
E 4431245	Crisson	Closed	Elongated	Slip Resistant Pads W/ Variable Position Washers	N	Y	Y
F 5147605	Crisson	Closed	Round	Slip Resistant Pads W/ Variable Position Washers	N	Y	Y
G 8786779	Nome	Closed	Elongated	Slip Resistant Pads W/ Variable Position Washers, Adjustable Hinge	N	Y	Y

KOHLER.



H



I



J



K



L



M

Kohler® White Plastic Toilet Seat & Cover

- Concealed hinges • Non-corroding bolts and wingnuts • Strong, durable, injection-molded plastic seats are stain-resistant, easy to clean, and won't chip or peel

Item#	Finish	Collection	Front Type	Seat Type	Features	Antimicrobial	Easy Clean/Quick Release Hinge	Slow Close	Mfg#
H 9855322	White	Cachet	Closed	Elongated	Standard	N	Y	Y	4636-RL-0
I 9855316	Biscuit	Cachet	Closed	Elongated	Standard	N	Y	Y	4636-RL-96
J 4142761	White	Brevia	Closed	Elongated	Standard	N	Y	N	4774-0
K 7311715	White	Brevia	Closed	Elongated	Standard	N	N	Y	20110-0
L 9855327	White	Cachet	Closed	Round	Standard	N	Y	Y	4639-RL-0
M 4142764	White	Brevia	Closed	Round	Standard	N	Y	N	4775-0

Wood Toilet Seats



N-O



P-Q

PROFLO® White Wood Toilet Seat & Cover

- Concealed hinges • Color matched bumpers • Corrosion proof hardware

Item#	Collection	Front Type	Seat Type	Features	Antimicrobial	Easy Clean/Quick Release Hinge	Slow Close
N 7096281	Elmore	Closed	Elongated	Standard	N	N	N
O 7096283	Elmore	Closed	Round	Standard	N	N	N
P 4594268	Greenwood	Closed	Elongated	Standard	N	Y	N
Q 4594271	Greenwood	Closed	Round	Standard	N	Y	N



R-S

Bemis® White Wood Toilet Seat & Cover


- Concealed hinges • Color matched bumpers • Corrosion proof hardware

Item#	Collection	Front Type	Seat Type	Features	Antimicrobial	Easy Clean/Quick Release Hinge	Slow Close	Mfg#
R 2451810	Residential	Closed	Elongated	Standard	N	Y	N	1500EC000
S 2451811	Residential	Closed	Round	Standard	N	Y	N	500EC000





Commercial Toilet Seats



PROFLO® White Commercial Plastic Toilet Seat

• Slip resistant pads • 304 Series stainless hardware • Large molded in bumpers

Item#	Collection	Front Type	Seat Type	Features	Antimicrobial	Check Hinge-Hold Open	Color
A 3866978	Commercial	Open	Elongated	Includes Cover	N	N	White
B 4083776	Commercial	Open	Elongated	Standard	N	N	White
C 3511858	Commercial	Open	Elongated	Standard	N	Y	White
D 3866977	Commercial	Open	Elongated	Standard	N	Y	Black
E 3776799	Commercial	Open	Elongated	Standard	Y	Y	White
F 3776801	Commercial	Open	Elongated	Standard	N	Y	White



G

American Standard® White Commercial Plastic Toilet Seat

• Stainless steel hardware • Large molded in bumpers

Item#	Collection	Front Type	Seat Type	Features	Antimicrobial	Check Hinge-Hold Open	Mfg#
G 4297806	Commercial	Open	Elongated	Standard	N	Y	5901100.020



H-I

Bemis® White Commercial Plastic Toilet Seat

Item#	Collection	Front Type	Seat Type	Features	Antimicrobial	Check Hinge-Hold Open	Mfg#
H 61640	Commercial	Open	Elongated	Commercial Grade, STA-TITE Commercial Fastening System	N	N	1955CT000
I 61644	Commercial	Open	Elongated	Commercial Grade, STA-TITE Commercial Fastening System	N	Y	1955SCT000



J

Kohler White Commercial Plastic Toilet Seat

• Integrated handle

Item#	Collection	Front Type	Seat Type	Features	Antimicrobial	Check Hinge-Hold Open	Mfg#
J 2965259	Commercial	Open	Elongated	Standard	N	N	4731-C-0



K

TOTO® Commercial Elongated Plastic Toilet Seat

• Solid polypropylene • Soft-close • Mounting hardware included • Color/Finish: White

Item#	Collection	Front Type	Seat Type	Features	Antimicrobial	Check Hinge-Hold Open	Mfg#
K 1244038	Commercial	Open	Elongated	Includes Cover	N	N	SS11401





Universal Flappers



A



B

PROFLO® Universal Flappers

Item#	Size	Type	Fits	Warranty
A 3794679	2"	Flapper	Most 2" plastic flush valves	1-Year
B 3794665	3"	Flapper	Most 3" plastic flush valves	1-Year



C



D



E



F



G



H-I



J

Fluidmaster® Universal Flappers

Item#	Collection	Size	Type	Fits	Description	Warranty	Mfg.#
C 3010457	PRO w/Microban	2"	Flapper, Flexible Fram	Universal fit, Flexible for secure seal, Microban fights bacteria	Black	1-Year	PRO53
D 3010458	PRO w/Microban	2"	Flapper, Flexible Fram	Universal fit, Flexible for secure seal, Microban fights bacteria	Red, resists chlorine/poor water quality	5-Year	PRO54
E 3010459	PRO Series 2 w/Microban	2"	Flapper, Adjustable	Universal fit, Adjustable dial, Microban fights bacteria, Kink free chain	Red, resists chlorine/poor water quality	5-Year	PRO55
F 4839882	Universal	3"	Flapper, Solid Frame, Adjustable	Universal fit, Adjustable dial, Rigid frame, Microban fights bacteria, Kink free chain, Durable silicone seal	Red, resists chlorine/poor water quality	10-Year	PRO58
G 279486	w/Microban	2"	Flapper, Solid Frame	Universal fit, Rigid frame, Microban fights bacteria, Kink free chain	Red, resists chlorine/poor water quality	5-Year	501P21
H 4839881	Universal PRO w/ Microban	2"	Flapper, Solid Frame, Adjustable	Universal fit, Adjustable dial, Rigid frame, Microban fights bacteria, Kink free chain	Red, resists chlorine/poor water quality	5-Year	PRO56
I 670595	Universal PerforMAX	2"	Flapper, Solid Frame, Adjustable	Universal fit, Adjustable dial, Rigid frame, Microban fights bacteria, Kink free chain	Red, resists chlorine/poor water quality	5-Year	502P21
J 3690645	Universal	3"	Flapper, Solid Frame, Adjustable	Universal fit, Adjustable dial, Rigid frame, Microban fights bacteria, Kink free chain, Durable silicone seal	Red, resists chlorine/poor water quality	10-Year	5403P4





Universal Flappers



A



B



C



D



E



F



Korky® Universal Flappers

Item#	Collection	Size	Type	Fits	Description	Warranty	Mfg#
A 5597	-	2"	Flapper	Most 2" plastic flush valves	Black	1-Year	54BP
B 156165	Plus	2"	Flapper	Most 2" plastic flush valves	Red, resists chlorine/poor water quality	5-Year	2001BP
C 1624100	Plus	2"	Flapper	2" Older style brass flush valves, larger ball design to stay open longer for older 5 and 7 gallon toilets	Red, resists chlorine/poor water quality	5-Year	2000BP
D 1284686	Plus	2"	Flapper w/Float	Most 2" plastic flush valves	Red, resists chlorine/poor water quality	5-Year	2004BP
E 4530267	Plus Ultra	2"	Flapper, Adjustable	Most 2" flush valves for 1.28, 1.6, 3.5 and 5 gpf toilets	Red, resists chlorine/poor water quality	5-Year	100BP
F 4000025	Universal	3"	Flapper, Adjustable	All 3" flush valves in newer, HET toilets	Red, resists chlorine/poor water quality	5-Year	3060BP

American Standard Flappers




G

American Standard® Flappers

Item#	Size	Type	Fits	Description	Mfg#
G 7024671	3"	Flapper assembly w/ Float	American Standard® Cadet® 3, Loft Right Height, and Town Square 1.28 gpf toilets	Black	7389200070A

Coast Flappers



H

Replacement For Coast® Flapper

• Blue • Coast® style

Item#	Size	Type	Fits	Description	Mfg#
H 2476170	2"	Flapper	Coast 2" flush valves and most other brands	Blue	C0414





Fluidmaster Fill Valves & Repair Kits



Fluidmaster® Valve Kits

Item#	Brand/Collection	Type	Fits	Description	Qty	Warranty	Mfg#
A 36781	Fluidmaster® 400A	Fill Valve	All brands	Adjustable height 9-14" Adjustable tank water level control, Easy pre-installed shank	1	5-Year	400A
B 7317188	Fluidmaster® 400A	Fill Valve Pk/3	All brands	Adjustable height 9-14", Adjustable tank water level control, Easy pre-installed shank	3	5-Year	400ACN3P5
C 2475498	Fluidmaster® 400A/504	Fill Valve & Flapper	All brands	400A and 504 Flapper, Adjustable Height 9-14" , For use in 2" flush valve toilets, Tank water level control	1	5-Year	400AW504
D 1098485	Fluidmaster® Complete 2" Toilet Repair Kit	Fill Valve, Flush Valve, Flapper, Chrome Lever, Gaskets & Hardware	All brands	400A Fill Valve, 507A Flush Valve, 502 Flapper, Gasket & Hardware	1	5-Year	400AKRP10
E 3010454	Fluidmaster® PRO Series Complete 2" Repair Kit	Fill Valve, Flush Valve, Flapper, Chrome Lever, Gaskets & Hardware	All brands	PRO45 Fill Valve, PRO57 Flush Valve, PRO54 Flapper, Gasket & Hardware	1	5-Year	PRO45K
F 3010456	Fluidmaster® PRO Series	Fill Valve	All brands	Ultra-quiet operation, Adjustable height from 9" to 14", Tank water control	1	5-Year	PRO45
G 3010452	Fluidmaster® PRO Series	Fill Valve w/ Brass Shank	All brands	Ultra-quiet operation, Adjustable height from 9" to 14", Tank water control, Can use with metal nut connectors	1	5-Year	PRO45B
H 3010453	Fluidmaster® PRO Series	Fill Valve & Flapper	All brands	PRO45 Fill Valve, PRO54 Flapper, Adjustable height from 9" to 14", Tank water level adjustment dial, Flexible frame flapper for secure seal, For use in 2" flush valve toilets	1	5-Year	PRO45C
I 670593	Fluidmaster® Leak Sentry	Fill Valve	All brands	Adjustable height 9-14", Leak Sentry detects & stops refill of leaky tank, Tank water level control dial, Adjustable refill tube flow rate	1	5-Year	400LS
J 7966835	Fluidmaster® PRO Series	Fill Valve Series Kit	All brands	Adjustable height 9-14", Adjustable dials to change water level (fits toilets 1.0-3.5 gpf+), Ultra quiet operation	1	7-Year	PRO45H-004-P10

Kohler Fill Valves & Repair Kits



Kohler® Valve Kits

Item#	Brand/Collection	Type	Fits	Description	Qty	Mfg#
K 3983089	Kohler® Silent Fill Valve Kit	Fill Valve	Most Kohler Models	Includes multiple fill-rate inserts are provided, Adjustable height, Silent Fill, Use if shank color is grey	1	GP1138930
L 3642504	Kohler® Class Five® Valve Kit	Fill Valve	For use with Class Five® toilets & fill valves with white cap	Includes multiple fill-rate inserts are provided, Adjustable height, Silent Fill, Use if shank color is black	1	GP1083167





Fill Valve Repair Parts



Fill Valve Parts

Item#	Brand/Collection	Type	Fits	Mfg#
A 19755	Fluidmaster®	Fill Valve Replacement Seal	200, 400 and 747 fill valve models	242
B 3979923	Fluidmaster®	Fill Valve Replacement Seal	PRO45, 747 and 400A fill valve models	PRO22

Fluidmaster Flush Valves & Repair Kits



Fluidmaster® Tank Flush Valves

Item#	Brand/Collection	Type	Fits	Description	Warranty	Mfg#
C 3010460	Fluidmaster® PRO Series	Flush Valve & Flapper & Float	Most 2" tanks	PRO57 Flush Valve & PRO55 Adjustable Flapper (Chlorine resistant), Adjustable float for tank water level control, Kink free chain	5-Year	PRO57
D 3010464	Fluidmaster® PRO Series Flush Valve Kit	Flush Valve, Flapper, Gasket & Hardware	Most 2" tanks	PRO57 Flush Valve, PRO55 Adjustable Flapper (Chlorine resistant)	5-Year	PRO57K
E 4710916	Fluidmaster®	Flush Valve, Flapper, Gasket & Hardware	Most 2" tanks	Solid frame flapper to eliminate twisting, Corrosion resistant materials, Microban technology to fight bacteria, Best for use in older 3.5+ GPF	5-Year	507AP7

PROFLO Fill Valves & Repair Kits



PROFLO® Douglas Style

Item#	Brand/Collection	Type	Fits	Description	Warranty	Mfg#
F 308185	PROFLO® Douglas Style	Fill Valve & Flapper	Douglas	With rubber flapper and stainless steel chain	1-Year	PF210420

Flush Valve Repair Parts



Flush Valve Parts

Item#	Brand/Collection	Type	Fits	Description	Mfg#
G 3642498	Kohler® Canister Valve Seal	Flush Valve Seal	Kohler, Single Flush Canister Toilets	Standard	GP1059291
H 4896403	Kohler® Canister Repair Kit	Cap Center, Guide & Chain	Kohler, Single Flush Canister Toilets	Standard	GP1229656
I 4417088	Kohler® 2" Toilet Canister Flush Valve Kit	Complete canister assembly kit including gaskets	KOHLER Cimarron® tank model numbers K-4418 and K-4369	3" canister with a 2" outlet	1188998
J 3170059	Kohler® 3" Toilet Canister Flush Valve Kit	Complete canister assembly kit including gaskets	Kohler Wellworth® Highline Classic tank model number K-4632	3" canister with a 3" outlet	1069722
K 3466919	Kohler® 3" Toilet Canister Flush Valve Kit	Complete assembly with tank-to-bowl gasket	Kohler Cimarron® tank model number K-4634	3" canister with a 3" outlet	1083980
L 8036842	Mansfield® Replacement Valve Seal	Valve Seal	210 and 211 Flush Valves	Red, resists chlorine/poor water quality	T02065L





Tank Levers



Fits All Universal Toilet Tank Lever
 • Fits all toilet styles, including front, angle or side mount • Works on left or right side of tank • Side mount can have horizontal or vertical handle position • Works with 2" or 3" style flush valves as well as canister style flush mechanisms

Item#	Finish
9781453	White
9781454	Chrome



Old Style Toilet Tank Lever
 • 10" flat brass arm can be bent to fit most applications and angles • Chrome Plated metal lever • Metal spud and nut • Fits most front mount and curved-front mount applications • Extra long arm will work in older models with large tanks

Item#
8036801



Fit All Toilet Tank Lever
 • Cut-off tabs for 4", 6" or 8" length • Plastic nut

Item#	Mfg#
8036834	143639



Fits All Toilet Tank Lever
 • Die cast handle • Include zinc nut and brass arm • Fits most front mount applications • Heavy duty

Item#	Mfg#
8036838	143636



Fits All Front/Curved Mount Toilet Tank Lever
 • Chrome Plated metal lever • Fits most front mount and curved-front mount applications • 8" flat brass arm can be bent to fit most applications and angles • Plastic spud and nut

Item#
8036835



Fits Mansfield Toilet Tank Lever
 • Side-mounted lever • Plastic spud and nut • Color/Finish: Chrome • Chrome Plated metal lever • 10" brass arm • Front mount lever

Item#	Fits
8036890	Mansfield



Fits Kohler Toilet Tank Lever
 • Fits Wellworth™, Waterguard/Lite • Plastic nut • Color/Finish: Chrome • Side mount lever • Chrome Plated metal lever • 8" plastic arm

Item#	Mfg#
8036886	143634



Fits Toto Side Mount Toilet Tank Lever
 • Chrome Plated metal lever • 8" straight brass arm • Plastic spud and nut

Item#	Fits
8036830	TOTO #THU004



Fits Toto Side Mount Toilet Tank Lever
 • Replaces #THU068 • Color/Finish: Chrome • Metal lever • 8" offset brass arm • Plastic spud and nut

Item#
8036829



PROFLO Economy Toilet Tank Lever
 • Economy, die cast trip • Includes plastic nut and brass arm • Chrome Plated

Item#
308270



PROFLO Toilet Tank Lever
 • Die cast handle • Includes zinc nut and brass arm • Chrome Plated

Item#
308268



PROFLO Toilet Tank Lever
 • Briggs style • For left hand tanks

Item#	Finish
1686183	Chrome
8036883	White





Plumbing - Toilet Bolts & Screws

Tank Levers



PROFLO® Edgehill Toilet Tank Lever

• For PF9412 • Chrome

Item#
3794668

Fluidmaster® Universal Lever

• Bendable arm • Fits most front, side and angle-mount tanks

Item#	Finish	Mfg#
282673	White	680
282674	Chrome	681

Kohler® Wellworth Classic Toilet Tank Lever

• For K4620 toilet tank • Color/Finish: Chrome

Item#	Mfg#	Fits
3521822	GP30324-CP	K4620

Toilet Bolts & Screws



PROFLO® Snap-Off Toilet Bolt 2/Pk

Item#	Size	Bolt Material	Washer Material	Washer Shape	Nut Type	Nut Shape
4030289	1/4" x 2-1/4"	Solid Brass	Nickel Plated Steel	Round	Acorn Nuts	Hex
270320	5/16" x 2-1/4"	Solid Brass	Nickel Plated Steel	Round	Acorn Nuts	Hex
4030286	5/16" x 3-1/2"	Solid Brass	Nickel Plated Steel	Oval	Acorn Nuts	Hex



A-B



C-D



E

PROFLO® Toilet Bolt 2/Pk

Item#	Size	Bolt Material	Washer Material	Washer Shape	Nut Type
A 272656	1/4" x 3-1/2"	Brass Plated Steel	Nickel Plated Steel	Round	Acorn Nuts
B 4030287	1/4" x 2-1/4"	Brass Plated Steel	Nickel Plated Steel	Round (4 pcs)	Acorn Nuts & Square Nuts
C 4030284	5/16" x 3"	Solid Brass	Solid Brass(2) & Rubber(2)	Round	Wingnuts & Hex Nuts
D 4030288	5/16" x 3"	Zinc Plated Steel	Zinc Plated Steel (2) & Rubber (2)	Round	Wingnuts & Hex Nuts
E 3863278	5/16" x 2-1/2"	Nylon	Nylon	Round	Acorn Nuts





Toilet Bolt Caps, Gaskets & Shims



PROFLO® Back Outlet Toilet Gasket

- For wall hung toilets • Black Neoprene • Size: 4"
- Gaskets include an adhesive coating so you can just "peel and stick"

Item#
4916160



PROFLO® Tank-To-Bowl Gasket

- Rubber construction • Universal design

Item#
345443



Kohler® Urinal Gasket

- Gasket compatible with most Kohler urinals • Made of durable material for a long lasting seal

Item#
7043623

Mfg#
GP53410

Toilet Bolt Caps, Gaskets & Shims



Ferro® Urinal Seal

- Strong and flexible to sustain positive seal to urinal • Maintains a gas tight seal even when minor movement occurs
- Engineered to seal to the inside diameter of a 2" drain line • Made of Flexible PVC
- Fits inside 2" Drain piping or inside "over the pipe" universal PVC or brass urinal adapters

Item#
4088388

Mfg#
FUS-2



PROFLO® Toilet/Urinal Wax Rings

- 100% pure petroleum wax gasket • Fits all floor-type toilet bowls with 3" or 4" waste lines

Item#	Type	Application
3519954	Standard	All Floor Toilets
3519951	W/ Extra Wax	All Floor Toilets
3637722	Felt Reinforced	Most 4" Wall Hung Back Outlet Toilets
3519955	Standard	All 2" Urinal Outlets

Wax Rings & Toilet Seals



PROFLO® Toilet Bowl Wax Rings

- 100% pure petroleum wax gasket
- Includes pair of 1/4" x 2-1/4" solid brass bolts with double nuts and washers
- Made with a plastic polyethylene flanged horn which extends the discharge opening and provides a positive seal and proper bowl alignment

Item#	Size	Type
3519952	3 x 4"	Standard
4068948	3 x 4"	W/ Extra Wax
3637721	4"	Standard



PROFLO® Toilet Bowl Wax Ring Kit

- 100% pure petroleum wax gasket • Fits all floor-type toilet bowls with 3" or 4" waste lines • Includes pair of 1/4" x 2-1/4" solid brass bolts with double nuts and washers

Item#
3637723

Toilet Bolt Caps, Gaskets & Shims



PROFLO® Toilet Bowl Wax Ring

- 100% pure petroleum wax gasket • Fits all floor-type toilet bowls with 3" or 4" waste lines • Made with a plastic polyethylene flanged sleeve which extends the discharge opening and provides a positive seal and proper bowl alignment

Item#	Type
3519956	Standard
3519953	W/ Extra Wax



PROFLO® Stackable Toilet Shims

- Polypropylene • Ribbed for non-slip stacking • Hard, stackable design

Item#	Material	Qty
2405873	Hard, Polypropylene	300
7245878	Soft, Thermoplastic Elastomer	300



PROFLO® White Two-Piece Round Toilet Cap

- Plastic construction • Includes cap and base • White

Item#
345550





Plumbing - Manual Flush Valves & Accessories

Toilet Flanges



Jones Stephens® Metal Closet Flange Repair Ring

- Securely attaches to concrete or wood sub-floor
- Mounting ears offset by 1/8" to allow closet bolts to be installed

Item#

1592145



PROFLO® Push N' Peel 3 x 4 in. Plastic ABS Toilet Flange with Stainless Steel Ring and Test Cap

- Two piece floating stainless steel ring design
- Fits over 3" or inside 4" SCH 40 DWV pipe
- Allows for flush installation inside 4" pipe
- Provides a simple push and peel back test cap that won't fall down the drain
- No hammer required to remove test cap
- Adjustable, corrosion-resistant stainless

Item#

3585832



PROFLO® 4" Brass Toilet Flange

- Leaded standard connection
- Brass construction

Item#

284548



PROFLO® Stainless-Steel Spanner Flange

- Full ring design
- Repair damaged toilet flanges
- Corrosion-resistant
- Works with new installation
- Concrete or wood floor
- Fits over 3" or 4" pipe
- Material: Stainless Steel

Item#

4477476



PROFLO® Stainless-Steel Toilet Flange Repair Ring

- Repairs broken toilet flange without costly replacement
- Stops leaking, wobbly toilets
- Fast and easy installation
- Suitable for cast iron, copper, brass and plastic toilet flanges

Item#

4477475



Spanner Flange Kit

- Heavy duty construction
- Various mounting holes
- Plated steel construction
- Includes stabilizers

Item#	Mfg#	Qty
8036875	143630	1
4918268	110820	5



Sioux Chief® Ringer™ Stainless-Steel Toilet Flange Repair Ring

- Stainless Steel
- Perfect for repairs to damaged closet flanges, or new concrete floor installations
- Fits securely over damaged flanges

Item#

1704853

Mfg#

886-MR



Sioux Chief® Toilet Flange Repair Ring

- For replacing broken or rusted swivel rings without removing flange
- Includes two-piece galvanized ring, closet bolts, nuts and washers

Item#

4145517

Mfg#

886-MRM

Urinal Flanges



PROFLO® 2" ABS Urinal Flange Kit

- Adjustable horizontally
- Includes stainless steel bolts, nut and washers
- Includes thick foam rubber gasket

Item#	Connection
4069917	Hub (over pipe)
4069918	Spigot (inside fitting)
4069914	Inside (inside pipe)



Sloan® Flushmate® Pressure Assist Tank Vessel for Toilets with 1.0 GPF

- Uses pressure instead of gravity for optimal performance
- Fits 153, 504 Series, 5066, FM III 503 Series, K4484, T4ULF-PF-1
- Made of high-grade polypropylene for durable use
- 5-year warranty

Item#	Mfg#
4631118	M101526F42



Sloan® Flushmate® Pressure Assist Tank Vessel for FM III 503 Series Two-Piece Toilets with 1.6 GPF

- Uses pressure instead of gravity for optimal performance
- Includes vessel 1.6 GPF, lower supply nut, tank nut, Flushmate-to-tank gasket and tank-to-bowl gasket
- Made of high-grade polypropylene for durable use
- Does not include the rod kit - use existing rod kit and handle from originally installed tank

Item#	Mfg#
3795903	M-101526-F31



Sloan® Flushmate® Complete Replacement System for FMII 501B Series with Flush Handle

- Uses pressure instead of gravity for optimal performance
- Includes: Flushmate complete system (503) F3B, necessary complete service manual for 503 series, bulk pack kit for M-101526-F3B series, and handle replacement kit
- For use with Flushmate equipped toilets with a 2-inch flush tank
- Not for use with traditional gravity flush toilet bowls
- Not compatible with Kohler K4404 and Gerber 28-385 tanks

Item#	Mfg#
4780858	M-101526-F3BK





Electronic Flush Valves & Accessories



American Standard® Washbrook® Selectronic® Electronic Chrome Flush Valves

- Includes CR-P2 Lithium battery rated for 200,000 flush • Self-Cleaning piston • Fail safe operation
- Fully mechanical override • Range can be adjusted manually or with optional remote control • Includes sweat solder kit • Inlet valve and tailpiece
- 11-1/2" Rough in

Item#	Type	Flow Rate (Gpf)	Spud Size	Operating Pressure Range	Watersense	Mfg#
4346925	Toilet	1.28	1-1/2" top spud	20 psi to 80 psi	Yes	6065121.002
4330153	Toilet	1.6	1-1/2" top spud	20 psi to 80 psi	No	6065161.002



Sloan® G2 Optima Plus® Electronic Chrome Flush Valves

- Four (4) size AA batteries installed • PERMEX® synthetic rubber diaphragm with dual filtered fixed bypass • ADA Compliant OPTIMA Plus® battery powered infrared sensor for automatic "No Hands" operation • Courtesy Flush® Override button • 11-1/2" Rough in

Item#	Type	Flow Rate (Gpf)	Spud Size	Watersense	Operating Pressure Range	Mfg#
A 3611892	Toilet	1.28	1-1/2"	Yes	15 psi to 80 psi	3250289
B 1847210	Toilet	1.6	1-1/2"	No	15 psi to 80 psi	3250400
C 1847223	Urinal	0.5	1-1/2"	Yes	15 psi to 80 psi	3250424
D 1847211	Urinal	1.0	3/4"	Yes	15 psi to 80 psi	3250401

"Touch-Free" Sensor Flush Valves Retrofit Kits



Sloan® G2 Optima Plus® Single Flush Battery Powered Top Mount Retrofit Kit

- Model: G2® RESS-C and G2® RESS-U • Converts manual flushometers to sensor activated "touch-free" operation • Battery powered, sensor operated G2® model retrofit conversion kit for exposed closet flushometers • PERMEX™ synthetic rubber diaphragm with dual filtered fixed bypass • Adjustable flush volume • Flex tube diaphragm • Engineered metal cover with replaceable lens window • Chrome

Item#	Flow Rate (gpf)	Mfg#
1847227	1.5 or 1.0	3325402
1847225	3.5 or 1.6	3325400



Sloan® Optima® SMOOTH™ Single Flush Battery Powered Side Mount Retrofit Kit

- Model: EBV-200-A • For use on exposed closet and urinal flushometers • Converts manual flushometers to sensor activated "touch-free" operation • Placed over the handle • OPTIMA® SMOOTH™ battery powered infrared sensor for automatic "Hands-free" operation • Sensor with automatic range adjustment • Mechanical manual override flush handle

Item#	Mfg#
2487535	3325201



Sloan® Single Flush Valve Battery Powered Side Mount Retrofit Kit

- Model EBV500A • Converts manual flushometers to sensor activated "touch-free" operation • Battery-powered, sensor-activated retrofit conversion kit • Hands-free activation • True mechanical override for manual activation • Color/Finish: Chrome

Item#	Mfg#
4665203	3325500



Sloan® G2 Optima Plus® Side Mount Battery Powered Retrofit Kit

- Model EBV-89-A • Battery-powered, sensor-activated retrofit conversion kit • Four (4) Size C Batteries included • Hands-free activation • True mechanical override for manual activation

Item#	Mfg#
1659001	0325105



Zurn® EZFlush® Single Flush Battery Powered Side Mount Retrofit Kit

- Adjustable infrared sensor • Includes 4 C batteries, wrench and allen key

Item#	Material	Mfg#
4408319	Chrome Plated Plastic	ZERK-CCP
2489289	Metal	ZERK-CPM





Manual Flush Valves



American Standard




American Standard® Flowise® Chrome Manual Flush Valves

- Self-cleaning brass piston with integral wiper spring
- Fail safe operation • Chloramine-resistant EPDM seals • Includes sweat solder kit, inlet valve, and tailpiece • Material: chrome plated cast brass
- 1-1/2" rough in

Item#	Type	Flow Rate (gpf)	Spud Size	Operating Pressure Range	Watersense	Mfg#
4669632	Toilet	1.28	1-1/2"	20 psi to 80 psi	Yes	6047121.002
4383540	Toilet	1.6	1-1/2"	20 psi to 80 psi	No	6047161.002

Manual Flush Valves & Accessories

SLOAN.



A-C

D-G




Sloan®Royal® Chrome Manual Flush Valves

- Color/Finish: Chrome • Top spud • Single flush
- PERMEX synthetic rubber diaphragm with dual filtered fixed bypass • Non-Hold open handle
- Fixed metering bypass and no external volume adjustment to ensure water conservation

Item#	Type	Flow Rate (gpf)	Spud Size	Watersense	Mfg#
A 1656485	Toilet	1.26	1-1/2"	Yes	3910168
B 185680	Toilet	1.6	1-1/2"	No	3010000
C 9966	Toilet	3.5	1-1/2"	No	3010100
D 1658335	Urinal	0.5	3/4"	No	3912697
E 3815483	Urinal	0.125	3/4"	No	3912633
F 185683	Urinal	1.0	3/4"	No	3012636
G 35517	Urinal	1.5	3/4"	Yes	3012600

SLOAN.



H-J

K-M



Sloan®Regal® XL Chrome Manual Flush Valves

- Color/Finish: Polished chrome • Top spud
- Single flush

Item#	Type	Flow Rate (gpf)	Spud Size	Watersense	Mfg#
H 4579903	Toilet	1.28	1-1/2"	Yes	3080050
I 437430	Toilet	1.6	1-1/2"	No	3080053
J 437427	Toilet	3.5	1-1/2"	No	3080153
K 2035345	Urinal	0.5	3/4"	No	3982628
L 437437	Urinal	1.0	3/4"	No	3082675
M 437436	Urinal	1.5	3/4"	Yes	3082653





Manual Flush Valves & Accessories



Item#	Type	Flow Rate (gpf)	Spud Size	Watersense	Mfg#
4118445	Toilet	1.25	3/4"	Yes	Z6003AVULF
3883478	Toilet	1.28	3/4"	Yes	Z6000AV-HET
1422718	Toilet	1.6	3/4"	No	Z6000AV-WS1
3760520	Urinal	0.5	3/4"	Yes	Z6003AV-EWS
1422707	Urinal	1.0	3/4"	No	Z6003AV-WS1



Zurn® AquaVantage® Chrome Manual Flush Valves

- Chloramine resistant dual seal diaphragm
- Triple filtered bypass • Non hold open no leak feature • High back pressure vacuum breaker
- One piece hex coupling nut • Adjustable tailpiece
- Spud coupling & flange for top spud connection
- Control stop has siphon guard protection



Zurn® AquaVantage® Chrome Manual Flush Valves

- Chloramine resistant dual seal diaphragm
- Triple filtered bypass • Non hold open no leak feature
- High back pressure vacuum breaker • One piece hex coupling nut • Adjustable tailpiece • Spud coupling & flange for top spud connection • Control stop has siphon guard protection

Item#	Type	Flow Rate (gpf)	Spud Size	Watersense	Mfg#
921840	Toilet	1.6	1-1/2"	No	Z6000WS1BYC
4875919	Toilet	1.28	1-1/2"	Yes	Z6000HETYBYC
921892	Urinal	1	3/4"	No	Z6003WS1BYC

Plumbing





Plumbing - Toilet, Tank & Urinal Repair

Toilet Spuds



PROFLO® Toilet Spud
• Brass with rubber washer

Item#	Size
308215	1-1/2" x 1-1/2"
308217	1 x 3/4"
308220	1-1/4 x 1-1/4"



Sloan® Valve Adjustable Tailpiece
• Model: H-551-A • Color/Finish: Chrome

Item#	Size	Mfg#
42301	3-1/16"L	130755

Flush Valve Repair Parts



Sloan® Valve Control Stop Repair Kit

Item#	Mfg#
25446	131066



Sloan® Valve Control Stop Repair Kit

Item#	Mfg#
7762	131067

Flush Valve Repair Parts



Sloan® Royal® B-73-A Triple-Seal Flushometer Handle Assembly
• Model: B-73-A • Chrome

Item#	Mfg#
345973	302390



Sloan® Regal® 2" Plastic Handle Repair Kit

Item#	Mfg#
23928	131026



Sloan® Royal® F-5-A 1-1/2 in. Spud Coupling Assembly
• Model: F-5-AT • Includes spud flange, coupling, friction ring and slip joint gasket

Item#	Mfg#
22724	130760



Sloan® Royal® F-5-AW 2-1/4 in. Spud Coupling Assembly
• Model: F-5-AW • Includes spud flange, coupling, friction ring and slip joint gasket

Item#	Mfg#
41326	306125



Sloan® Flushmate® Valve Cartridge Kit
• Includes the flush valve cartridge, duckbill, and lower supply screen

Item#	Mfg#
449910	C-100500-K



Sloan® Royal® Toilet Rebuild Kit
• Includes molded disc, diaphragm, relief valve, and guide assembly • Made of chloramine-resistant material for enhanced durability • Chloramine resistant

Item#	Flow Rate (gpf)	Mfg#
2035477	1.6	3301150
2035492	3.5	3301151



Sloan® Royal® Toilet Diaphragm Repair Kit
• Includes molded disc, diaphragm, relief valve, and guide assembly • Made of chloramine-resistant material for enhanced durability • Chloramine resistant • Toilet dual filtered permex synthetic diaphragm kit

Item#	Flow Rate (gpf)	Mfg#
2035100	1	3301123
2035089	1.6	3301122
2035074	3.5	3301121



Sloan® Urinal Rebuild Kit
• Kit includes the relief valve, molded disc, diaphragm and guide assembly, vacuum breaker kit, handle repair kit and the stop tail O-ring

Item#	Brand	GPF	Mfg#
2035530	Royal	1	3301154
2035542	Royal	1.5	3301155





Flush Valve Repair Parts

SLOAN.

SLOAN.

SLOAN.

ZURN.



Sloan® Urinal Rebuild Kit

• Kit includes the relief valve, molded disc, diaphragm and guide assembly, vacuum breaker kit, handle repair kit and the stop tail O-ring

Item#	Brand	GPF	Mfg#
689026	Regal	1	3317005



Sloan® Valve Vacuum Breaker Repair Kit

• For use on Royal®/Regal® • Includes vacuum breaker sac, washer friction ring and nylon baffle • V651A

Item#	Qty	Mfg#
3150687	1	3323183
854336	3	130762



Sloan® Valve Vacuum Breaker Tube

• Used for connecting flush valve body to fixture • Color Finish/Chrome
• Material:Brass

Item#	Size	Mfg#
84111	3/4 x 15"	0323210
54484	1-1/2 x 15"	0323017
24307	1-1/4" x 9"	532006
40178	3/4" x 9"	5323005



Zurn® Flush Handle Repair Kit

• Lasts 8 to 10 times longer than traditional black rubber components

Item#	Mfg#
3099064	P6000-MK

ZURN.

ZURN.

ZURN.

ZURN.



Zurn® Spud Coupling Assembly for Manual Flush Valve

• Spud nut and escutcheon, are constructed of cast brass with a chrome-plated finish • The gasket and washer is made from chemical-resistant GO BLUE® material • 1-1/2" size

Item#	Mfg#
1606149	P6000-H



Zurn® O-Ring

• Tailpiece o-ring

Item#	Mfg#
4488090	P6000C31BPPK



Zurn® Toilet Diaphragm Repair Kit

• Quiet GO BLUE® dual-seal diaphragm with a clog-resistant bypass • GO BLUE® parts stand up to chloramine and other chemicals • Interchangeable with other manufacturers' flush valves

Item#	Brand/Collection	GPF	Mfg#
4039585	AquaVantage® 1.28	P6000-ECA-WS1	
1597145	AquaVantage® 1.6	P6000ECAWS1	
1834829	AquaVantage® 3.5	P6000ECAWSRK	
1589639	AquaVantage® 3.5	P6000ECAWS	
1676508	AquaFlush® 1.6	P6000-ECR-WS1	
1783177	AquaFlush® 3.5	P6000-ECR-WS	



Zurn® Toilet Flush Valves Rebuild Kit

• Kit includes diaphragm repair kit, handle repair kit, vacuum breaker repair kit, and tailpiece O-ring
• Quiet GO BLUE® dual-seal diaphragm with a clog-resistant bypass • GO BLUE® parts stand up to chloramine and other chemicals • Interchangeable with other manufacturers' flush valves

Item#	Brand/Collection	Flow Rate (gpf)	Mfg#
1597162	AquaVantage® 1.6		P6000-ECA-WS1-RK
2465063	AquaFlush® 1.6		P6000-ECR-WS1-RK
1801302	AquaFlush® 3.5		P6000-ECR-WS-RK

Flush Valve Repair Parts

Electronic Flush Valve Repair

ZURN.

SLOAN.

SLOAN.

SLOAN.



Zurn® Toilet and Urinal Vacuum Repair Kit

• Blue • Lasts 8-10 times longer than traditional black rubber components
• Chemical resistant

Item#	Mfg#
4478114	P-6000-B-HP



Sloan® Optima Plus® EBV1022A Flexible Tube Kit Optima Plus

• Works with all Sloan top-mount electronic flushometers • Designed to enable reliable repair of a faulty flush valve • Made from high-quality Permx rubber for durability

Item#	Mfg#
1775074	3325000



Sloan® OptimaPlus® Flexible Tube Kit

• Urinal • Inside parts kit

Item#	Flow Rate (gpf)	Mfg#
1775076	0.50	3325003
1775075	1.6/3.5/4.5	3325001




Sloan® Optima Plus® Electronic Module

• For use on G2 Optima Plus® Flushometers

Item#	Type	Mfg#
2035386	Toilet	3325450
2035401	Urinal	3325451





YOUR SUPPLIES ARE JUST A FEW MOUSE CLICKS AWAY.

VISIT FERGUSONFACILITIESUPPLY.COM TO VIEW OUR FULL SELECTION OF PRODUCTS AND SERVICES.

Wall Mount Water Coolers

ELKAY®



Elkay® Barrier-Free Dual-Level Water Cooler

- Wall mount • Versatile bi-level, allows units to be installed either left or right, high side or low side position • Self-contained, electric refrigerated • Easy-touch front and side push bar controls • Flexi-Guard® anti-microbial safety bubbler • Refrigeration capacity: 8 gph • Wattage: 370W • Amps: 4.0A

Item#	Mfg#
2239828	EZSTL8LC

ELKAY®



Elkay® Barrier-Free Handicapped Accessible Water Cooler

- Wall mount • Self-contained, electric refrigerated • Capacity of 50°F drinking water, based upon 80°F inlet water and 90°F ambient • Easy-touch front and side push bar controls • Flexi-Guard® safety bubbler • Refrigeration capacity: 8 gph • Wattage: 370W • Amps: 4.0A

Item#	Mfg#
1607413	EZS8L

Hydration Stations

ELKAY®



Elkay® EzH2O® Bottle Filling Station

- Complete cooler and bottle filling station in a consolidated space saving design • Integrated look combines Green Ticker™ and filter status lights • WaterSentry® Plus 3,000 gal capacity filtration system • LED light showcases the bottle filling area so you know when a bottle is full • Automatic filter reset status-swap out your filter and the unit resets itself automatically • Anti-microbial protection on plastic components • Refrigeration capacity: 8 gph • Bottle filler flow rate: 1.1 gpm • Listed to UL 399 and NSF 61, 372, 42 and 53 standards

Item#	Material	Mfg#
5111631	Granite Vinyl Clad Steel	LZ8WSLP
5111583	Stainless Steel	LZ8WSSP

Hydration Stations

ELKAY®



Elkay® Enhanced EzH2O® Bottle Filling Station & Single ADA Cooler With Quick Filter Change

- Touchless activation designed for easy use • Hermetically sealed refrigeration system provides chilled water • Fill rate is 1.1 GPM • Laminar flow • Visual filter monitor with LED filter status indicator • Fill Safe recognition automatically recognizes new filter and updates LED light back to green

Item#	Mfg#
10393031	LZS8WSSPPF

ELKAY®



Elkay® Enhanced EzH2O® Bottle Filling Station & Bi-Level ADA Cooler With Quick Filter Change

- Touchless activation designed for easy use • Hermetically sealed refrigeration system provides chilled water • Fill rate is 1.1 GPM • Laminar flow • Visual filter monitor with LED filter status indicator • Fill Safe recognition automatically recognizes new filter and updates LED light back to green

Item#	Mfg#
10393032	LZSTL8WSSPPF

ELKAY®



Elkay® Enhanced EzH2O® Bottle Filling Station & Bi-Level ADA Cooler With Quick Filter Change & Maintenance Kit

- Touchless activation designed for easy use • Hermetically sealed refrigeration system provides chilled water • Fill rate is 1.1 GPM • Laminar flow • Visual filter monitor with LED filter status indicator • Fill Safe recognition automatically recognizes new filter and updates LED light back to green

Item#	Mfg#
5148604	LZSTL8WSSP





Hydration Stations

ELKAY®



Elkay® EzH20® Drinking Fountain & Bottle Filling Station

- Touchless, sensor activation designed for easy use;
- 1.1 Gpm, Laminar flow • Visual filter monitor with LED filter status indicator for when filter change is necessary
- Silver ion antimicrobial protection to inhibit the growth of mold and mildew • Rated for indoor use

Item#	Type	Mfg#
3978617	Standard	LZS8WSLK
4219783	With Cooler	EZS8WSLK

ELKAY®



Elkay® EzH20® Bottle Filling Station

- For use with 115V EZ push bar model coolers only
- WaterSentry® Plus 3000-gal capacity filtration system
- Color/Finish: Stainless Steel/Gray

Item#	Mfg#
3978618	LZWSRK

ELKAY®



Elkay® EzH20® Floor Standing Bottle Filling Station Filtered Refrigerated Stainless Steel

- Touchless, sensor-activated bottle filler, designed for easy use; retrofits existing EFA and LAFE 115V style coolers
- Traditional floor mount design allows for floor-standing or wall backed installations • Green Ticker™ informs user of number of 20 oz. plastic water bottles saved from waste
- Visual filter monitor with LED filter status indicator for when filter change is necessary • 48" standing height and 39" spout-to-floor distance

Item#	Mfg#
9636332	DSSBF8S

Fountain Parts & Accessories

ELKAY®



Elkay® Push Bar Kit

- Fits EZS single and bi-level models • Color/Finish: Gray

Item#	Mfg#
4290575	98734C

ELKAY®



Elkay® 1/4" Valve Solenoid

- For older-style EZ and HTV water coolers

Item#	Mfg#
1971227	35981C

CHICAGO FAUCETS
Delta Group



Chicago Faucets® Brass Push Handle Bubbler Valve

- Metering non-adjustable self closing cartridge • 1-3/4" round metering handle with hot and cold index buttons
- Straight stream nozzle outlet • All metal projector head
- Anti-microbial projector head • Color/Finish: Chrome

Item#	Mfg#
3715289	748-665ABCP

Fountain Parts & Accessories

ELKAY®



Elkay® Flexible Bubbler Assembly

- Flexi-Guard® safety bubbler • Anti-microbial mouth guard • For use with Elkay drinking water product • Color/Finish: Chrome

Item#	Mfg#
251440	92715C

ELKAY®



Elkay® WaterSentry® Plus Replacement Filter for EZH20 Bottle Filling Stations

- Filter should be replaced every 3,000 gallons or 1 year after installation
- Equipped with quick-disconnect, 1/4 turn installation, as well as automatic inlet shut-off valve that closes when filter is removed • Designed to reduce lead, particles and chlorine. Also reduces odors and discoloration from incoming water • Maximum Pressure: 20 to 100 psi • Made in USA

Item#	Qty	Mfg#
3978616	1	51300C
4219857	12	51300C12PK



Need to Work on a Water Heater? YOU'VE GOT THIS.



Download the For The Pro® Contractor App Today.

If you ever need to repair or replace a Bradford White water heater, you've got the support of a large team of knowledgeable and highly skilled professionals—right in your hand! With the **For The Pro® Contractor App**, you can:

-  • **Scan any Bradford White product barcode** for quick access to all related technical documents including warranty information and troubleshooting guides.
-  • **Call or live chat with our 24/7 technical support** - Our U.S.-based techs have hands-on training with Bradford White products. Send pictures through the chat so they can help you faster!
-  • **Timesaving how-to videos** - The app contains our technical video library for easier troubleshooting. Or watch our YouTube channel for step-by-step videos.
-  • **Access the RightSpec® suite of tools** for fast, direct access to helpful resources including sizing and cross-reference tools.
-  • **Look up any Bradford White model number** to instantly retrieve product information including spec sheets, part lists and product descriptions.



Get Started Now!
Scan this QR code


BRADFORD WHITE®
WATER HEATERS
Built to be the Best™



Gas Water Heaters



A-C

Bradford White Residential Utility Electric Water Heater - Energy Saving

• Fully automatic controls • Direct heat transfer with a single immersed element • Alternate top water connections • Protective magnesium anode rod • Single phase operation only

Item#	Model	Capacity	First Hour Rating (gal)	Diameter	Height
A 5058942	RE16U6-1NAL	6	7	14"	16-3/16"
B 5058957	RE110U6-1NAL	10	7	16"	17-7/16"
C 5058962	RE120U6-1NAL	19	7	18"	24-7/16"

Electric Water Heaters



D-E

Bradford White® Residential Electric Lowboy Water Heaters (With Blanket)

• Fully automatic controls • Direct heat transfer with immersed elements • Low restrictive brass drain valve • Factory-installed Hydrojet® Total Performance System • Vitraglas® Lining • Dielectric water connections • Protective magnesium anode rod • Factory-installed heat traps

Item#	Model	Capacity	First Hour Rating (gal)	Diameter	Height	Uniform Energy Factor	Top T&P Valve	Aluminum Anode
D 5071321	RE240L6-1NCWW	38	49	24"	32-3/8"	0.91	N	N
E 5078681	RE240L6-1NCWW-403	38	49	24"	32-3/8"	0.91	Y	N



F-H

Bradford White Residential Lowboy Water Heaters (Without Blanket)

• Fully automatic controls • Direct heat transfer with immersed elements • Low restrictive brass drain valve • Factory-installed Hydrojet® Total Performance System • Vitraglas® Lining • Dielectric water connections • Protective magnesium anode rod • Factory-installed heat traps

Item#	Model	Capacity	First Hour Rating (gal)	Diameter	Height	Uniform Energy Factor	Top T&P Valve	Aluminum Anode
F 7235911	RE240LN6-1NCWW	37	45	24-1/2"	32-1/16"	0.92	N	N
G 7659844	RE250LN6-1NCWW	47	61	26"	33-5/16"	0.92	N	N
H 7235919	RE230LN6-1NCWW	28	41	23"	29-9/16"	0.92	N	N





Electric Water Heaters



A-E

Bradford White® Residential Electric Upright Water Heaters

- Fully automatic controls • Direct heat transfer with immersed elements • Low restrictive brass drain valve • Factory-installed Hydrojet® Total Performance System • Vitraglas® Lining
- Dielectric water connections • Protective magnesium anode rod • Factory-installed heat traps

Item#	Model	Capacity	First Hour Rating (gal)	Diameter	Height	Uniform Energy Factor	Top T&P Valve	Aluminum Anode
A 5058908	RE330S6-1NCWW	30	43	20"	46-11/16"	0.92	N	N
B 5058968	RE340S6-1NCWW	38	49	22"	47-3/16"	0.91	N	N
C 5059002	RE340T6-1NCWW	39	53	20"	60-3/16"	0.92	N	N
D 5058906	RE350S6-1NCWW	50	60	24"	47-3/16"	0.92	N	N
E 7800457	RE250T6N1NCWW	50	64	20"	59"	0.92	N	N

Gas Water Heaters



F-P



Bradford White® Residential Gas Water Heaters - Atmospheric Vent (Ultra Low NOx)

- Icon intelligent gas control system • Advanced ScreenLok® technology flame arrestor design (*models 75,000 BTU/Hr or less) • Digital thermal sensor and resettable thermal switch (*models 75,000 BTU/Hr or less) • Sight window • Factory-installed Hydrojet® Total Performance System • Vitraglas® Lining • Dielectric water connections

Item#	Model	Capacity	BTU	First Hour Rating (gal)	Diameter	Height	Vent Size	Uniform Energy Factor	Top T&P Valve	Aluminum Anode	High Altitude
F 5132933	URG230T6N-394	30	32,000	60	18"	56-3/8"	3" or 4"	0.60	Y	N	N
G 5132944	URG240T6N-394	40	40,000	75	20"	56-3/4"	3" or 4"	0.64	Y	N	N
H 5132850	URG240S6N-394	40	40,000	69	22"	48-3/16"	3" or 4"	0.58	Y	N	N
I 5132953	URG250T6N-394	50	40,000	81	22"	56-11/16"	3" or 4"	0.63	Y	N	N
J 7172833	URG130T6N-394	30	27,000	46	16"	58-3/8"	3" or 4"	0.54	Y	N	N
K 7172791	URG140T6N-394	40	34,000	64	18"	57-15/16"	3" or 4"	0.59	Y	N	N
L 7172756	URG150T6N-394	50	34,000	75	20"	56-3/4"	3" or 4"	0.63	Y	N	N
M 7625189	URG250H6N-475-264	48	55,000	110	22"	56-3/4"	4"	0.64	N	Y	Y
N 7625190	URG140T6N-475	40	34,000	64	18"	57-15/16"	4"	0.63	N	N	Y
O 7945508	URG240T6N-475-264	40	40,000	75	20"	56-3/4"	3" or 4"	0.64	N	Y	Y
P 5058920	URG275H6N	75	76,000	135	26"	60-5/16"	4"	0.59	N	N	N





Gas Water Heaters



A-K, N-P



L&M

Bradford White® Residential Gas Water Heaters - Atmospheric Vent

• Icon intelligent gas control system • Advanced ScreenLok® technology flame arrestor design (*models 75,000 BTU/Hr or less) • Digital thermal sensor and resettable thermal switch (*models 75,000 BTU/Hr or less) • Sight window • Factory-installed Hydrojet® Total Performance System • Vitraglas® Lining • Dielectric water connections

Item#	Model	Capacity	BTU	Diameter	Height	Vent Size	Uniform Energy Factor	White Rodgers Gas Valve	Top T&P Valve	Aluminum Anode	High Altitude
A 5058998	RG230T6N	30	32,000	18"	56-1/4"	3" or 4"	0.60	N	N	N	N
B 5058985	RG240T6N	40	40,000	20"	56-5/8"	3" or 4"	0.64	N	N	N	N
C 5058929	RG240S6N	40	40,000	22"	48-1/16"	3" or 4"	0.58	N	N	N	N
D 5058965	RG250T6N	50	40,000	22"	56-5/8"	3" or 4"	0.63	N	N	N	N
E 7002411	RG140T6N	40	34,000	18"	57-13/16"	3" or 4"	0.59	N	N	N	N
F 5058930	RG275H6N	75	76,000	26"	59-5/8"	4"	0.59	N	N	N	N
G 5078697	RG240T6N-264	40	40,000	18"	56-5/8"	3 or 4"	0.64	N	N	Y	N
H 5071316	RG240T6N-394	40	40,000	18"	56-5/8"	3 or 4"	0.64	N	Y	N	N
I 5078988	RG240T6X	40	36,000	18"	56-5/8"	3 or 4"	0.64	N	N	N	N
J 5071317	RG240T6N-394	50	40,000	22"	56-5/8"	3 or 4"	0.63	N	Y	N	N
K 5078682	RG250H6N-475	50	65,000	22"	56-5/8"	4"	0.63	N	N	N	Y
L 5132935	RG240T6N-264-500	40	40,000	20"	56-5/8"	3" or 4"	0.64	Y	N	Y	N
M 7260509	RG150T6N-394-264-500	50	34,000	20"	56-5/8"	3" or 4"	0.63	Y	Y	Y	N
N 5078692	RG240T6N-475	40	40,000	20"	56-5/8"	3" or 4"	0.64	N	N	N	Y
O 5078663	RG240S6N-475	40	40,000	22"	48-1/16"	3" or 4"	0.58	N	N	N	Y
P 5078696	RG250T6N-475	50	40,000	22"	56-5/8"	3" or 4"	0.63	N	N	N	Y





Gas Water Heaters



A-B



Bradford White® Residential Gas Water Heaters - Power Vent (Ultra Low NOx)

- Icon intelligent gas control system • Advanced ScreenLok® technology flame arrestor design • Digital thermal sensor and resettable thermal switch • Sight window
- Factory-installed Hydrojet® Total Performance System • Vitraglas® Lining • Dielectric water connections

Item#	Model	Capacity	BTU	First Hour Rating (gal)	Diameter	Height	Vent Size	Uniform Energy Factor	Top T&P	Aluminum Anode	High Altitude
A 8160017	URG1PV40S6N	40	40,000	62	20"	47-3/16"	2" or 3"	0.61	N	N	N
B 8160027	URG1PV50S6N	50	40,000	77	22"	48-3/16"	2" or 3"	0.63	N	N	N



C, D



E

Bradford White® Residential Gas Water Heaters- Power Vent

- Icon intelligent gas control system • Advanced ScreenLok® technology flame arrestor design • Digital thermal sensor and resettable thermal switch • Sight window
- Factory-installed Hydrojet® Total Performance System • Vitraglas® Lining • Dielectric water connections

Item#	Model	Capacity	BTU	First Hour Rating (gal)	Diameter	Height	Vent Size	Uniform Energy Factor	Top T&P Valve (Y/N)
C 8160018	RG1PV40S6N19	40	40,000	75	20"	46-1/2"	2" or 3"	0.68	N
D 8160002	RG1PV50S6N19	50	40,000	78	22"	48-3/16"	2" or 3"	0.69	N
E 5095965	RG2PDV50H6N475	50	65,000	116	22"	56-3/4"	3" or 4"	0.68	N





Electric Water Heaters



A-D

AO Smith® Residential Electric Compact Water Heaters

- Plumbing/Electrical connections on side of heater • Tamperproof Brass Drain Valve with low restriction design which reduces drain and service time • T&P valve is CSA & ASME rated
- Six-year limited tank and parts warranty • Blue Diamond Glass with double the protection compared with industry standard • Single heating element and Coreguard Anode Rod

Item#	Base Model	Mfg#	Capacity	Element	Diameter	Height	T&P	Water Connections
A 3356390	EJCS-20	AEJCS20261291000	20	2.5kW	18"	24-3/4"	Side	Side
B 3355840	EJC-10	AEJC10261411000	10	1.7kW	18"	20"	Side	Side
C 3355756	EJC-6	AEJC6261411000	6	1.7kW	18"	20"	Side	Side
D 3356291	EJC-6	AEJC6261411S19	6	1.7kW	18"	20"	Side	Side



E-I

AO Smith® Residential Electric Compact Water Heaters

- Plumbing/Electrical Connections on top of heater • Tamperproof Brass Drain Valve with low restriction design which reduces drain and service time • T&P valve is CSA & ASME rated
- Six-year limited tank and parts warranty • Blue Diamond Glass with double the protection compared with industry standard • Dual heating element and Coreguard Anode Rod

Item#	Base Model	Model	Capacity	Upper Element	Diameter	Height	T&P	Water Connections
E 5076661	ENL-30	AENL30202172S45	30	4.5kW	24"	31-1/4"	Top	Top
F 5096798	ENL-30	AENL30202172S41	30	4.5kW	24"	31-1/4"	Side	Top
G 5076690	ENL-30	AENL30202172000	30	4.5kW	24"	31-1/4"	Side	Top
H 5076766	ENLB-40	AENLB40202172S45	40	4.5kW	23"	32"	Side	Top
I 5096470	ENL-40	AENL40202172000	40	4.5kW	40"	37"	Side	Top



J-N

AO Smith® Proline Standard Commercial-Grade Residential Electric Water Heater-Short Model

- Plumbing/Electrical connections on top of heater • Tamperproof brass drain valve with low restriction design which reduces drain and service time • Side mounted T&P valve is CSA & ASME rated • Six-year limited tank and parts warranty • Blue diamond glass with double the protection compared with industry standard • Dual heating element and coreguard anode rod

Item#	Model	Capacity	Upper Element	Lower Element	Diameter	Height	T&P
J 5076724	ENS-40	40	4.5kW	4.5kW	20-1/2"	49-3/4"	Top
K 5076744	ENS-40	40	4.5kW	4.5kW	20-1/2"	49-3/4"	Side
L 5076829	ENS-50	50	4.5kW	4.5kW	23"	49-1/4"	Side
M 5076846	ENS-50	50	4.5kW	4.5kW	23"	49-1/4"	Side
N 5076802	ENS-50	50	4.5kW	4.5kW	23"	49-1/4"	Top



O-R



S-V

AO Smith® Proline Standard Commercial-Grade Residential Electric Water Heater-Tall Model

- Plumbing/Electrical connections on side/back of heater • Tamperproof brass drain valve with low restriction design which reduces drain and service time • Side mounted T&P valve is CSA & ASME rated • Six-year limited tank and parts warranty • Blue diamond glass with double the protection compared with industry standard • Dual heating element and coreguard anode rod

Item#	Model	Capacity	Upper Element	Lower Element	Diameter	Height	T&P
O 5076734	ENT-30	40	4.5kW	4.5kW	19"	46-1/2"	Side
P 5076817	ENT-40	40	4.5kW	4.5kW	18"	61-1/4"	Side
Q 5076859	ENT-50	40	4.5kW	4.5kW	20-1/2"	60-1/2"	Side
R 5076654	ENT-50	50	4.5kW	4.5kW	18"	61-1/4"	Side
S 5076791	ENT-40	40	4.5kW	4.5kW	18"	61-1/4"	Top
T 5076862	ENT-50	40	4.5kW	4.5kW	18"	60-1/2"	Top
U 5076664	ENT-50	50	4.5kW	4.5kW	20-1/2"	60-1/2"	Side
V 5076711	ENT-30	30	4.5kW	4.5kW	19"	46-1/2"	Top





Gas Water Heaters



A



B-H

AO Smith® Proline® Commercial-Grade Residential Gas Water Heater - Atmospheric Vent Model

- Honeywell gas valve with LED diagnostics • Tamperproof brass drain valve with low restriction design which reduces drain and service time • Side mounted T&P valve is CSA & ASME rated • Six-year limited tank and parts warranty • Blue diamond glass with double the protection compared with industry standard • Models not available in air quality districts that require ultra low NOx compliance

Item#	Base Model	Model	Capacity	BTU	Recovery at 90 Degree Rise	Draft Hood	Diameter	Height
A 1918972	FCG-75	AFCG7500L010000	74	75,100	81	4"	26-1/2"	61"
B 5076806	GCR-40L	GCR40L00L010000	40	40,000	41	3" or 4"	20"	61-1/2"
C 5076856	GCB-40	GCB4000L010000	40	40,000	41	3" or 4"	18"	61-3/4"
D 5076803	GCBL-40	GCBL4000L010000	40	40,000	41	3" or 4"	20"	51-1/2"
E 5076786	GCG-50	GCG5000L010000	50	40,000	41	3" or 4"	21"	60-3/4"
F 5086278	GCR-40	AGCR4000L010000N	40	40,000	41	3" or 4"	20"	61-1/2"
G 5076656	GCR-40	AGCR4000L010S19	40	40,000	41	3" or 4"	20"	61-1/2"
H 5086269	GCRL-40	AGCRL4000L010000N	40	40,000	38	3" or 4"	22"	51-1/2"



I-K

AO Smith Residential Gas Water Heaters - Ultra Low NOx

- Enhanced Ultra-low NOx burner complies with SCAQMD Rule 1121 and other air quality management districts with similar requirements for NOx emissions of less than 10 ng/J
- Our anode rods have a stainless steel core that extends the life of the anode rod allowing superior tank protection far longer than standard anode rods • BLUE DIAMOND® Glass coating • CSA certified and ASME rated T&P relief valve • Enhanced flow brass drain valve, which permits full straight-through flow with a quick and positive shut off • Six-year limited tank and parts warranty

Item#	Base Model	Model	Capacity	BTU	Recovery @ 90 Degree Rise	Draft Hood	Diameter	Height	Uniform Energy Factor
I 5096498	GUC-30	AGUC3000L010G41	30	33,000	34	3" or 4"	16"	61-3/4"	0.63
J 5096695	GUC-40	AGUC4000L010G41	40	40,000	41	3" or 4"	18"	62"	0.62
K 5076648	GUR-40	AGUR4000L010G41	40	40,000	41	3" or 4"	20"	62"	0.63





Commercial Electric Water Heaters



A

AO Smith Commercial Light Service Electric Water Heaters

• Two 6.1 KW zinc plated copper sheathed elements are standard • Solid brass, tamper resistant, enhanced-flow, ball type, drain valve • BLUE DIAMOND® Glass coating • Our anode rods have a stainless steel core that extends the life of the anode rod allowing superior tank protection far longer than standard anode rods • Six-year limited tank and parts warranty

Item#	Base Model	Model	Capacity	Element	Diameter	Height	T&P	Water Connections
A 9678300	LTE-80	ALTE8040R024000	80	6.1Kw	24"	60-1/2"	Side	Top

Commercial Gas Water Heaters



B-D

AO Smith® Proline® XE Commercial-Grade Residential Gas Water Heater - Power Vent Model

• 3 position rotatable blower makes installs easier • Honeywell gas valve with LED diagnostics • Vent 180 feet vertically or horizontally with 4" ABS, PVC or CPV • Six-year limited tank and parts warranty • Blue diamond glass with double the protection compared with industry standard • Models not available in air quality districts that require ultra low NOx compliance

Item#	Base Model	Model	Capacity	BTU	Recovery @ 90 Degree Rise	Draft Hood	Diameter	Height	Uniform Energy Factor
B 3103544	GPVT-50L	AGPVT50L00L010000	50	50,000	56	2", 3" or 4"	22"	68-1/8"	0.72
C 3103126	GPVT-50	AGPVT5000L010000	50	50,000	56	2", 3" or 4"	22"	68-1/8"	0.72
D 4502118	GPVX-75	AGPVX75L00L010000	75	76,000	80	3" or 4"	26"	70-5/8"	0.69



E-H

AO Smith® Proline® Direct Vent Commercial-Grade Residential Gas Water Heater - Direct Vent Model

• Models not available in air quality districts that require ultra low NOx compliance • Honeywell gas valve with LED diagnostics • Vent draws in outside air eliminating issues with low ventilation • Six-year limited tank and parts warranty • Blue diamond glass with double the protection compared with industry standard • Models not available in air quality districts that require ultra low NOx compliance

Item#	Base Model	Model	Capacity	BTU	Recovery @ 90 Degree Rise	Draft Hood	Diameter	Height	Uniform Energy Factor
E 3462006	GDV-40	AGDV4000L010000	40	38,000	41	Co-Axial	22"	64"	0.6
F 3755983	GDV-40L	AGDV40L00L010000	40	38,000	41	Co-Axial	22"	64"	0.6
G 3461994	GDV-50	AGDV5000L010000	50	40,000	43	Co-Axial	22"	73"	0.66
H 3755982	GDVT-50L	AGDVT50L00L010000	50	47,000	51	Co-Axial	22"	74"	0.65





Sink Drain Packs




Double Bowl Kitchen Sink Drain Packs

• Includes 1-1/2" plastic p-trap and sink tubular drain assembly

Item#	Size	Type	Color	Connection
A 7872737	1-1/2"	Tubular Only	White	Slip Joint
B 7872739	1-1/2"	With Disposer Kit	White	Slip Joint

P & S Traps



PROFLO® PVC Extension Tubes

Item#	Type	Size	Adapter Style	Adapter Material	Color	Connection	Flange
A 1894413	P-Trap	1-1/4" x 1-1/2"	Marvel	PVC	White	Slip Joint	-
B 1894410	P-Trap	1-1/4" x 1-1/2"	Marvel	ABS	Black	Slip Joint	-
C 1894425	P-Trap w/ Ext Tube	1-1/2"	Solvent Weld	PVC	White	Slip Joint	-
D 1894412	P-Trap	1-1/4"	N/A	-	White	Slip Joint	-
E 4055956	P-Trap	1-1/2"	Solvent Weld	PVC	White	Slip Joint	Deep Box
F 4055905	P-Trap	1-1/4" x 1-1/2"	N/A	-	Chrome	Slip Joint	Deep Box
G 1894418	S-Trap	1-1/2"	Marvel/Solvent Weld	-	White	Slip Joint	-
H 4055902	S-Trap	1-1/4"	N/A	-	White	Slip Joint	-

P Traps



PROFLO® Brass P-Traps

Item#	Size	Gauge	Finish	Connection	Cleanout
A 1619039	1-1/4" x 1-1/4"	17	Chrome		N
B 1619038	1-1/4" x 1-1/2"	17	Chrome		N
C 1619040	1-1/2" x 1-1/2"	17	Chrome		N
D 1619035	1-1/4" x 1-1/4"	17	Chrome		Y
E 1619037	1-1/4" x 1-1/2"	17	Chrome		Y
F 1619036	1-1/2" x 1-1/2"	17	Chrome		Y
G 4055896	1-1/4" x 1-1/4"	17	Chrome		Y
H 4055900	1-1/2" x 1-1/2"	17	Chrome		Y
I 2026478	1-1/2" x 1-1/2"	17	Chrome		N
J 4055897	1-1/4" x 1-1/2"	17	Chrome		N
K 1619041	1-1/4" x 1-1/4"	20	Chrome		N
L 1619043	1-1/4" x 1-1/4"	22	Chrome		N
M 1619042	1-1/2" x 1-1/2"	20	Chrome		N
N 1619044	1-1/2" x 1-1/2"	22	Chrome		N
O 1375944	1-1/4" x 1-1/4"	17	Chrome		Y
P 1375945	1-1/4" x 1-1/2"	17	Chrome		Y
Q 1375946	1-1/4" x 1-1/2"	17	Chrome		Y





Garden Hose Components, Wall Hydrants



PROFLO® Wall Hydrants

- Multi-turn handwheel operation • Frost-proof design • Anti-siphon • Chrome Plated brass tube
- **Optional accessories:** Replacement handle: PF73ASHDL • Repair kit: PF73ASRK2

Item#	Length	Connection
3157984	6"	1/2" MPT and 1/2" SWT
3157986	8"	1/2" MPT and 1/2" SWT
3157992	10"	1/2" MPT and 1/2" SWT
3157994	12"	1/2" MPT and 1/2" SWT



Angle Supply Stop Valves



PROFLO® Dual Brass Multi Turn Angle Stop Valves

Item#	Turn Type	Inlet Nominal	Inlet Type	Actual (OD)	Outlet Type	Finish
4625568	Multi Turn	1/2"	FIP	3/8"	Compression	Chrome Plated



PROFLO® Brass Multi Turn Angle Stops

Item#	Turn Type	Inlet Nominal	Inlet Type	Actual (OD)	Outlet Type	Finish
3824661	Multi Turn	5/8"	Compression	1/4"	Compression	Chrome Plated
3877490	Multi Turn	5/8"	Compression	3/8"	Compression	Chrome Plated
3877481	Multi Turn	1/2"	PEX	3/8"	Compression	Chrome Plated
3877484	Multi Turn	1/2"	Sweat	3/8"	Compression	Chrome Plated
3877485	Multi Turn	3/8"	FIP	3/8"	Compression	Chrome Plated
3877480	Multi Turn	1/2"	FIP	3/8"	Compression	Chrome Plated
3824663	Multi Turn	1/2"	CPVC	3/8"	Compression	Chrome Plated



PROFLO® Commercial Multi Turn Angle Stop

Item#	Turn Type	Inlet Nominal	Inlet Type	Actual (OD)	Outlet Type	Finish
3879094	Multi Turn	5/8"	Compression	3/8"	Compression	Chrome Plated



PROFLO® Commercial Multi Turn Angle Stop

Item#	Turn Type	Inlet Nominal	Inlet Type	Actual (OD)	Outlet Type	Finish
4532337	Multi Turn	1/2"	Sweat	3/8"	Compression	Chrome Plated
3879097	Multi Turn W/ Loose Key	1/2"	FIP	3/8"	Compression	Chrome Plated
4532320	Multi Turn W/ Loose Key	5/8"	Compression	3/8"	Compression	Chrome Plated
4532335	Multi Turn W/ Loose Key	3/8"	IPS	3/8"	Compression	Chrome Plated



PROFLO® Heavy Duty Multi Turn Angle Stop With Loose Key

Item#	Turn Type	Inlet Nominal	Inlet Type	Actual (OD)	Outlet Type	Finish
4532338	Multi Turn	1/2"	IPS	3/8"	Compression	Chrome Plated



PROFLO® Loose Key

Item#	Replacement For	Finish
2453366	PROFLO® Angle Stops and PF74 Series Wall Hydrants	Chrome Plated





Angle Supply Stop Valves



PROFLO® Quarter Turn Angle Stop

Item#	Turn Type	Inlet Nominal	Inlet Type	Actual (OD)	Outlet Type	Finish
3877123	Quarter Turn	1/2"	PEX	3/8"	Compression	Chrome Plated
3877127	Quarter Turn	1/2"	Sweat	3/8"	Compression	Chrome Plated
3877128	Quarter Turn	3/8"	FIP	3/8"	Compression	Chrome Plated
3877135	Quarter Turn	1/2"	FIP	3/8"	Compression	Chrome Plated
3877134	Quarter Turn	1/2"	CPVC	3/8"	Compression	Chrome Plated



PROFLO® Quarter Turn Angle Stop With Loose Key

Item#	Turn Type	Inlet Nominal	Inlet Type	Actual (OD)	Outlet Type	Finish
4601233	Quarter Turn	5/8"	Compression	3/8"	Compression	Brushed Nickel



PROFLO® Fast Fit™ Quarter Turn Angle Stop

Item#	Turn Type	Inlet Nominal	Inlet Type	Actual (OD)	Outlet Type	Finish
4505059	Quarter Turn	5/8"	Compression	3/8"	Compression	Chrome Plated

Angle & Straight Supply Stop Valves



PROFLO® Multi Turn Straight Stop Valve

Item#	Turn Type	Inlet Nominal	Inlet Type	Actual (OD)	Outlet Type	Finish
3877479	Multi Turn	5/8"	Compression	3/8"	Compression	Chrome Plated
3824666	Multi Turn	1/2"	PEX	3/8"	Compression	Chrome Plated
3877487	Multi Turn	1/2"	Sweat	3/8"	Compression	Chrome Plated
3877489	Multi Turn	3/8"	FIP	3/8"	Compression	Chrome Plated
3877482	Multi Turn	1/2"	FIP	3/8"	Compression	Chrome Plated



PROFLO® Quarter Turn Straight Stop Valve

Item#	Turn Type	Inlet Nominal	Inlet Type	Actual (OD)	Outlet Type	Finish
4601235	Quarter Turn	3/8"	Fem Compression	3/8"	Compression	Chrome Plated
3877126	Quarter Turn	1/2"	PEX	3/8"	Compression	Chrome Plated
3877129	Quarter Turn	1/2"	Sweat	3/8"	Compression	Chrome Plated
3877131	Quarter Turn	3/8"	FIP	3/8"	Compression	Chrome Plated
3877125	Quarter Turn	1/2"	FIP	3/8"	Compression	Chrome Plated
3877124	Quarter Turn	1/2"	CPVC	3/8"	Compression	Chrome Plated





Straight Supply, Dual Handle, and 3-Way Stop Valves



PROFLO® Quarter Turn Fast Fit Straight Stop Valve

Item#	Turn Type	Inlet Nominal	Inlet Type	Actual (OD)	Outlet Type	Finish
4505054	Quarter Turn	5/8"	Push	3/8"	Compression	Chrome Plated

Angle & Straight Supply Stop Valves



Plumbite® Quarter Turn Angle Stop

Item#	Turn Type	Inlet Nominal	Inlet Type	Actual (OD)	Outlet Type	Finish
7793043	Quarter Turn	1/2"	Push	3/8"	Compression	Chrome Plated
7793073	Quarter Turn	1/2"	Push	1/4"	Compression	Chrome Plated

Straight Supply, Dual Handle, and 3-Way Stop Valves



Plumbite® Quarter Turn Straight Stop

Item#	Turn Type	Inlet Nominal	Inlet Type	Actual (OD)	Outlet Type	Finish
7793039	Quarter Turn	1/2"	Compression	3/8"	Compression	Chrome Plated
7793070	Quarter Turn	1/2"	Compression	3/8"	Push	Chrome Plated



PROFLO® Dual Multi Turn Shutoff Angle Stop

Item#	Turn Type	Inlet Nominal	Inlet Type	Actual (OD)	Outlet Type	Finish
4625570	Multi Turn	5/8"	Compression	3/8" x 3/8"	Compression	Rough Brass
4625573	Multi Turn	1/2"	FIP	3/8" x 3/8"	Compression	Rough Brass
3824662	Multi Turn	5/8"	Compression	3/8" x 3/8"	Compression	Chrome Plated
3869405	Multi Turn	1/2"	Compression	3/8" x 1/4"	Compression	Rough Brass
3869355	Multi Turn	1/2"	Compression	3/8" x 3/8"	Compression	Rough Brass



PROFLO® Multi Turn 3-Way Stop

Item#	Turn Type	Inlet Nominal	Inlet Type	Actual (OD)	Outlet Type	Finish
3824659	Multi Turn	5/8"	Compression	3/8" x 3/8"	Compression	Chrome Plated
3877488	Multi Turn	5/8"	Compression	3/8" x 3/8"	Compression	Rough Brass



PROFLO® Quarter Turn 3-Way Stop

Item#	Turn Type	Inlet Nominal	Inlet Type	Actual (OD)	Outlet Type	Finish
3877130	Quarter Turn	5/8"	Compression	3/8" x 3/8"	Compression	Brass





Faucet Supply Kits & Supply Tubes



PROFLO[®] Lavatory Supply Tube

• PEX with plastic compression sleeve



Item#	Fitting Size	Length	Material	Finish
2178585	3/8"	12"	Plastic	White
2178582	3/8"	20"	Plastic	White
2178586	3/8"	30"	Plastic	White
2178584	3/8"	36"	Plastic	White

Faucet Supply Lines



PROFLO[®] PVC Lavatory Connector



A-B

Item#	Material	Length	Inlet Type	Outlet Type
A 3866359	PVC	16"	3/8" Compression	1/2" FIP
B 2405298	PVC	20"	3/8" Compression	1/2" FIP

PROFLO[®] Stainless Steel Lavatory Connector



C-S

Item#	Material	Length	Inlet Type	Outlet Type
C 3866353	Stainless Steel	12"	3/8" Compression	1/2" FIP
D 3866355	Stainless Steel	12"	3/8" Compression	3/8" Compression
E 3866342	Stainless Steel	12"	3/8" Compression	3/8" OD COUP
F 3866351	Stainless Steel	12"	1/2" FIP	1/2" FIP
G 3866354	Stainless Steel	16"	3/8" Compression	1/2" FIP
H 3866341	Stainless Steel	16"	1/2" Compression	1/2" FIP
I 3866340	Stainless Steel	16"	3/8" Compression	3/8" Compression
J 3866352	Stainless Steel	16"	1/2" FIP	1/2" FIP
K 2405309	Stainless Steel	20"	3/8" Compression	1/2" FIP
L 3287395	Stainless Steel	20"	1/2" Compression	1/2" FIP
M 2405278	Stainless Steel	20"	3/8" Compression	3/8" Compression
N 3287398	Stainless Steel	20"	3/8" Compression	3/8" OD COUP
O 2405305	Stainless Steel	20"	1/2" FIP	1/2" FIP
P 2405310	Stainless Steel	30"	3/8" Compression	1/2" FIP
Q 2405306	Stainless Steel	30"	1/2" FIP	1/2" FIP
R 3287406	Stainless Steel	48"	3/8" Compression	1/2" FIP
S 3287407	Stainless Steel	60"	3/8" Compression	1/2" FIP

Toilet Supply Lines



PROFLO[®] Heavy-Duty Closet Connector

• Exclusive double reinforced construction consists of a high strength stainless steel braid and reinforced thermoplastic inner core • Max operating pressure: 125 psi • Operating temperature: 40°F - 140°F



Item#	Material	Length	Inlet Type	Outlet Type
2405299	Stainless Steel	9"	3/8" Compression	7/8" Ballcock
2405300	Stainless Steel	12"	3/8" Compression	7/8" Ballcock
3287404	Stainless Steel	12"	1/2" FIP	7/8" Ballcock
2405294	Stainless Steel	12"	1/2" FIP	7/8" Ballcock
2405301	Stainless Steel	16"	3/8" Compression	7/8" Ballcock
2405295	Stainless Steel	16"	1/2" FIP	7/8" Ballcock
2405302	Stainless Steel	20"	3/8" Compression	7/8" Ballcock

Adapters & Connectors



Dishwasher Compression Elbow

• 3/4" FHT x 3/8" OD tube • 75 psi maximum pressure • 100°F maximum temperature • Compression nut, sleeve and high-temp washer included • Mfg# PFXDEN

Item#
5049695



Plumbbite[®] Dishwasher Push On Elbow

• 3/4" FHT x 1/4" OD tube • Ideal for piping systems service and repair, no soldering, glue, heat or tools required to join the pipe • 200 psi maximum pressure • 180°F maximum temperature • Can be disassembled and re-used using the disassembly tool

Item#
7793032



Jones Stephens[®] Adapter Tee

• Attaches to angle or straight stops • Compression • Allows extra accessories without replacing supply valve

Item#	Size
7719607	3/8 x 1/4"
7718822	3/8 x 3/8"





Sewage Pumps



PROFLO® 1/2 HP Packaged Cast Iron Sewage Pump

• Cast iron construction • Submersible sewage pump for typical residential and commercial applications • Handles 2" solids • Maximum Flow Rate: 80 gpm • Maximum head of 25' • 1/2 hp permanent split capacitor motor • Side Discharge Size: 2" FNPT • Cord Length: 10' • Cast aluminum, non-clogging vortex impeller • For movement from a basin to sewer or septic lines or to drainage fields

Item#	Type
3040896	Tethered Switch
3040899	Vertical Switch

Sump Pumps



PROFLO® 1/2 HP Cast Iron And Stainless Steel Sewage Pump

• Cast Iron/Stainless Steel construction • Submersible sewage pump for typical residential and commercial applications • Handles 2" solids • Maximum Flow Rate: 140 gpm • Maximum head of 30' • 1/2 hp stainless steel motor • Discharge Size: 2" FNPT • Cord Length: 15' • Solid stainless steel, non-clogging vortex impeller • For moving materials upward from a basin to sewer or septic lines or to drainage fields

Item#	Type
4937223	Vertical Switch

Sump Pumps



PROFLO® Thermoplastic Sump Pump

• Thermoplastic construction • For typical residential applications • Handles 1/8" solids • Maximum head of 25' • Permanent split capacitor motor • Top Discharge Size: 1-1/4" MNPT and 1-1/4" FNPT • Vertical automatic float switch • Cord Length: 10' • Glass reinforced nylon housing and impeller • General water transfer, fountains and ponds, farm use, basement drainage

Item#	Style
3040908	1/4 hp
3040928	1/3 hp



PROFLO® Cast Iron Sump Pump

• Cast iron construction • For typical residential and commercial applications • Maximum head of 25' • Permanent split capacitor motor • Side Discharge Size: 1-1/2" FNPT • Vertical automatic float switch • Cord Length: 10' • General water transfer, fountains and ponds, farm use, basement drainage

Item#	Style	Type
3040927	3/10 hp	Stainless Steel Impeller
3040931	1/3 hp	Nylon Impeller
3040914	1/2 hp	Nylon Impeller

Drain/Utility Pumps



PROFLO® 1/3 HP Thermoplastic Drain Utility Pump

• Thermoplastic construction • For typical residential and commercial applications • Handles 1/8" solids • Maximum Flow Rate: 26 gpm • Maximum head of 25' • Top Discharge Size: 1-1/4" MNPT and 3/4" GHT • Glass reinforced nylon housing and impeller • General water transfer, fountains and ponds, farm use, basement drainage

Item#
3040903



PROFLO® 1/3 HP Packaged Drain Utility Pump

• Pre-assembled system includes: Cast iron sump pump, 15" x 13-1/2" structural foam basin with cover, 1-1/2" x 8" PVC pipe and 1-1/2" check valve (PFCVJH) • For typical residential and commercial applications • Maximum Flow Rate: 46 gpm • Maximum head of 25' • 1/3 hp permanent split capacitor motor • Side Discharge Size: 1-1/2" FNPT • Vertical automatic float switch • Cord Length: 10' • Stainless steel impeller • General water transfer, fountains and ponds, farm use, basement drainage

Item#
3625884





Gas Line Connector



Dormont® Gas Connector

• Stainless steel

Item#	Mfg#	OD	ID	Length	Fitting Size	BTU
417816	240152	5/8" OD	1/2" ID	36"	1/2" MIP x 1/2" FIP	125,000 BTU
1313020	240153	5/8" OD	1/2" ID	48"	1/2" MIP x 1/2" FIP	106,000 BTU
1313024	240168	5/8" OD	1/2" ID	48"	3/4" MIP x 3/4" FIP	106,000 BTU
673123	240147	5/8" OD	1/2" ID	48"	1/2" MIP x 1/2" FIP	106,000 BTU
460196	240125	1/2" OD	3/8" ID	24"	1/2" MIP x 1/2" FIP	85,000 BTU
1358873	240127	1/2" OD	3/8" ID	48"	1/2" MIP x 1/2" FIP	60,500 BTU



PROFLO® Stainless Steel Water Heater Connector

• Exclusive double reinforced construction consists of a high strength stainless steel braid and reinforced EPDM rubber inner core • Heavy duty sealing washers snap into place • Operating Pressure: up to 125 psi • Operating Temperature: 40°F - 140°F

Item#	Length	Connection
2405290	18"	3/4" FIP x 3/4" FIP
2405291	24"	3/4" FIP x 3/4" FIP
2405292	18"	3/4" MIP x 3/4" FIP

PROFLO® Stainless Steel Water Heater Connector

• Stainless steel corrugated, kink resistant tubing • Max Pressure: 125 psi • Max Temperature: 180°F

Item#	Length	Connection
4777756	18"	3/4" FIP x 3/4" FIP
4777757	24"	3/4" FIP x 3/4" FIP

BrassCraft® CopperFlex™ Water Heater Connector

• 7/8" OD corrugated copper • Internal dielectric sleeve • Connection: 3/4" FIP x 3/4" FIP

Item#	Length	Mfg#
683294	18"	WB00-18N
681387	24"	WB00-24N

Connectors & Elements



PlumbBite® Stainless Steel Water Heater Connector

• Heat-free method for joining copper and/or CPVC tubing • No soldering, glue, heat or external tools required to join pipe • Secure connection and seal with stainless steel gripper ring and EPDM o-ring • Maximum temperature 180°F and maximum pressure is 200 PSI

Item#	Size
7721044	3/4" x 3/4" x 12"
7793068	3/4" x 3/4" x 18"
7793034	3/4" x 3/4" x 24"



PlumbBite® Stainless Steel Water Heater Connector With Ball Valve

• Heat-free method for joining copper and/or CPVC tubing • Length: 18" • No soldering, glue, heat or external tools required to join pipe • Secure connection and seal with stainless steel gripper ring and EPDM o-ring • Maximum temperature 180°F and maximum pressure is 200 PSI

Item#	Size
7721906	1/2" x 3/4" x 18"
7793036	3/4" x 3/4" x 18"





Primers

Oatey



Oatey® 16 Oz Clear Primer - NSF LISTED

• Softens the pipe surface to allow a fast, secure solvent weld • Removes surface dirt, grease and grime • For CPVC and PVC

Item#	Mfg#
55399	30752

Oatey



Oatey® 16 Oz Purple Primer

• Softens the pipe surface to allow a fast, secure solvent weld • Removes surface dirt, grease and grime • For use in areas where plumbing code calls for verification that a primer has been used • For CPVC and PVC

Item#	Mfg#
77132	30757

ABS/PVC/CPVC Cements

Oatey



Oatey® 16 Oz Medium Black ABS Cement

• Medium bodied solvent • Recommended application temperature 40-110° F

Item#	Mfg#
2903	30892

Oatey



Oatey® 16 Oz All Purpose Cement

• Medium bodied solvent • For use only where local code permits • For PVC, CPVC and ABS

Item#	Mfg#
16706	30834

Oatey



Oatey® 16 Oz Rain-R-Shine® Medium Blue PVC Cement

• Medium bodied solvent • Very fast-setting cement formulated for wet conditions and/or quick pressurization and fast installation • No primer needed on non-pressure DWV, where local codes permit

Item#	Mfg#
92031	30893

Oatey



Oatey® 16 Oz Hot Medium Blue Lava PVC Cement

• Medium-bodied blue cement • Formulated for wet conditions • Recommended for potable water, sewer and DWV applications • Recommended application temperature 40° F to 110° F / 4° C to 43° C • No primer needed on non-pressure DWV, where local codes permit

Item#	Mfg#
4210766	32162

Pipe Joint Compounds

RECTORSEAL



RectorSeal® 16 Oz T Plus 2 Pipe Thread Sealant

• Withstands 10,000 psi for fluids, and 2000 psi for gases • For use with water, hot or cold • Allows for immediate pressurization • Lead free and contains no other metals • PTFE enriched, low odor • Lubricates and protects threads • Non-flammable • Formulated for plastic and metal pipe

Item#	Mfg#
51292	23431

RECTORSEAL



RectorSeal® 16 Oz No. 5® Pipe Thread Sealant

• Soft setting, slow drying • For use with water, hot or cold • Lubricates and protects threads • Allows for immediate pressurization on pipes up to 2" • Lead free and contains no other metals • For pressure up to 12,000 psi with liquids, and 2,600 psi with gases • Do not use on ABS or CPVC • Ideal for a wide variety of fluids and gasses including potable water

Item#	Mfg#
52169	25431





Plumbing - Compounds, Sealants & Weatherization

Pipe Thread Tape



PROSELECT® 1/2" Gas PTFE Pipe Thread Tape

- Yellow gas • Density: 1.2 g/cm³ • Intended for application to male threads of metal pipe not exceeding 1-1/2" • Used primarily in assemblies handling gasoline, naphtha, benzene, kerosene and petroleum oils to make joints tight against leakage • Adaptable in some cases for application on pipe used with devices handling propane, butane, or natural gas at a pressure not over 300 psi (2070kPa)
- Conforms to: MIL Spec T-27730A, CSA - 232943 and ANSI - AS112.18.1M • Construction: 100% PTFE • Yellow

Item#	Size
1508423	260"
1508430	520"



PROSELECT® 1/2" PTFE Pipe Thread Tape in White

- High density • Density: 1.2 g/cm³ • Can be used on all types of threaded fittings for passage of potable and non-potable water, most chemicals, oxygen, liquid and natural gas, hydraulic lines, and high-pressure lines not exceeding 1-1/2" in diameter • Conforms to: MIL Spec T-27730A, CSA - 232943 and ANSI - AS112.18.1M • Constructed of 100% PTFE

Item#	Length
1508418	260"
1508422	520"



PROSELECT® 1/2" PTFE Pipe Thread Tape

- Standard 0.35 grams per cm³ density • May be used on all types of threaded fittings for passage of potable and non-potable water, most chemicals, oxygen, gas, hydraulic and high-pressure lines to 1-1/2" in diameter • Not for use on liquid fuels such as gasoline or diesel • Meets MIL-spec T-27730A • Construction: 100% PTFE

Item#	Length
255526	260"
255527	520"

Plumber's Putty



Hercules® Sta Put® Plumber's Putty

- Creates watertight seal • Flexible and stretchable • Molds easily • Resists hardening, crumbling, cracking and shrinking • Not for use on porous materials • Will not stick to hands

Item#	Size	Mfg#
37368	14 oz	25101
37717	5 Lb	25105



Hercules® 14 Oz Sta Put® Ultra Plumber's Putty

- Clean to handle, odorless and non-toxic • Not for use on ABS • Oil-free formula • Can be used on porous surfaces • Permanently soft, malleable and flexible

Item#	Mfg#
3305030	25171



Oatey® Plumber's Putty

- Compatible with stainless-steel fixtures • Does not stick to hands • Easily workable, soft, pliable material • Meets Military Spec TTP-1536A

Item#	Size	Mfg#
26026	14 oz	31166
26888	5 Lb	31174

Flux



Oatey® No. 5 Paste Flux

- Effective on all metals except aluminum and stainless steel • Compatible with all common plumbing solder alloys • Will not turn copper piping green • 100% lead free • Petroleum based • Safe for potable water applications

Item#	Size	Mfg#
454101	1.7 oz	30011
16786	16 oz	30041



Oatey® 1.7 Oz No. 95 Lead Free Tinning Flux

- Compatible with all common plumbing soldering alloys • Will not turn copper piping green • 100% lead free • Petroleum based • Safe for potable water applications

Item#	Mfg#
90352	30374



Rectorseal® 16 Oz Nokorode® Aqua Flux™

- Water washable • Safe for potable water applications • Lead free • Superior wetting ability

Item#	Mfg#
527556	74046





Solder



Harris® 1 Lb Sterling® Premium Lead Free Solder
 • Completely free of antimony or nickel • Lowest melting temperature: 410°F • Highest tensile strength: 7130 psi
 • Safe for potable water application

Item#	Mfg#
118053	331755



Harris® 1 Lb 95/5 Solder Safe™ Lead Free Solder
 • Tin-antimony solder • Narrow pasty range • Melting Temperature: 455°F • Tensile Strength: 5500 psi

Item#	Mfg#
353482	331760



Harris® 1 Lb 97/3 Solder Safe™ Lead Free Solder
 • 97% tin, 3% copper • Melts, flows and performs better than 95/5 • Melting Temperature: 445°F • Tensile Strength: 5800 psi • Safe for potable water applications

Item#	Mfg#
699536	331761

Sanding Cloth



PROSELECT® 1-1/2" x 10 Yd Flex Open Mesh Sand Cloth
 • Super flexible • Mesh size: 24 • With 180 grit aluminum oxide • Waterproof • Open mesh cloths last longer than sand cloth • Flex mesh has a tough and ultra flexible small hole backing • To clean, rinse with running water or tap on a hard surface

Item#
3979711



PROSELECT® 1-1/2" x 10 Yd Sand Cloth
 • Made with 180 grit aluminum oxide • Use for cleaning, polishing, and deburring copper tubing, copper pipe, fitting, plastic pipe and other soft metal products • Brown

Item#
3827266

Brushes



RAPTOR® 4" 1 Copper WIRE Brush
 • Cleans copper tubing and fittings • Wire brushes on each end polish inside of copper fitting • Wire brushes in center of tool, polish the outside of tubing

Item#
4382829

Brushes



PROSELECT® Plastic Handle Fitting Brush
 • One hundred percent horse hair bristle • Hollow tin handle • For use on flux, pastes and other chemicals

Item#
3827289



PROSELECT® Plastic Handle Fitting Brush
 • Concave surface plastic handle • Tempered high carbon kinked steel bristles • Galvanized 2-ply wire stem

Item#	Size
3827281	3/8"
3827282	1/2"
3827283	3/4"
3827284	1"
3827285	1-1/4"
3827250	1-1/2"



PROSELECT® Power Fitting Brush
 • Hex shaft • Tempered high carbon kinked steel bristles • Galvanized 2-ply wire stem

Item#	Size
3827270	1/2"
3827271	3/4"





Plumbing - Plumbing Hand Tools

Drain, Faucet & Sink Tools



PROFLO® 5-Piece Plumbers Socket Set

• For removing tub and shower valves • Includes 1 turning bar, 1 retaining pin, and 5 sockets • Socket sizes: 2-1/32, 2-7/32, 2-9/32, 3-1/32, 1-1/32, 1-3/32, 1-5/32, 1-9/32, 1-11/32 and 1-7/16"

Item#

311199



RAPTOR® Straight Seat Wrench

• For removing and installing faucet seats • Fits both square and hexagonal seats

Item#

4382839



RAPTOR® Angled Seat Wrench

• For removing and installing faucet seats • Fits both square and hexagonal seats

Item#

4382827



RAPTOR® Faucet Handle Puller

• For removing stuck faucet handles from sinks and showers • Forged steel shaft with T-handle grip

Item#

4382828



RAPTOR® Smart Dumbbell Drain Wrench

• Great for installing and removing tub drains and closet spuds • Prevents scratching of decorative finishes • Double ended to fit most tub drains

Item#

4382832



RAPTOR® Telescoping Basin Wrench

• Adjusts from 9 to 15" • For removing and installing faucets

Item#

4382836

Specialty Plumbing Tools



Raptor® 12" Strap Wrench

• Polyurethane-coated strap prevents scratching • Woven nylon strap gives strong grip • Use on plastic pipe, filters, or any slick or smooth surface • 19.685" nylon strap

Item#

4417376



RAPTOR® Midget Saw

• Cuts pipe and lightweight materials • For close quarters, metal and wood cutting • Pack includes 1 saw and 10 blades

Item#

4382831

Type

Saw

4382820

Replacement Blades



RAPTOR® In/Out Pipe Reamer

• 1" capacity • Works on steel, iron, copper & PVC pipes • Internal & external reamers

Item#

4384650





Plungers



General Pipe Cleaners VersaPlunge™

- Patented VersaFlange creates a tight seal in virtually any shaped opening for no splash back • Fold the end inward and the plunger works great on sinks and drains • Relief valve prevents the need to remove water from full toilets, eliminating overflow

Item#	Mfg#
7909415	VSP



Impact® Plunger

- 6" x 25" • Designed for toilets and drains • Full pressure blows • Cup compression at any angle

Item#	Mfg#
5052996	9200



Korky® Beehive Max Toilet Plunger

- 15" handle • 6" cup • Plastic T-handle design • Fits old and new high efficiency toilets

Item#	Mfg#
4531395	99-4A

Toilet Augers



General Pipe Cleaners Telecoping Urinal Auger

- 4' auger • Rust resistant steel tube
- Rubber bumper • Gets through urinals where other snakes can't • 2' to 4' spring specially coiled for clearing urinals • Spring telescopes from guide tube to clear stoppage beyond urinal • Rubber bumper to protect bowl

Item#	Mfg#
772006	TU4

Small Basic Drain Line Augers



General Pipe Cleaners Spin-Thru™ Deluxe Drain Cleaner

- 25' auger • 1/4" cable • High impact "T" handle
- For light-duty use

Item#	Mfg#
8340286	H-25SM



General Pipe Cleaners Super-Vee® Small Drain Specialist

- 25' auger • 1/4" Flexicore® cable • Slide-action chuck
- Quick-change cartridge • Variable speed motor (0-500 rpm) • Dyna-thrust™ bearing system for longer tool life

Item#	Mfg#
304031	SV-F

Medium Drain Line Augers



General Pipe Cleaners Drain-Rooter PH™ Drain Snake

- 50' auger • 5/16" Flexicore® cable • Variable speed motor (0-400 rpm) with reverse switch • Quick-change cable cartridge • Waterproof air foot switch • 4' guide hose
- HECS cutter set

Item#	Mfg#
1438892	PHDR-B



Ridgid® K-3800 Drum Machine

- 75' auger • 3/8" cable • 175-watt universal motor (0-240 rpm) • Cable drum quick-release • Includes gloves

Item#	Mfg#
272923	5317

Large Drain Line Augers



Ridgid® K-750 Drum Machine

- 100' auger • 3/4" cable • 550-watt induction motor (0-200 rpm) • Autofeed™ control • Corrosion resistant cable drum
- Includes PVC gloves

Item#	Mfg#
172312	42007





Copper Fittings

NIBCO

NIBCO

NIBCO

NIBCO



Copper Female Adapters Sweat x Female

Item#	Size
7164	1/2"
42747	3/4"

Copper 45° Elbows Sweat x Sweat

Item#	Size
26343	1/2"
45283	3/4"

Copper 90° Close Rough Elbows Sweat x Sweat

Item#	Size
31523	1/2"
49570	3/4"

Copper Tees Sweat x Sweat x Sweat

Item#	Size
16982	1/2"
226	3/4"

CPVC Fittings



CPVC Couplings

• End Connection: Socket • Cream or tan pipe and fittings used for hot and cold water distribution • Intended for pressure use • Resistant to corrosion, pitting and scaling • For use where systems will not exceed 180°F at 100 psi

Item#	Size
15957	1/2"
50571	3/4"

CPVC 45° Elbows

• End Connection: Socket • Cream or tan pipe and fittings used for hot and cold water distribution • Intended for pressure use • Resistant to corrosion, pitting and scaling • For use where systems will not exceed 180°F at 100 psi

Item#	Size
6231	1/2"
40930	3/4"

CPVC 90° Elbows

• End Connection: Socket • Cream or tan pipe and fittings used for hot and cold water distribution • For use where systems will not exceed 180°F at 100 psi • Intended for pressure use • Resistant to corrosion, pitting and scaling

Item#	Size
21493	1/2"
3360	3/4"

CPVC Tees

• End Connection: Socket • Cream or tan pipe and fittings used for hot and cold water distribution • Intended for pressure use • Resistant to corrosion, pitting and scaling • For use where systems will not exceed 180°F at 100 psi

Item#	Size
41884	1/2" x 1/2" x 1/2"
24950	3/4" x 3/4" x 3/4"

PVC Schedule 40 Fittings



SCH 40 PVC Couplings

• End Connection: Socket, Socket • Intended for pressure applications where the operating temperature will not exceed 140°F

Item#	Size
46940	1/2"
29829	3/4"
12370	1"
30260	1-1/2"
12800	2"

SCH 40 PVC 45° Elbows

• End Connection: Socket, Socket • Intended for pressure applications where the operating temperature will not exceed 140°F

Item#	Size
43457	1/2"
27365	3/4"
10952	1"
29559	1-1/2"
13331	2"

SCH 40 PVC 90° Elbows

• End Connection: Socket, Socket • Intended for pressure applications where the operating temperature will not exceed 140°F

Item#	Size
531	1/2"
35636	3/4"
19302	1"
38317	1-1/2"
22505	2"

SCH 40 PVC Tees

• End Connection: Socket, Socket, Socket • Intended for pressure applications where the operating temperature will not exceed 140°F

Item#	Size
19905	1/2" x 1/2" x 1/2"
3857	3/4" x 3/4" x 3/4"
40140	1" x 1" x 1"
6044	1-1/2" x 1-1/2" x 1-1/2"
41792	2" x 2" x 2"





DWV PVC Schedule 40 Fittings



DWV SCH 40 PVC Couplings
 • End Connection: Hub, Hub • For sanitary drain, waste, and vent (DWV), sewer, and storm drainage applications
 • Intended for non-pressure applications where the operating temperature will not exceed 140°F

Item#	Size
25559	1-1/2"
8761	2"



DWV SCH 40 PVC 45° Elbows
 • End Connection: Hub, Hub • For sanitary drain, waste, and vent (DWV), sewer, and storm drainage applications
 • Intended for non-pressure applications where the operating temperature will not exceed 140°F

Item#	Size
16721	1-1/2"
495	2"



DWV SCH 40 PVC 90° Elbows
 • End Connection: Hub, Hub • Used in sanitary drain waste, and vent (DWV), sewer, and storm drainage applications

Item#	Size
48894	1-1/2"
32154	2"



DWV SCH 40 PVC Sanitary Tees
 • End Connection: Hub, Hub, Hub • For sanitary drain, waste, and vent (DWV), sewer, and storm drainage applications
 • Intended for non-pressure applications where the operating temperature will not exceed 140°F

Item#	Size
51946	1-1/2"
34995	2"



SCH 40 ABS DWV Couplings
 • End Connection: Hub • For sanitary drain, waste, and vent (DWV), sewer and storm drainage applications • For use where systems will not exceed 160°F

Item#	Size
43386	1-1/2"
26980	2"



SCH 40 ABS DWV 45° Elbows
 • End Connection: Hub • For sanitary drain, waste, and vent (DWV), sewer and storm drainage applications • For use where systems will not exceed 160°F

Item#	Size
22519	1-1/2"
5800	2"



SCH 40 ABS DWV 90° Elbows
 • End Connection: Hub • For sanitary drain, waste, and vent (DWV), sewer and storm drainage applications • For use where systems will not exceed 160°F

Item#	Size
26811	1-1/2"
9343	2"



SCH 40 ABS DWV Sanitary Tees
 • End Connection: Hub • For sanitary drain, waste, and vent (DWV), sewer and storm drainage applications • For use where systems will not exceed 160°F

Item#	Size
20834	1-1/2"
4096	2"

Galvanized Malleable Fittings



Galvanized Carbon Steel Galvanized Steel Nipples
 • Import

Item#	Size
405940	1/2" x 1-1/2"
406252	3/4" x 1-1/2"



Galvanized Malleable Iron 45° Elbows
 • Rating: 150# • Import • Threaded

Item#	Size
161190	1/2"
161191	3/4"



Galvanized Malleable Iron 90° Elbows
 • Rating: 150# • Import • Threaded

Item#	Size
161132	1/2"
161133	3/4"



Galvanized Malleable Iron Tees
 • Rating: 150# • Threaded • Import

Item#	Size
161203	1/2"
161204	3/4"





Black Malleable Fittings



Black Carbon Steel Nipples
• Threaded • Import

Item#	Size
407010	1/2" x 1-1/2"
406822	3/4" x 1-1/2"



Black Malleable Iron 45° Elbows
• Rating: 150# • Import • Threaded

Item#	Size
160857	1/2"
190864	3/4"



Black Malleable Iron 90° Elbows
• Rating: 150# • Import • Threaded

Item#	Size
160845	1/2"
160846	3/4"



Black Malleable Iron Tees
• Rating: 150# • Threaded • Import

Item#	Size
160861	1/2"
160862	3/4"

Brass Fittings



Brass Nipples

Item#	Size
13913	1/2" x 1-1/2"
5739	3/4" x 1-1/2"



Brass 45° Elbows
• 125# • Threaded • Import

Item#	Size
3816318	1/2"
3816319	3/4"



Brass 90° Elbows
• 125# • Threaded • Import

Item#	Size
3816183	1/2"
3816184	3/4"



Brass Tees
• 125# • Threaded • Import

Item#	Size
3816211	1/2"
3816214	3/4"

Brass Compression Fittings



PROFLO® Brass Compression Nut
• Designed for use with aluminum, copper and plastic tubing • Used to connect compression fittings • Not intended for gas of any kind

Item#	Size
5050923	1/4" OD
5050957	3/8" OD



PROFLO® Brass Compression Union
• Designed for use with aluminum, copper and plastic tubing • Includes compression nuts and sleeves • Not intended for gas of any kind

Item#	Size
5050943	1/4" OD
5050948	3/8" OD



PROFLO® Brass Compression Elbow
• Designed for use with aluminum, copper and plastic tubing • Includes compression nuts and sleeves • Not intended for gas of any kind

Item#	Size
5050994	1/4" OD
5050939	3/8" OD



PROFLO® Brass Compression Tee
• Designed for use with aluminum, copper and plastic tubing • Includes compression nuts and sleeves • Not intended for gas of any kind

Item#	Size
5050899	1/4" OD
5050902	3/8" OD





Push-On Fittings



PlumbBite® Couplings

- Heat-free method for joining copper and/or CPVC tubing
- No soldering, glue, heat or external tools required to join pipe
- Secure connection and seal with stainless steel gripper ring and EPDM o-ring
- Maximum temperature 180°F and maximum pressure is 200 PSI

Item#	Size
7793028	1/2"
7793056	3/4"



PlumbBite® 90° Elbows

- Heat-free method for joining copper and/or CPVC tubing
- No soldering, glue, heat or external tools required to join pipe
- Secure connection and seal with stainless steel gripper ring and EPDM o-ring
- Maximum temperature 180°F and maximum pressure is 200 PSI

Item#	Size
7793061	1/2" x 1/2"
7793062	3/4" x 3/4"



PlumbBite® Tees

- Heat-free method for joining copper and/or CPVC tubing
- No soldering, glue, heat or external tools required to join pipe
- Secure connection and seal with stainless steel gripper ring and EPDM o-ring
- Maximum temperature 180°F and maximum pressure is 200 PSI

Item#	Size
7793026	1/2"
7793059	3/4"

Ball Valves



FNW® Brass Full Port Push Ball Valve

- Brass 2 piece with lever valve operator
- Valve Seat Material: PTFE
- 200 psi water or air
- Push-fit ends
- For copper, CPVC and some PEX pipe
- Meets California law AB 1958
- Not for use at or below ground level

Item#	Size
5147737	1/2"
5147738	3/4"

Check Valves



PlumbBite® Brass Push-On Check Valve

- Maximum Temperature: 180°F
- Maximum Pressure: 200 psi
- Lead free
- Designed for vertical and horizontal installation

Item#	Size
7927430	1/2"
7927428	3/4"

Thermostatic Mixing Valves



PlumbBite® Push Connection Thermostatic Mixing Valve

- Heat-free method for joining copper, CPVC, PEX or PE-RT tubing
- No soldering, glue, heat or external tools required to join pipe
- Secure connection and seal with stainless steel gripper ring and EPDM o-ring
- Maximum temperature 195°F and maximum pressure is 145 PSI

Item#	Size
7793053	1/2"
7793019	3/4"

FNW Press Fittings



FNW® Copper Press No Stop Coupling

- Unpressed joint leak detection feature
- Compatible with most major pressing tools and jaws available in the market
- Pressure Class: 300psi
- End Connections: Press x Press
- Material: Copper
- Material Type: C12200
- Meets ANSI 372-2020, ANSI 61-2020, ASME B16.51, NSF 372-2020 and NSF 61-2020 specifications

Item#	Size
9297542	1/2" x 1/2"
9297546	3/4" x 3/4"



FNW® Copper Press 45° Elbow

- Unpressed joint leak detection feature
- Compatible with most major pressing tools and jaws available in the market
- Pressure Class: 300psi
- Material: Copper and rubber
- Material Type: C12200
- Seal: EPDM
- End Connections: Press x Press
- Meets ANSI 372-2020, ANSI 61-2020, ASME B16.51, NSF 372-2020 and NSF 61-2020 specifications

Item#	Size
9297718	1/2" x 1/2"
9297724	3/4" x 3/4"



FNW® Copper Press 90° Elbow

- Unpressed joint leak detection feature
- Compatible with most major pressing tools and jaws available in the market
- Pressure Class: 300psi
- Material: Copper and rubber
- Material Type: C12200
- Seal: EPDM
- End Connections: Press x Press
- Meets ANSI 372-2020, ANSI 61-2020, ASME B16.51, NSF 372-2020 and NSF 61-2020 specifications

Item#	Size
9297599	1/2" x 1/2"
9297597	3/4" x 3/4"





Ball Valves

FNW



FNW® Forged Brass Full Port Press 200# Ball Valve

- Press ends • Drip fit O-rings • No soldered-in end pieces
- Blow-out proof stem • Dual O-ring adjustable packing
- Meets ANSI 61, ANSI 61 Annex G, ASTM B-88, MSS SP-110, NSF 372, NSF 61 and NSF 61G specifications

Item#	Size
4606091	1/2"
4606092	3/4"

NEW

FNW



LOW LEAD

FNW® Gas Ball Valve

- Brass • End Connection: Threaded NPT • Valve Stem: Blow-out proof stem • Adjustable packing • Full Port • Body Style: 2-piece • Pressure Class: 600# WOG • Not for use at or below ground level

Item#	Size
4834887	1/2"
4834888	3/4"

PROFLO



LOW LEAD

PROFLO® PEX Ball Valve

- Connection: PEX • 2-piece brass ball valve • Full port design • 400 WOG • ASTM F-1807

Item#	Size
4393338	1/2"
4393339	3/4"

Gate Valves

PROFLO



LOW LEAD

PROFLO® Brass Gate Valve

- Operating Pressure: 200 psi WOG • Solid wedge disc
- Non-rising stem

Item#	Connection
3880192	FIP
3880193	FIP
3880198	Sweat
3880199	Sweat

PROFLO



PROFLO® Non-Potable No-Kink Hose Bibb

- Operating Pressure: 25 - 125 psi • No kink hose bib
- Bronze construction • For non-potable use

Item#	Connection
4080815	FIP
4080771	FIP

PROFLO



PROFLO® MIP Non-Potable Hose Bibb

- Operating Pressure: 125 psi • For non-potable use

Item#	Material
4080818	Brass
4080826	Brass

Hose Bibbs

PROFLO



LOW LEAD

PROFLO® Brass Boiler Drain

- 125 lbs CWP to 100°F • With stuffing box

Item#	Size	Connection
4631126	1/2"	MIP x Sweat
4631127	3/4"	MIP
4631131	1/2"	FIP
4631135	3/4"	FIP

NIBCO



NIBCO® CPVC Ball Valve

- Solvent weld connection • Reduced port valve opening
- For use with hot or cold water • Low flow loss • Copper tube size • PTFE seats • EPDM O-rings • CPVC construction
- 150 psi at 73.4°F • Operating Temperature: 180°F

Item#	Size
855205	1/2"
855206	3/4"

JONES STEPHENS



PVC Ball Valves

- Solvent weld connection • Compact one piece design
- Reduced port valve opening • Low flow loss • EPDM seats and O-rings • PVC construction • 150 psi at 73.4°F

Item#	Size
1137286	1/2"
2475774	3/4"



TERMS AND CONDITIONS

CONTROLLING PROVISIONS: No terms and conditions other than the terms and conditions contained herein shall be binding upon Seller unless accepted by it in a writing signed by the Seller's Branch Manager. All terms and conditions contained in any prior oral or written communication, including, without limitation, Buyer's purchase order, which are different from or in addition to the terms and conditions herein are hereby rejected and shall not be binding on Seller, whether or not they would materially alter this document, and Seller hereby objects thereto. All prior proposals, negotiations and representations, if any, are merged herein. Buyer will be deemed to have assented to all terms and conditions contained herein if any part of the goods and/or services described herein are shipped or an invoice is presented in connection with the said goods and/or services.

TERMS: Buyer agrees to pay for the products Net 10 unless other terms are approved by Seller in writing. In the event Buyer fails to make any payment to Seller when due, Buyer's entire account(s) with Seller shall become immediately due and payable without notice or demand. All past due amounts are subject to service charges at the rate agreed upon by the parties, otherwise at the maximum contract rate permitted by law. In states where a rate is required, it shall be 1.5% per month. Buyer does hereby grant Seller a purchase money security interest in the products until such time as Seller is fully paid. Buyer will assist Seller in taking the necessary action to perfect and protect Seller's security interest. No products furnished by the Seller shall become a fixture by reason of being attached to real estate.

REMEDIES OF SELLER: Upon default by Buyer, Buyer agrees to reimburse Seller all attorney fees and court costs incurred by Seller in connection therewith. In states where a rate is required, it shall be 25%. Buyer agrees that any of the following shall constitute an event of default which shall enable Seller, at its option, to cancel any unexecuted portion of this order or to exercise any right or remedy which it may have by law: (a) the failure of Buyer to perform any term or condition contained herein; (b) any failure of Buyer to give required notice; (c) the insolvency of Buyer or its failure to pay debts as they mature, an assignment by Buyer for benefit of its creditors, the appointment of receiver for Buyer or for the materials covered by this order or the filing of any petition to adjudicate Buyer bankrupt; (d) the death, incompetence, dissolution or termination of existence of Buyer; (e) a failure by Buyer to provide adequate assurance of performance within ten (10) days after a justified demand by Seller or (f) if Seller, in good faith, believes that Buyer's prospect of performance under this Agreement is impaired. All rights and remedies of Seller herein are in addition to, and shall not exclude, any rights or remedies that Seller may have by law. In the event it becomes necessary to incur any expense for collection of any overdue account, reasonable collection charges, including reasonable attorneys' fees, will be added to the balance due and Buyer shall pay all such charges.

GOVERNING LAW: This transaction shall be governed in all respects by the laws of the Commonwealth of Virginia (excluding choice of law provisions). All actions, regardless of form, arising out of or related to this transaction or the products sold hereunder must be brought against Seller within the applicable statutory period, but in no event more than ONE (1) YEAR after the date of invoice. Buyer waives all objections of forum non conveniens in any action brought by Seller for collection of unpaid amounts.

DELIVERY: Seller will make a good faith effort to complete delivery of the products as indicated by Seller in writing, but Seller assumes no responsibility or liability and will accept no backcharge for loss or damage due to delay or inability to deliver, whether or not such loss or damage was made known to Seller, including, but not limited to, liability for Seller's non-performance caused by acts of God, war, labor difficulties, accidents, inability to obtain materials, delays of carriers, contractors or suppliers or any other causes of any kind whatever beyond the control of Seller. Under no circumstances shall Seller be liable for any special, consequential, incidental, indirect, or liquidated damages, losses, or expense (whether or not based on negligence) arising directly or indirectly from delays or failure to give notice of delay.

WARRANTY: THE BUYER'S SOLE AND EXCLUSIVE WARRANTY, IF ANY, IS THAT PROVIDED BY THE PRODUCT'S MANUFACTURER. SELLER MAKES NO EXPRESSED OR IMPLIED WARRANTIES. SELLER HEREBY DISCLAIMS ALL EXPRESSED OR IMPLIED WARRANTIES, WHETHER IMPLIED BY OPERATION OF LAW OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS OR FITNESS FOR A PARTICULAR PURPOSE. UNDER NO CIRCUMSTANCES, AND IN NO EVENT, WILL SELLER BE LIABLE FOR PERSONAL INJURY OR PROPERTY DAMAGE OR ANY OTHER LOSS, DAMAGE, COST OF REPAIRS OR INCIDENTAL, PUNITIVE, SPECIAL, CONSEQUENTIAL, OR LIQUIDATED DAMAGES OF ANY KIND, WHETHER BASED UPON WARRANTY, CONTRACT, STRICT LIABILITY, NEGLIGENCE OR ANY OTHER CAUSE OF ACTION ARISING IN CONNECTION WITH THE DESIGN, MANUFACTURE, SALE, TRANSPORTATION, INSTALLATION, USE OR REPAIR OF THE PRODUCTS SOLD BY SELLER. BUYER HEREBY ACKNOWLEDGES AND AGREES THAT UNDER NO CIRCUMSTANCES, AND IN NO EVENT, SHALL SELLER'S LIABILITY, IF ANY, EXCEED THE NET SALES PRICE OF THE DEFECTIVE PRODUCT(S); NO ADDITIONAL ALLOWANCE SHALL BE MADE FOR THE LABOR OR EXPENSE OF REPAIRING OR REPLACING DEFECTIVE PRODUCTS OR WORKMANSHIP OR DAMAGE RESULTING FROM THE SAME. EXCEPT AS EXPRESSLY SET FORTH IN THIS PARAGRAPH, ALL PRODUCTS AND/OR SERVICES PROVIDED BY SELLER AND ITS EMPLOYEES AND AGENTS ARE PROVIDED "AS IS," "WHERE IS," AND "WITH ALL FAULTS."

RECOMMENDATIONS BY SELLER: Buyer acknowledges that Seller does not make and specifically negates, renounces and disclaims any representations, warranties and/or guaranties of any kind or character, expressed or implied, with respect to (i) the products sold, their use, design, application or operation, their merchantability, their physical condition or their fitness for a particular purpose, (ii) the maintenance or other expenses to be incurred in connection with the products, (iii) the engineering, design, fabrication work or any other work or service (whether gratuitous or for payment) supplied by Seller and/or its agents, suppliers and employees or (iv) the accuracy or reliability of any information, designs or documents furnished to Buyer. Seller neither assumes, nor authorizes any person to assume for it, any other obligation in connection with the sale of its products and/or rendering of its services. Any recommendations made by Seller concerning the use, design, application or operation of the products shall not be construed as representations or warranties, expressed or implied. Failure by Seller to make recommendations or give advice to Buyer shall not impose any liability upon Seller.

PRODUCT SELECTION AND USE: At its own expense, Buyer shall apply for and obtain any permits and inspections required for the purchase, installation, and/or use of the products. Buyer is solely responsible for choosing the products, including decisions regarding use, style, size, and finishes. Some of the products sold to Buyer may contain materials deemed potentially harmful under federal, state or local laws ordinances, regulations, codes or standards. Seller makes no representation, warranty, or promise that the products or services will conform to any applicable laws, ordinances, regulations, codes or standards, including, but not limited to, low lead or lead free laws or regulations, except as particularly specified and agreed upon in writing by an authorized representative of Seller. Seller is not responsible if the product does not fit the particular use, style, size, or finish requirements or is misapplied or misused by Buyer or any other party in violation of law. Seller's products are not for use in or with any nuclear facility unless specifically so stated by Seller in writing.

PRICE: Ferguson will try to maintain catalog price, however, we reserve the right to alter published prices without notice do to unfortunate errors in publishing, or with supplier, market, or commodity cost changes.



TERMS AND CONDITIONS OF SALE CONTINUED

INDEMNIFICATION: Seller shall not be responsible for any losses or damages sustained by the Buyer or any other person as a result of improper installation or misapplication of the products. Buyer shall defend, indemnify and hold harmless Seller and its agents and employees against any loss, damage, claim, suit, liability, judgment or expense (including, without limitation, attorney's fees) arising out of or in connection with any injury, disease or death of persons (including, without limitation, Buyer's employees and agents) or damage to or loss of any property or the environment, or violation of any applicable laws or regulations resulting from or in connection with the sale, transportation, installation, use, or repair of the products by Buyer or of the information, designs, services or other work supplied to Buyer, whether caused by the concurrent and/or contributory negligence of Buyer, Seller, or any of their agents, employees or suppliers. The obligations, indemnities and covenants contained in this paragraph shall survive the consummation or termination of this transaction.

INSPECTION AND ACCEPTANCE: Claims for damage, shortage or errors in shipping must be reported within one (1) day following delivery to Buyer. Buyer shall have seven (7) days from the date Buyer receives any products to inspect such products and services for defects and nonconformance which are not due to damage, shortage or errors in shipping and notify Seller, in writing, of any defects, nonconformance or rejection of such products. After such seven (7) day period, Buyer shall be deemed to have irrevocably accepted the products, if not previously accepted. After such acceptance, Buyer shall have no right to reject the products for any reason or to revoke acceptance. Buyer hereby agrees that such seven (7) day period is a reasonable amount of time for such inspection and revocation. Buyer shall have no right to order any change or modification to any product or service previously ordered by Buyer or its representatives or cancel any order without Seller's written consent and payment to Seller of all charges, expenses, commissions and reasonable profits owed to or incurred by Seller. Specially fabricated or ordered items may not be canceled or returned, and no refund will be made. The sole and exclusive remedy for merchandise alleged to be defective in workmanship or material will be the replacement of the merchandise subject to the manufacturer's inspection and warranty.

RETURNS: Buyer may return any product which Seller stocks with no restocking charge if: (i) it is in new condition, suitable for resale in its undamaged original packaging and with all its original parts and (ii) it has not been used, installed, modified, rebuilt, reconditioned, repaired, altered or damaged and (iii) meets all applicable laws ordinances, regulations, codes or standards governing the type of product that can be sold or put into transit in the state in which the product is being returned. Buyer's surplus job returns, and those not meeting (i), (ii) and (iii), above, will be evaluated on an individual basis after Buyer has contacted Seller's authorized representative for prior written permission. Special orders or non-stock items may be returned if the manufacturer will accept the return. Except for items Seller stocks which meet (i), (ii) and (iii), above, credit memoranda issued for authorized returns shall be subject to the following deductions: (a) cost of putting items in salable condition; (b) transportation charges, if not prepaid; and (c) handling and restocking charges.

SHIPMENTS: All products are shipped F.O.B., point of shipment. Risk of loss shall transfer to the Buyer upon tender of goods to Buyer, Buyer's representative, or common carrier. The cost of any special packing or special handling caused by Buyer's requirements or requests shall be added to the amount of the order. If Buyer causes or requests a shipment delay, or if Seller ships or delivers the products erroneously as a result of inaccurate, incomplete or misleading information supplied by Buyer or its agents or employees, storage and all other additional costs and risks shall be borne solely by Buyer. Claims for products damaged or lost in transit should be made by Buyer to the carrier, as Seller's responsibility ceases upon tender of goods to Buyer, Buyer's representative or common carrier.

TAXES: The amount of any sales, excise or other taxes, if any, applicable to the products shall be added to the purchase price and shall be paid by Buyer unless Buyer provides Seller with an exemption certificate acceptable to the taxing authorities. Any taxes which Seller may be required to pay or collect under any existing or future law, upon or with respect to the sale, purchase, delivery, storage, processing, use or consumption of any of the products, including taxes upon or measured by the receipts from the sale thereof, shall be for the account of the Buyer, who shall promptly pay the amount thereof to Seller upon demand.

SEVERABILITY: These terms and conditions of sale shall not be construed against the party preparing them, but shall be construed as if all parties jointly prepared these terms and conditions of sale and any uncertainty or ambiguity shall not be interpreted against any one party. If any provision hereof is held to be illegal, invalid or unenforceable under any present or future laws, such provision shall be fully severable and the terms and conditions herein shall be construed and enforced as if such illegal, invalid or unenforceable provision had never been made a part hereof. The remaining provisions herein shall remain in full force and effect and shall not be affected by such illegal, invalid or unenforceable provisions or by their severance herefrom.

SET-OFF: Buyer shall not be entitled to set-off any amounts due Buyer against any amount due Seller in connection with this transaction.

CERTIFICATIONS: Seller certifies that it does not and will not maintain or provide for its employees any segregated facilities at any of its establishments and that it does not permit and will not permit its employees to perform their services at any location, under its control, where segregated facilities are maintained. Seller certifies further that its services are performed in compliance with the Fair Labor Standards Act of 1938, as amended.

NON-WAIVER: Seller's failure to insist upon the strict performance of any term or condition herein shall not be deemed a waiver of any of Seller's rights or remedies hereunder, nor of its right to insist upon the strict performance of the same or any other term herein in the future. No waiver of any term or condition hereunder shall be valid unless in writing and signed by Seller's Branch Manager.

ENTIRE AGREEMENT: This document constitutes the entire, complete, and exclusive agreement between the parties with respect to the subject matter hereof and contains all the agreements and conditions of sale; no course of dealing or usage of the trade shall be applicable unless expressly incorporated herein. The terms and conditions contained herein may not be added to, modified, superseded or otherwise altered except by a written modification signed by the Seller's Branch Manager. All transactions shall be governed solely by the terms and conditions contained herein.

ORDERS OF LESS THAN \$50 ARE SUBJECT TO AN ADDITIONAL \$10 PROCESSING FEE.



LEAD WARNING: THIS PRODUCT CONTAINS LEAD OR LEAD COMPOUNDS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS AND OTHER REPRODUCTIVE HARM. DO NOT USE IN CONNECTION WITH DRINKING WATER. WASH HANDS AFTER HANDLING.



CALIFORNIA PROP 65 WARNING: THIS PRODUCT MAY CONTAIN CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM. WASH HANDS AFTER HANDLING.



YOUR ONLINE TOOLKIT

With a ferguson.com account, you have always-on access to tools, services and resources that make your job easier.



PRODUCT SEARCH

Make informed purchases with product info like package quantity, spec sheets and Safety Data Sheets.



REAL-TIME INVENTORY

See specific product pricing by location and inventory availability near you for next-day delivery.



MY LISTS

Organize the products you buy often by approved items, product category and/or location to reorder faster.



ORDER HISTORY

View orders and key details, like who ordered it, how much it cost and when it arrived.



ORDER APPROVAL

Manage orders and purchasing decisions more efficiently to help you stay within budget.



ORDER TRACKING

Get automatic notifications about your order's progress—even if we're not the ones delivering it.



ONLINE BILL PAY

Pay your invoices online and keep track of purchases for reconciliation and budgeting.



SEE HOW EASY IT IS TO START USING THESE TOOLS TO YOUR ADVANTAGE.

VIEW OUR TUTORIALS ONLINE.



888-334-0004 | En Español: 855-267-2457
facilities.supply@ferguson.com

Next day delivery available with automatic
notifications on your order's arrival

Order online 24/7 at ferguson.com/facilitiesupply

